

Bottom Ash Data

2024 Week 20

The following analytical report represents bottom ash composite results for week 20 of 2024 (May 12, 2024 to May 18, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



CERTIFICATE OF ANALYSIS

Work Order : **VA24B1525**
Client : **Covanta Burnaby Renewable Energy, ULC**
Contact : Nicole Victor
Address : 5150 Riverbend Drive
 Burnaby BC Canada V3N 4V3
Telephone : ----
Project : Weekly Bottom Ash - Suite
PO : PO#_VANCO 00000 - Weekly Bottom Ash - Suite
C-O-C number : ----
Sampler : ----
Site : (includes 2.1 PH)
Quote number : Covanta Burnaby Standing Offer 2024
No. of samples received : 12
No. of samples analysed : 12

Page : 1 of 11
Laboratory : ALS Environmental - Vancouver
Account Manager : Ian Chen
Address : 8081 Lougheed Highway
 Burnaby BC Canada V5A 1W9
Telephone : +1 604 253 4188
Date Samples Received : 22-May-2024 13:00
Date Analysis Commenced : 23-May-2024
Issue Date : 30-May-2024 09:07

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Brianna Allen	Production/Validation Manager	Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Metals, Burnaby, British Columbia



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
%	percent
mg/kg	milligrams per kilogram
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.



Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA 2420-A-1	BA 2420-A-2	BA 2420-A-3	BA 2420-A-4	BA 2420-A-5
Client sampling date / time					15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B1525-001	VA24B1525-002	VA24B1525-003	VA24B1525-004	VA24B1525-005
					Result	Result	Result	Result	Result
Physical Tests									
Moisture	----	E144/VA	0.25	%	21.8	20.9	22.0	21.3	21.4
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	12.6	12.6	12.6	12.6	12.6
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	52500	30100	42800	38800	43500
Antimony	7440-36-0	E440/VA	0.10	mg/kg	94.1	160	139	167	149
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	27.9	36.0	46.4	40.7	37.6
Barium	7440-39-3	E440/VA	0.50	mg/kg	819	444	597	457	584
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.40	0.36	0.41	0.36	0.39
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	3.69	10.2	7.78	9.88	7.14
Boron	7440-42-8	E440/VA	5.0	mg/kg	253	205	178	184	158
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	8.52	12.0	16.0	10.2	9.28
Calcium	7440-70-2	E440/VA	50	mg/kg	116000	159000	142000	158000	150000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	117	155	169	165	165
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	39.3	86.5	189	192	309
Copper	7440-50-8	E440/VA	0.50	mg/kg	872	1640	12700	3310	2570
Iron	7439-89-6	E440/VA	50	mg/kg	40500	36600	56500	43800	80300
Lead	7439-92-1	E440/VA	0.50	mg/kg	1290	524	515	491	972
Lithium	7439-93-2	E440/VA	2.0	mg/kg	26.6	31.6	40.8	34.0	53.0
Magnesium	7439-95-4	E440/VA	20	mg/kg	11100	11200	11000	11600	10900
Manganese	7439-96-5	E440/VA	1.0	mg/kg	729	821	786	818	842
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	11.2	16.4	15.6	15.9	20.2
Nickel	7440-02-0	E440/VA	0.50	mg/kg	72.3	130	128	124	409
Phosphorus	7723-14-0	E440/VA	50	mg/kg	7500	10000	7240	9820	7730
Potassium	7440-09-7	E440/VA	100	mg/kg	3930	5730	5090	5460	4760
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.26	0.46	0.38	0.37	0.47
Silver	7440-22-4	E440/VA	0.10	mg/kg	3.23	9.38	3.99	4.71	8.42
Sodium	7440-23-5	E440/VA	50	mg/kg	12600	14800	13900	14100	13400
Strontium	7440-24-6	E440/VA	0.50	mg/kg	250	328	307	316	297



Analytical Results

Sub-Matrix: Soil					Client sample ID	BA 2420-A-1	BA 2420-A-2	BA 2420-A-3	BA 2420-A-4	BA 2420-A-5
(Matrix: Soil/Solid)					Client sampling date / time	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B1525-001	VA24B1525-002	VA24B1525-003	VA24B1525-004	VA24B1525-005	
					Result	Result	Result	Result	Result	
Metals										
Sulfur	7704-34-9	E440/VA	1000	mg/kg	5900	12700	10000	12100	10700	
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050	
Tin	7440-31-5	E440/VA	2.0	mg/kg	79.0	111	130	108	152	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	1230	299	449	317	628	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	6.77	15.9	6.27	7.15	11.3	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.23	3.95	3.16	3.91	3.20	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	47.4	42.2	42.7	43.7	46.5	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	4100	3670	3890	4340	3260	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	1.7	1.9	2.1	3.6	2.8	
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.1	12.1	12.1	12.1	12.1	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	7.97	8.37	8.10	8.30	7.81	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.85	2.85	2.85	2.85	2.85	
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.09	7.83	7.96	8.02	7.96	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.77	1.68	1.66	1.68	1.62	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1940	1800	1790	1890	1800	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.076	0.176	0.103	0.111	0.146	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.05	0.912	0.914	1.02	0.943	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	96.7	90.4	91.5	94.7	88.7	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10	



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA 2420-A-1	BA 2420-A-2	BA 2420-A-3	BA 2420-A-4	BA 2420-A-5
Client sampling date / time					15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B1525-001	VA24B1525-002	VA24B1525-003	VA24B1525-004	VA24B1525-005	
					Result	Result	Result	Result	Result	
TCLP Metals										
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil					Client sample ID	BA 2420-A-6	BA 2420-A-7	BA 2420-A-8	BA 2420-A-9	BA 2420-A-10
(Matrix: Soil/Solid)					Client sampling date / time	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B1525-006	VA24B1525-007	VA24B1525-008	VA24B1525-009	VA24B1525-010	
					Result	Result	Result	Result	Result	
Physical Tests										
Moisture	---	E144/VA	0.25	%	21.5	21.0	20.8	21.8	20.4	
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	12.6	12.6	12.6	12.6	12.6	
Metals										
Aluminum	7429-90-5	E440/VA	50	mg/kg	39300	49500	52700	27700	42200	
Antimony	7440-36-0	E440/VA	0.10	mg/kg	83.1	71.5	102	129	108	
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	26.0	40.5	25.4	31.8	29.7	
Barium	7440-39-3	E440/VA	0.50	mg/kg	598	656	733	468	606	
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.38	0.34	0.41	0.38	0.38	
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	5.06	4.28	6.00	10.0	6.60	
Boron	7440-42-8	E440/VA	5.0	mg/kg	155	230	192	159	171	
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	5.87	5.15	7.40	9.93	7.89	
Calcium	7440-70-2	E440/VA	50	mg/kg	124000	114000	130000	154000	138000	
Chromium	7440-47-3	E440/VA	0.50	mg/kg	97.2	145	157	199	2650	
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	412	19.8	695	67.5	125	
Copper	7440-50-8	E440/VA	0.50	mg/kg	1400	4670	1110	1850	4330	
Iron	7439-89-6	E440/VA	50	mg/kg	45000	41100	63600	59100	72400	
Lead	7439-92-1	E440/VA	0.50	mg/kg	326	733	336	389	961	
Lithium	7439-93-2	E440/VA	2.0	mg/kg	239	19.0	45.8	36.9	22.4	
Magnesium	7439-95-4	E440/VA	20	mg/kg	8840	9360	11000	10600	10600	
Manganese	7439-96-5	E440/VA	1.0	mg/kg	570	703	906	850	1280	
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	11.0	10.3	14.9	15.5	69.4	
Nickel	7440-02-0	E440/VA	0.50	mg/kg	57.6	79.3	314	195	2070	
Phosphorus	7723-14-0	E440/VA	50	mg/kg	12800	6560	7850	9420	7350	
Potassium	7440-09-7	E440/VA	100	mg/kg	4480	4320	5140	4860	4740	
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.35	0.24	0.28	0.42	0.36	
Silver	7440-22-4	E440/VA	0.10	mg/kg	3.55	4.89	3.19	7.70	4.48	
Sodium	7440-23-5	E440/VA	50	mg/kg	13700	12300	14600	13200	13600	
Strontium	7440-24-6	E440/VA	0.50	mg/kg	235	312	291	294	264	
Sulfur	7704-34-9	E440/VA	1000	mg/kg	6600	6700	8800	12200	8600	



Analytical Results

Sub-Matrix: Soil					Client sample ID	BA 2420-A-6	BA 2420-A-7	BA 2420-A-8	BA 2420-A-9	BA 2420-A-10
(Matrix: Soil/Solid)					Client sampling date / time	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B1525-006	VA24B1525-007	VA24B1525-008	VA24B1525-009	VA24B1525-010	
					Result	Result	Result	Result	Result	
Metals										
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050	
Tin	7440-31-5	E440/VA	2.0	mg/kg	59.0	106	98.2	128	97.4	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	318	556	647	202	376	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	10.5	5.43	8.41	7.60	7.81	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.38	2.56	2.96	3.81	3.04	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	36.6	33.2	52.4	45.2	53.0	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	1880	4850	2660	3580	3240	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.4	3.4	2.0	2.7	2.8	
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.1	12.1	12.1	12.1	12.1	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.33	8.58	8.06	8.51	7.98	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.85	2.85	2.85	2.85	2.85	
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.97	7.91	7.90	8.02	7.87	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.63	1.66	1.74	1.61	1.68	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1730	1750	1830	1780	1760	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.101	0.120	0.116	0.122	0.207	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.931	0.938	0.985	0.924	0.856	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	86.7	91.0	96.0	87.9	91.2	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10	
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA 2420-A-6	BA 2420-A-7	BA 2420-A-8	BA 2420-A-9	BA 2420-A-10
Client sampling date / time					15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00	15-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B1525-006	VA24B1525-007	VA24B1525-008	VA24B1525-009	VA24B1525-010	
TCLP Metals					Result	Result	Result	Result	Result	
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	<0.50	<0.50	<0.50	<0.50	
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA 2420-A-11	BA 2420-A-12	----	----	----
Client sampling date / time					15-May-2024 09:00	15-May-2024 09:00	----	----	----	
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B1525-011	VA24B1525-012	-----	-----	-----	
					Result	Result	----	----	----	
Physical Tests										
Moisture	---	E144/VA	0.25	%	21.1	21.7	----	----	----	
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	12.6	12.6	----	----	----	
Metals										
Aluminum	7429-90-5	E440/VA	50	mg/kg	35000	37600	----	----	----	
Antimony	7440-36-0	E440/VA	0.10	mg/kg	99.3	125	----	----	----	
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	21.8	37.2	----	----	----	
Barium	7440-39-3	E440/VA	0.50	mg/kg	676	401	----	----	----	
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.43	0.39	----	----	----	
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	5.23	9.33	----	----	----	
Boron	7440-42-8	E440/VA	5.0	mg/kg	150	210	----	----	----	
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	5.99	9.95	----	----	----	
Calcium	7440-70-2	E440/VA	50	mg/kg	138000	157000	----	----	----	
Chromium	7440-47-3	E440/VA	0.50	mg/kg	251	151	----	----	----	
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	226	62.9	----	----	----	
Copper	7440-50-8	E440/VA	0.50	mg/kg	3020	2080	----	----	----	
Iron	7439-89-6	E440/VA	50	mg/kg	66000	45300	----	----	----	
Lead	7439-92-1	E440/VA	0.50	mg/kg	372	377	----	----	----	
Lithium	7439-93-2	E440/VA	2.0	mg/kg	38.6	25.2	----	----	----	
Magnesium	7439-95-4	E440/VA	20	mg/kg	10800	10900	----	----	----	
Manganese	7439-96-5	E440/VA	1.0	mg/kg	768	684	----	----	----	
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	----	----	----	
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	20.0	17.1	----	----	----	
Nickel	7440-02-0	E440/VA	0.50	mg/kg	177	111	----	----	----	
Phosphorus	7723-14-0	E440/VA	50	mg/kg	7420	9740	----	----	----	
Potassium	7440-09-7	E440/VA	100	mg/kg	4450	5230	----	----	----	
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.32	0.46	----	----	----	
Silver	7440-22-4	E440/VA	0.10	mg/kg	3.67	8.42	----	----	----	
Sodium	7440-23-5	E440/VA	50	mg/kg	13500	15200	----	----	----	
Strontium	7440-24-6	E440/VA	0.50	mg/kg	286	328	----	----	----	
Sulfur	7704-34-9	E440/VA	1000	mg/kg	7600	11600	----	----	----	



Analytical Results

Sub-Matrix: Soil					Client sample ID	BA 2420-A-11	BA 2420-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time	15-May-2024 09:00	15-May-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B1525-011	VA24B1525-012	-----	-----	-----	
					Result	Result	----	----	----	
Metals										
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	----	----	----	
Tin	7440-31-5	E440/VA	2.0	mg/kg	87.4	103	----	----	----	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	243	291	----	----	----	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	4.61	7.25	----	----	----	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	3.02	4.20	----	----	----	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	42.3	45.7	----	----	----	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	5390	4580	----	----	----	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	3.0	3.1	----	----	----	
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.1	12.1	----	----	----	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.04	8.23	----	----	----	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.85	2.85	----	----	----	
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.84	7.39	----	----	----	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	----	----	----	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	----	----	----	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	----	----	----	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.70	1.71	----	----	----	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1800	1840	----	----	----	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.121	0.238	----	----	----	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.885	0.906	----	----	----	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	----	----	----	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	92.7	100	----	----	----	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	----	----	----	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	----	----	----	
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----	



Analytical Results

Sub-Matrix: Soil					Client sample ID		BA 2420-A-11	BA 2420-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		15-May-2024 09:00	15-May-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B1525-011	VA24B1525-012	-----	-----	-----	-----	-----
TCLP Metals					Result	Result	---	---	---	---	---
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	---	---	---	---	---
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	---	---	---	---	---
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	---	---	---	---	---
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	0.56	---	---	---	---	---
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	---	---	---	---	---

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

<p>Work Order : VA24B1525</p> <p>Client : Covanta Burnaby Renewable Energy, ULC</p> <p>Contact : Nicole Victor</p> <p>Address : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p>Telephone : ----</p> <p>Project : Weekly Bottom Ash - Suite</p> <p>PO : PO#_VANCO 00000 - Weekly Bottom Ash - Suite</p> <p>C-O-C number : ----</p> <p>Sampler : ----</p> <p>Site : (includes 2.1 PH)</p> <p>Quote number : Covanta Burnaby Standing Offer 2024</p> <p>No. of samples received : 12</p> <p>No. of samples analysed : 12</p>	<p>Page : 1 of 17</p> <p>Laboratory : ALS Environmental - Vancouver</p> <p>Account Manager : Ian Chen</p> <p>Address : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p>Telephone : +1 604 253 4188</p> <p>Date Samples Received : 22-May-2024 13:00</p> <p>Issue Date : 30-May-2024 09:02</p>
---	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Duplicate outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: Soil/Solid

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Duplicate (DUP) RPDs								
Metals	VA24B1525-001	BA 2420-A-1	Aluminum	7429-90-5	E440	52.8 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Antimony	7440-36-0	E440	34.0 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Arsenic	7440-38-2	E440	31.4 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Barium	7440-39-3	E440	63.0 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Bismuth	7440-69-9	E440	85.5 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Cadmium	7440-43-9	E440	43.4 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Calcium	7440-70-2	E440	35.7 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Cobalt	7440-48-4	E440	138 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Copper	7440-50-8	E440	79.0 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Lead	7439-92-1	E440	100 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Lithium	7439-93-2	E440	69.0 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Molybdenum	7439-98-7	E440	51.8 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Nickel	7440-02-0	E440	62.8 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Phosphorus	7723-14-0	E440	38.3 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Silver	7440-22-4	E440	46.2 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Sulfur	7704-34-9	E440	73.7 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Tin	7440-31-5	E440	41.5 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B1525-001	BA 2420-A-1	Titanium	7440-32-6	E440	153 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.



Matrix: **Soil/Solid**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Duplicate (DUP) RPDs - Continued								
Metals	VA24B1525-001	BA 2420-A-1	Uranium	7440-61-1	E440	54.2 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.

Result Qualifiers

Qualifier	Description
DUP-H	Duplicate results outside ALS DQO, due to sample heterogeneity.



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: **Soil/Solid**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-1	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-10	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-11	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-12	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-2	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-3	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-4	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-5	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-6	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-7	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-8	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA 2420-A-9	E510	15-May-2024	29-May-2024	28 days	14 days	✔	29-May-2024	28 days	15 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA 2420-A-1	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA 2420-A-10	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA 2420-A-11	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA 2420-A-12	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA 2420-A-2	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA 2420-A-3	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA 2420-A-4	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA 2420-A-5	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA 2420-A-6	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA 2420-A-7	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA 2420-A-8	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA 2420-A-9	E440	15-May-2024	29-May-2024	180 days	14 days	✔	30-May-2024	180 days	15 days	✔	
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA 2420-A-1	E144	15-May-2024	----	----	----		28-May-2024	----	13 days		



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-10	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-11	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-12	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-2	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-3	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-4	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-5	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-6	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-7	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-8	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA 2420-A-9	E144	15-May-2024	----	----	----		28-May-2024	----	13 days	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-1	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-10	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-11	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-12	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-2	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-3	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-4	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-5	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-6	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-7	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-8	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA 2420-A-9	E108	15-May-2024	29-May-2024	30 days	14 days	✔	29-May-2024	30 days	14 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA 2420-A-1	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA 2420-A-10	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA 2420-A-11	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA 2420-A-12	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA 2420-A-2	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA 2420-A-3	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA 2420-A-4	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA 2420-A-5	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA 2420-A-6	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA 2420-A-7	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA 2420-A-8	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA 2420-A-9	E512	23-May-2024	27-May-2024	37 days	12 days	✔	27-May-2024	37 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-1	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-10	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-11	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-12	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-2	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-3	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-4	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-5	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-6	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-7	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-8	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA 2420-A-9	E444	23-May-2024	27-May-2024	189 days	12 days	✔	27-May-2024	189 days	12 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-1	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-10	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-11	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-12	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-2	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-3	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-4	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔	



Matrix: **Soil/Solid**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-5	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-6	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-7	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-8	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA 2420-A-9	EPP444	15-May-2024	23-May-2024	----	----		----	28 days	9 days	✔

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		Evaluation
			QC	Regular	Actual	Expected	
Analytical Methods							
Laboratory Duplicates (DUP)							
Mercury by CVAAS (TCLP)	E512	1460880	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1463745	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1460881	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1463746	1	12	8.3	5.0	✔
Moisture Content by Gravimetry	E144	1463748	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1463747	1	12	8.3	5.0	✔
Laboratory Control Samples (LCS)							
Mercury in Soil/Solid by CVAAS	E510	1463745	2	12	16.6	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1463746	2	12	16.6	10.0	✔
Moisture Content by Gravimetry	E144	1463748	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1463747	1	12	8.3	5.0	✔
Method Blanks (MB)							
Mercury by CVAAS (TCLP)	E512	1460880	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1463745	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1460881	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1463746	1	12	8.3	5.0	✔
Moisture Content by Gravimetry	E144	1463748	1	12	8.3	5.0	✔
Matrix Spikes (MS)							
Mercury by CVAAS (TCLP)	E512	1460880	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1460881	1	12	8.3	5.0	✔



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally $20 \pm 5^{\circ}\text{C}$), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at 105°C . Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl . Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, Tl, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines. Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl , followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Digestion for Metals and Mercury	EP440 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO ₃ and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.



QUALITY CONTROL REPORT

Work Order	: VA24B1525	Page	: 1 of 12
Client	: Covanta Burnaby Renewable Energy, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Ian Chen
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: Weekly Bottom Ash - Suite	Date Samples Received	: 22-May-2024 13:00
PO	: PO#_VANCO 00000 - Weekly Bottom Ash - Suite	Date Analysis Commenced	: 23-May-2024
C-O-C number	: ----	Issue Date	: 30-May-2024 09:00
Sampler	: ----		
Site	: (includes 2.1 PH)		
Quote number	: Covanta Burnaby Standing Offer 2024		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Brianna Allen	Production/Validation Manager	Vancouver Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Vancouver Metals, Burnaby, British Columbia



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Soil/Solid

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1463747)											
VA24B1525-001	BA 2420-A-1	pH (1:2 soil:water)	----	E108	0.10	pH units	12.6	12.6	0.1%	5%	----
Physical Tests (QC Lot: 1463748)											
VA24B1525-001	BA 2420-A-1	Moisture	----	E144	0.25	%	21.8	22.0	1.02%	20%	----
Metals (QC Lot: 1463745)											
VA24B1525-001	BA 2420-A-1	Mercury	7439-97-6	E510	0.0500	mg/kg	<0.0500	<0.0500	0	Diff <2x LOR	----
Metals (QC Lot: 1463746)											
VA24B1525-001	BA 2420-A-1	Aluminum	7429-90-5	E440	50	mg/kg	52500	30600	52.8%	40%	DUP-H
		Antimony	7440-36-0	E440	0.10	mg/kg	94.1	133	34.0%	30%	DUP-H
		Arsenic	7440-38-2	E440	0.10	mg/kg	27.9	38.3	31.4%	30%	DUP-H
		Barium	7440-39-3	E440	0.50	mg/kg	819	427	63.0%	40%	DUP-H
		Beryllium	7440-41-7	E440	0.10	mg/kg	0.40	0.38	0.03	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	3.69	9.21	85.5%	30%	DUP-H
		Boron	7440-42-8	E440	5.0	mg/kg	253	197	24.9%	30%	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	8.52	13.2	43.4%	30%	DUP-H
		Calcium	7440-70-2	E440	50	mg/kg	116000	166000	35.7%	30%	DUP-H
		Chromium	7440-47-3	E440	0.50	mg/kg	117	157	29.4%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	39.3	216	138%	30%	DUP-H
		Copper	7440-50-8	E440	0.50	mg/kg	872	2010	79.0%	30%	DUP-H
		Iron	7439-89-6	E440	50	mg/kg	40500	41400	2.24%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	1290	431	100%	40%	DUP-H
		Lithium	7439-93-2	E440	2.0	mg/kg	26.6	54.6	69.0%	30%	DUP-H
		Magnesium	7439-95-4	E440	20	mg/kg	11100	11700	5.29%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	729	816	11.3%	30%	----
		Molybdenum	7439-98-7	E440	0.10	mg/kg	11.2	19.0	51.8%	40%	DUP-H
		Nickel	7440-02-0	E440	0.50	mg/kg	72.3	138	62.8%	30%	DUP-H
		Phosphorus	7723-14-0	E440	50	mg/kg	7500	11000	38.3%	30%	DUP-H
		Potassium	7440-09-7	E440	100	mg/kg	3930	5830	39.1%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	0.26	0.49	0.24	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	3.23	5.17	46.2%	40%	DUP-H
		Sodium	7440-23-5	E440	50	mg/kg	12600	15800	22.2%	40%	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Metals (QC Lot: 1463746) - continued											
VA24B1525-001	BA 2420-A-1	Strontium	7440-24-6	E440	0.50	mg/kg	250	319	24.4%	40%	----
		Sulfur	7704-34-9	E440	1000	mg/kg	5900	12800	73.7%	30%	DUP-H
		Thallium	7440-28-0	E440	0.050	mg/kg	<0.050	<0.050	0	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	79.0	120	41.5%	40%	DUP-H
		Titanium	7440-32-6	E440	1.0	mg/kg	1230	162	153%	40%	DUP-H
		Tungsten	7440-33-7	E440	0.50	mg/kg	6.77	9.12	29.6%	30%	----
		Uranium	7440-61-1	E440	0.050	mg/kg	2.23	3.89	54.2%	30%	DUP-H
		Vanadium	7440-62-2	E440	0.20	mg/kg	47.4	43.7	8.21%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	4100	3940	4.08%	30%	----
Zirconium	7440-67-7	E440	1.0	mg/kg	1.7	3.0	1.4	Diff <2x LOR	----		
TCLP Metals (QC Lot: 1460880)											
VA24B1525-001	BA 2420-A-1	Mercury, TCLP	7439-97-6	E512	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
TCLP Metals (QC Lot: 1460881)											
VA24B1525-001	BA 2420-A-1	Antimony, TCLP	7440-36-0	E444	1.00	mg/L	<1.00	<1.00	0	Diff <2x LOR	----
		Arsenic, TCLP	7440-38-2	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	<2.5	0	Diff <2x LOR	----
		Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	<0.025	0	Diff <2x LOR	----
		Boron, TCLP	7440-42-8	E444	0.50	mg/L	1.77	1.58	0.19	Diff <2x LOR	----
		Cadmium, TCLP	7440-43-9	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Calcium, TCLP	7440-70-2	E444	10	mg/L	1940	1720	12.0%	30%	----
		Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Cobalt, TCLP	7440-48-4	E444	0.050	mg/L	0.076	0.065	0.011	Diff <2x LOR	----
		Copper, TCLP	7440-50-8	E444	0.050	mg/L	1.05	0.936	11.2%	30%	----
		Iron, TCLP	7439-89-6	E444	5.0	mg/L	<5.0	<5.0	0	Diff <2x LOR	----
		Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	96.7	85.3	12.6%	30%	----
		Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Selenium, TCLP	7782-49-2	E444	0.10	mg/L	<0.10	<0.10	0	Diff <2x LOR	----
		Silver, TCLP	7440-22-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Thallium, TCLP	7440-28-0	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Uranium, TCLP	7440-61-1	E444	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	----
		Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	<0.15	0	Diff <2x LOR	----
		Zinc, TCLP	7440-66-6	E444	0.50	mg/L	<0.50	<0.50	0	Diff <2x LOR	----
		Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	<10	0	Diff <2x LOR	----



Qualifiers

<i>Qualifier</i>	<i>Description</i>
DUP-H	<i>Duplicate results outside ALS DQO, due to sample heterogeneity.</i>



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1463748)						
Moisture	---	E144	0.25	%	<0.25	---
Metals (QCLot: 1463745)						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	---
Metals (QCLot: 1463746)						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	---
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---
Tin	7440-31-5	E440	2	mg/kg	<2.0	---



Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Metals (QCLot: 1463746) - continued						
Titanium	7440-32-6	E440	1	mg/kg	<1.0	----
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	----
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
TCLP Metals (QCLot: 1460880)						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----
TCLP Metals (QCLot: 1460881)						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1463747)									
pH (1:2 soil:water)	---	E108	---	pH units	6 pH units	99.8	95.0	105	---
Physical Tests (QCLot: 1463748)									
Moisture	---	E144	0.25	%	50 %	101	90.0	110	---
Metals (QCLot: 1463745)									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	97.6	80.0	120	---
Metals (QCLot: 1463746)									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	111	80.0	120	---
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	105	80.0	120	---
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	110	80.0	120	---
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	107	80.0	120	---
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	112	80.0	120	---
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	100	80.0	120	---
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	98.7	80.0	120	---
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	105	80.0	120	---
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	108	80.0	120	---
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	105	80.0	120	---
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	103	80.0	120	---
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	99.1	80.0	120	---
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	107	80.0	120	---
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	107	80.0	120	---
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	113	80.0	120	---
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	112	80.0	120	---
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	102	80.0	120	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	106	80.0	120	---
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	102	80.0	120	---
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	106	80.0	120	---
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	103	80.0	120	---
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	108	80.0	120	---
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	94.9	80.0	120	---
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	103	80.0	120	---
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	110	80.0	120	---
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	104	80.0	120	---



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Metals (QCLot: 1463746) - continued									
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	103	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	104	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	102	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	106	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	109	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	104	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	105	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	107	80.0	120	----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: **Soil/Solid**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
TCLP Metals (QCLot: 1460880)										
VA24B1525-001	BA 2420-A-1	Mercury, TCLP	7439-97-6	E512	0.0009 mg/L	0.001 mg/L	94.6	50.0	140	----
TCLP Metals (QCLot: 1460881)										
VA24B1525-001	BA 2420-A-1	Antimony, TCLP	7440-36-0	E444	5.37 mg/L	5 mg/L	107	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	5.6 mg/L	5 mg/L	112	50.0	140	----
		Barium, TCLP	7440-39-3	E444	13.9 mg/L	12.5 mg/L	111	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.262 mg/L	0.25 mg/L	105	50.0	140	----
		Boron, TCLP	7440-42-8	E444	9.67 mg/L	10 mg/L	96.7	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.268 mg/L	0.25 mg/L	107	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	----	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.36 mg/L	1.25 mg/L	109	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	0.268 mg/L	0.25 mg/L	107	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.48 mg/L	2.5 mg/L	99.2	50.0	140	----
		Iron, TCLP	7439-89-6	E444	260 mg/L	250 mg/L	104	50.0	140	----
		Lead, TCLP	7439-92-1	E444	9.68 mg/L	10 mg/L	96.8	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	283 mg/L	250 mg/L	113	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.65 mg/L	2.5 mg/L	106	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	5.32 mg/L	5 mg/L	106	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.079 mg/L	0.1 mg/L	78.7	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	5.0 mg/L	5 mg/L	101	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	4.99 mg/L	5 mg/L	99.8	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.83 mg/L	0.75 mg/L	110	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	10.7 mg/L	10 mg/L	107	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	1.0 mg/L	1 mg/L	96.2	50.0	150	----



Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1463745)									
QC-1463745-003	MRCA-21	Mercury	7439-97-6	E510	0.068 mg/kg	96.8	70.0	130	----
Metals (QCLot: 1463746)									
QC-1463746-003	MRCA-21	Aluminum	7429-90-5	E440	22500 mg/kg	108	70.0	130	----
QC-1463746-003	MRCA-21	Antimony	7440-36-0	E440	24.8 mg/kg	104	70.0	130	----
QC-1463746-003	MRCA-21	Arsenic	7440-38-2	E440	21.2 mg/kg	99.5	70.0	130	----
QC-1463746-003	MRCA-21	Barium	7440-39-3	E440	788 mg/kg	97.3	70.0	130	----
QC-1463746-003	MRCA-21	Beryllium	7440-41-7	E440	1.82 mg/kg	108	70.0	130	----
QC-1463746-003	MRCA-21	Bismuth	7440-69-9	E440	1.78 mg/kg	96.1	70.0	130	----
QC-1463746-003	MRCA-21	Cadmium	7440-43-9	E440	2.15 mg/kg	99.9	70.0	130	----
QC-1463746-003	MRCA-21	Calcium	7440-70-2	E440	4900 mg/kg	101	70.0	130	----
QC-1463746-003	MRCA-21	Chromium	7440-47-3	E440	56.9 mg/kg	101	70.0	130	----
QC-1463746-003	MRCA-21	Cobalt	7440-48-4	E440	32 mg/kg	98.3	70.0	130	----
QC-1463746-003	MRCA-21	Copper	7440-50-8	E440	969 mg/kg	97.6	70.0	130	----
QC-1463746-003	MRCA-21	Iron	7439-89-6	E440	32700 mg/kg	101	70.0	130	----
QC-1463746-003	MRCA-21	Lead	7439-92-1	E440	919 mg/kg	95.5	70.0	130	----
QC-1463746-003	MRCA-21	Lithium	7439-93-2	E440	47.3 mg/kg	108	70.0	130	----
QC-1463746-003	MRCA-21	Magnesium	7439-95-4	E440	7780 mg/kg	102	70.0	130	----
QC-1463746-003	MRCA-21	Manganese	7439-96-5	E440	8640 mg/kg	96.6	70.0	130	----
QC-1463746-003	MRCA-21	Molybdenum	7439-98-7	E440	25.1 mg/kg	96.0	70.0	130	----
QC-1463746-003	MRCA-21	Nickel	7440-02-0	E440	1000 mg/kg	100	70.0	130	----
QC-1463746-003	MRCA-21	Phosphorus	7723-14-0	E440	660 mg/kg	99.4	70.0	130	----
QC-1463746-003	MRCA-21	Potassium	7440-09-7	E440	10800 mg/kg	98.6	70.0	130	----
QC-1463746-003	MRCA-21	Selenium	7782-49-2	E440	1.04 mg/kg	110	60.0	140	----
QC-1463746-003	MRCA-21	Silver	7440-22-4	E440	8.98 mg/kg	95.9	70.0	130	----
QC-1463746-003	MRCA-21	Sodium	7440-23-5	E440	1770 mg/kg	107	70.0	130	----
QC-1463746-003	MRCA-21	Strontium	7440-24-6	E440	41 mg/kg	104	70.0	130	----
QC-1463746-003	MRCA-21	Sulfur	7704-34-9	E440	3940 mg/kg	75.2	50.0	150	----
QC-1463746-003	MRCA-21	Thallium	7440-28-0	E440	0.907 mg/kg	99.1	70.0	130	----
QC-1463746-003	MRCA-21	Tin	7440-31-5	E440	3.79 mg/kg	98.4	40.0	160	----
QC-1463746-003	MRCA-21	Titanium	7440-32-6	E440	2790 mg/kg	102	70.0	130	----
QC-1463746-003	MRCA-21	Tungsten	7440-33-7	E440	6.99 mg/kg	110	70.0	130	----
QC-1463746-003	MRCA-21	Uranium	7440-61-1	E440	3.97 mg/kg	90.7	70.0	130	----
QC-1463746-003	MRCA-21	Vanadium	7440-62-2	E440	66.2 mg/kg	97.2	70.0	130	----

Page : 12 of 12
 Work Order : VA24B1525
 Client : Covanta Burnaby Renewable Energy, ULC
 Project : Weekly Bottom Ash - Suite



Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1463746) - continued									
QC-1463746-003	MRCA-21	Zinc	7440-66-6	E440	828 mg/kg	99.5	70.0	130	----
QC-1463746-003	MRCA-21	Zirconium	7440-67-7	E440	6.91 mg/kg	120	70.0	130	----




Report To		Report Format / Distribution		Service Requested (Rush for routine analysis subject to availability)	
Company:	Covanta Energy	<input type="checkbox"/> Standard <input type="checkbox"/> Other <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Digital <input type="checkbox"/> Fax		<input checked="" type="radio"/> Regular (Standard Turnaround Times - Business Days) <input type="radio"/> Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT <input type="radio"/> Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT <input type="radio"/> Same Day or Weekend Emergency - Contact ALS to Confirm TAT	
Contact:	Nicole Victor / Dan Skrypnik	Email 1:	nvictor@covanta.com		
Address:	5150 Riverbend Drive Burnaby BC	Email 2:	rminchin@covanta.com		
Phone:	604-521-1025	Fax:			
	<input type="checkbox"/> Yes <input type="checkbox"/> No	Email 3:	dkrypnik@covanta.com		
			brent.kirkpatrick@metrovancouver.org		
			Sarah.Wellman@metrovancouver.org		

Invoice To Same as Report ?		Client / Project Information		Please indicate below Filtered, Preserved or both (F, P, F/P)	
Hardcopy of Invoice with Report?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Job #:			
Company:		PO / AFE:	PO#_VANCO 00000 Weekly Bottom Ash		
Contact:		LSD:	(includes 2:1 pH)		
Address:		Quote #:			
Phone:		ALS Contact:			
		Sampler:			

Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR+FULL-VA (all metals)	Number of Containers
	BA 2420-A-1	15-May-24	9:00	Soil	X	X		X	1
	BA 2420-A-2	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-3	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-4	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-5	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-6	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-7	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-8	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-9	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-10	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-11	15-May-24	9:00	Soil	X	X		X	
	BA 2420-A-12	15-May-24	9:00	Soil	X	X		X	

Lab Work Order #
 (lab use only) **B1525**

Environmental Division
 Vancouver
 Work Order Reference
VA24B1525



Telephone : +1 604 253 4188

Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.
 By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.
 Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

SHIPMENT RELEASE (client use)			SHIPMENT RECEPTION (lab use only)				SHIPMENT VERIFICATION (lab use only)			
Released by:	Date (dd-mmm-yy)	Time (hh:mm)	Received by:	Date:	Time:	Temperature:	Verified by:	Date:	Time:	Observations:
KINGLIS	21-May-24	9:00	NO RECEIPT JC	22-5-24	1300	20 °C				Yes / No ? If Yes add SIF