

Bottom Ash Data

2024 Week 22

The following analytical report represents bottom ash composite results for week 22 of 2024 (May 26, 2024 to June 2, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



CERTIFICATE OF ANALYSIS

Work Order : **VA24B2777**
Client : **Reworld Renewable Burnaby, ULC**
Contact : Nicole Victor
Address : 5150 Riverbend Drive
 Burnaby BC Canada V3N 4V3
Telephone : ----
Project : Weekly Bottom Ash - Suite
PO : VANCO0000052919
C-O-C number : ----
Sampler : ----
Site : (includes 2:1 PH)
Quote number : Covanta Burnaby Standing Offer 2024
No. of samples received : 12
No. of samples analysed : 12

Page : 1 of 11
Laboratory : ALS Environmental - Vancouver
Account Manager : Ian Chen
Address : 8081 Lougheed Highway
 Burnaby BC Canada V5A 1W9
Telephone : +1 604 253 4188
Date Samples Received : 04-Jun-2024 13:20
Date Analysis Commenced : 06-Jun-2024
Issue Date : 17-Jun-2024 09:08

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Chau Tran	Analyst	Metals, Burnaby, British Columbia
Ghazaleh Khanmirzaei	Analyst	Metals, Burnaby, British Columbia
Janice Leung	Supervisor - Organics Instrumentation	Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
%	percent
mg/kg	milligrams per kilogram
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.



Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2422-A-1	BA2422-A-2	BA2422-A-3	BA2422-A-4	BA2422-A-5
Client sampling date / time					29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B2777-001	VA24B2777-002	VA24B2777-003	VA24B2777-004	VA24B2777-005
					Result	Result	Result	Result	Result
Physical Tests									
Moisture	----	E144/VA	0.25	%	26.4	28.5	25.0	24.5	24.2
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	12.3	12.0	12.0	12.1	12.0
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	31700	38700	41700	41400	41800
Antimony	7440-36-0	E440/VA	0.10	mg/kg	83.6	71.0	109	89.3	96.8
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	25.2	17.0	19.4	22.8	22.0
Barium	7440-39-3	E440/VA	0.50	mg/kg	650	407	630	529	371
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.37	0.33	0.36	0.38	0.41
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	9.88	6.36	4.92	6.35	9.72
Boron	7440-42-8	E440/VA	5.0	mg/kg	246	254	294	300	213
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	11.6	7.06	7.47	8.24	8.47
Calcium	7440-70-2	E440/VA	50	mg/kg	122000	116000	107000	128000	121000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	135	565	198	139	155
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	38.6	60.8	52.9	83.5	80.7
Copper	7440-50-8	E440/VA	0.50	mg/kg	1190	4310	3290	1330	1880
Iron	7439-89-6	E440/VA	50	mg/kg	45500	54300	56600	36300	55000
Lead	7439-92-1	E440/VA	0.50	mg/kg	421	346	280	287	1150
Lithium	7439-93-2	E440/VA	2.0	mg/kg	22.5	25.5	26.2	23.4	25.4
Magnesium	7439-95-4	E440/VA	20	mg/kg	10500	9640	10100	10300	11100
Manganese	7439-96-5	E440/VA	1.0	mg/kg	668	903	782	680	1450
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	0.0574	0.0595
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	11.3	22.0	19.1	14.7	26.6
Nickel	7440-02-0	E440/VA	0.50	mg/kg	85.7	316	236	148	116
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9130	9180	8790	11500	9050
Potassium	7440-09-7	E440/VA	100	mg/kg	6200	4970	4970	5580	5700
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.40	0.29	0.50	0.29	0.28
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.00	3.72	3.61	4.22	5.28
Sodium	7440-23-5	E440/VA	50	mg/kg	16500	15200	14100	15600	16200
Strontium	7440-24-6	E440/VA	0.50	mg/kg	570	249	243	324	271



Analytical Results

Sub-Matrix: Soil					Client sample ID	BA2422-A-1	BA2422-A-2	BA2422-A-3	BA2422-A-4	BA2422-A-5
(Matrix: Soil/Solid)					Client sampling date / time	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B2777-001	VA24B2777-002	VA24B2777-003	VA24B2777-004	VA24B2777-005	
					Result	Result	Result	Result	Result	
Metals										
Sulfur	7704-34-9	E440/VA	1000	mg/kg	10600	9200	8400	10800	11700	
Thallium	7440-28-0	E440/VA	0.050	mg/kg	0.056	<0.050	<0.050	<0.050	<0.050	
Tin	7440-31-5	E440/VA	2.0	mg/kg	114	130	103	81.5	92.3	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	394	262	433	314	313	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	9.62	7.87	9.66	6.37	5.80	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.47	2.39	2.28	2.65	2.91	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	37.4	38.2	35.0	36.2	36.9	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	7560	3220	5320	4250	3500	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	1.2	2.4	1.7	3.4	3.3	
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.0	11.8	12.0	12.0	12.0	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.33	8.31	8.18	8.34	8.18	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.87	2.87	2.87	2.87	2.87	
pH, TCLP final	----	EPP444/VA	0.010	pH units	8.36	8.23	8.51	8.31	8.51	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.50	1.61	1.52	1.63	1.52	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1320	1390	1340	1410	1330	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.882	0.855	0.867	0.860	0.903	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	66.3	71.7	65.4	71.4	64.5	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10	



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2422-A-1	BA2422-A-2	BA2422-A-3	BA2422-A-4	BA2422-A-5
Client sampling date / time					29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B2777-001	VA24B2777-002	VA24B2777-003	VA24B2777-004	VA24B2777-005	
					Result	Result	Result	Result	Result	
TCLP Metals										
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2422-A-6	BA2422-A-7	BA2422-A-8	BA2422-A-9	BA2422-A-10
Client sampling date / time					29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B2777-006	VA24B2777-007	VA24B2777-008	VA24B2777-009	VA24B2777-010	
					Result	Result	Result	Result	Result	
Physical Tests										
Moisture	---	E144/VA	0.25	%	25.0	25.9	26.0	24.7	23.4	
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	12.0	12.2	12.1	12.1	12.2	
Metals										
Aluminum	7429-90-5	E440/VA	50	mg/kg	35200	40200	42300	56000	40100	
Antimony	7440-36-0	E440/VA	0.10	mg/kg	79.2	85.0	64.2	65.7	91.5	
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	18.5	25.6	15.8	14.7	20.8	
Barium	7440-39-3	E440/VA	0.50	mg/kg	546	588	686	773	532	
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.37	0.36	0.38	0.34	0.35	
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	7.42	6.75	5.30	5.30	6.90	
Boron	7440-42-8	E440/VA	5.0	mg/kg	168	231	196	208	288	
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	7.27	7.26	5.64	5.73	8.01	
Calcium	7440-70-2	E440/VA	50	mg/kg	120000	124000	107000	99200	123000	
Chromium	7440-47-3	E440/VA	0.50	mg/kg	141	140	122	118	156	
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	22.4	94.3	22.3	1030	65.6	
Copper	7440-50-8	E440/VA	0.50	mg/kg	1140	1810	5580	4030	2140	
Iron	7439-89-6	E440/VA	50	mg/kg	56200	54000	47400	28700	52700	
Lead	7439-92-1	E440/VA	0.50	mg/kg	473	260	252	272	552	
Lithium	7439-93-2	E440/VA	2.0	mg/kg	21.2	27.9	22.1	81.1	30.8	
Magnesium	7439-95-4	E440/VA	20	mg/kg	9680	11200	9270	10000	11100	
Manganese	7439-96-5	E440/VA	1.0	mg/kg	699	736	774	688	846	
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	0.0518	0.0594	
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	15.2	13.1	11.5	10.8	14.5	
Nickel	7440-02-0	E440/VA	0.50	mg/kg	99.2	108	70.1	174	147	
Phosphorus	7723-14-0	E440/VA	50	mg/kg	10100	10100	8300	7940	8730	
Potassium	7440-09-7	E440/VA	100	mg/kg	5630	5870	6100	5560	5460	
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.24	0.28	0.23	<0.20	0.28	
Silver	7440-22-4	E440.Ag/VA	0.10	mg/kg	---	---	2.49	---	---	
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.29	3.45	---	2.74	3.54	
Sodium	7440-23-5	E440/VA	50	mg/kg	15800	16000	15600	14200	15800	
Strontium	7440-24-6	E440/VA	0.50	mg/kg	243	271	244	236	346	



Analytical Results

Sub-Matrix: Soil					Client sample ID	BA2422-A-6	BA2422-A-7	BA2422-A-8	BA2422-A-9	BA2422-A-10
(Matrix: Soil/Solid)					Client sampling date / time	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B2777-006	VA24B2777-007	VA24B2777-008	VA24B2777-009	VA24B2777-010	
					Result	Result	Result	Result	Result	
Metals										
Sulfur	7704-34-9	E440/VA	1000	mg/kg	9100	11300	8000	8600	10700	
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050	
Tin	7440-31-5	E440/VA	2.0	mg/kg	136	136	113	61.8	88.4	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	194	406	352	877	283	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	4.75	5.17	4.23	4.34	5.85	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.38	2.66	2.25	2.30	2.55	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	40.0	35.5	41.5	35.9	38.9	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	2330	3230	4600	1960	3160	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	3.5	1.8	2.0	1.8	2.7	
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.0	12.0	12.0	12.0	12.0	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.16	8.24	8.23	8.48	8.20	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.87	2.87	2.87	2.87	2.87	
pH, TCLP final	----	EPP444/VA	0.010	pH units	8.66	8.50	8.61	8.68	6.56	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.51	1.59	1.82	1.51	2.16	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	0.106	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1330	1410	1340	1330	1830	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	0.910	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.918	0.844	0.984	0.950	1.38	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	63.8	66.4	65.6	63.7	115	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10	



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2422-A-6	BA2422-A-7	BA2422-A-8	BA2422-A-9	BA2422-A-10
Client sampling date / time					29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00	29-May-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B2777-006	VA24B2777-007	VA24B2777-008	VA24B2777-009	VA24B2777-010	
					Result	Result	Result	Result	Result	
TCLP Metals										
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	<0.50	<0.50	<0.50	<0.50	8.15
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2422-A-11	BA2422-A-12	----	----	----
Client sampling date / time					29-May-2024 09:00	29-May-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B2777-011	VA24B2777-012	-----	-----	-----
					Result	Result	----	----	----
Physical Tests									
Moisture	---	E144/VA	0.25	%	25.6	26.7	----	----	----
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	12.2	12.2	----	----	----
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	67400	42000	----	----	----
Antimony	7440-36-0	E440/VA	0.10	mg/kg	80.4	80.8	----	----	----
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	17.3	23.0	----	----	----
Barium	7440-39-3	E440/VA	0.50	mg/kg	522	519	----	----	----
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.44	0.34	----	----	----
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	7.26	6.85	----	----	----
Boron	7440-42-8	E440/VA	5.0	mg/kg	246	175	----	----	----
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	6.32	8.80	----	----	----
Calcium	7440-70-2	E440/VA	50	mg/kg	123000	116000	----	----	----
Chromium	7440-47-3	E440/VA	0.50	mg/kg	114	101	----	----	----
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	123	84.1	----	----	----
Copper	7440-50-8	E440/VA	0.50	mg/kg	952	5700	----	----	----
Iron	7439-89-6	E440/VA	50	mg/kg	32000	50300	----	----	----
Lead	7439-92-1	E440/VA	0.50	mg/kg	283	318	----	----	----
Lithium	7439-93-2	E440/VA	2.0	mg/kg	24.9	24.3	----	----	----
Magnesium	7439-95-4	E440/VA	20	mg/kg	10200	10400	----	----	----
Manganese	7439-96-5	E440/VA	1.0	mg/kg	991	739	----	----	----
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	----	----	----
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	11.1	12.1	----	----	----
Nickel	7440-02-0	E440/VA	0.50	mg/kg	71.3	144	----	----	----
Phosphorus	7723-14-0	E440/VA	50	mg/kg	8900	9920	----	----	----
Potassium	7440-09-7	E440/VA	100	mg/kg	5750	5130	----	----	----
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.23	0.22	----	----	----
Silver	7440-22-4	E440/VA	0.10	mg/kg	5.90	4.82	----	----	----
Sodium	7440-23-5	E440/VA	50	mg/kg	15000	14100	----	----	----
Strontium	7440-24-6	E440/VA	0.50	mg/kg	294	239	----	----	----
Sulfur	7704-34-9	E440/VA	1000	mg/kg	9300	9400	----	----	----



Analytical Results

Sub-Matrix: Soil					Client sample ID		BA2422-A-11	BA2422-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		29-May-2024 09:00	29-May-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B2777-011	VA24B2777-012	-----	-----	-----	-----	-----
					Result	Result	----	----	----	----	----
Metals											
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	----	----	----	----	----
Tin	7440-31-5	E440/VA	2.0	mg/kg	166	105	----	----	----	----	----
Titanium	7440-32-6	E440/VA	1.0	mg/kg	768	279	----	----	----	----	----
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	3.09	5.04	----	----	----	----	----
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.36	2.39	----	----	----	----	----
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	38.8	34.8	----	----	----	----	----
Zinc	7440-66-6	E440/VA	2.0	mg/kg	2510	2850	----	----	----	----	----
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	3.0	3.4	----	----	----	----	----
TCLP Metals											
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.0	12.0	----	----	----	----	----
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.30	8.21	----	----	----	----	----
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.87	2.87	----	----	----	----	----
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.81	6.63	----	----	----	----	----
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	----	----	----	----	----
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----	----	----
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	----	----	----	----	----
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	----	----	----	----	----
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.19	2.12	----	----	----	----	----
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.179	0.080	----	----	----	----	----
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1850	1900	----	----	----	----	----
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----	----	----
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.514	0.812	----	----	----	----	----
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.923	0.886	----	----	----	----	----
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	----	----	----	----	----
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----	----	----
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	119	113	----	----	----	----	----
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	----	----	----	----	----
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.25	0.33	----	----	----	----	----
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	----	----	----	----	----
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----	----	----



Analytical Results

Sub-Matrix: Soil					Client sample ID		BA2422-A-11	BA2422-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		29-May-2024 09:00	29-May-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B2777-011	VA24B2777-012	-----	-----	-----	-----	-----
TCLP Metals					Result	Result	---	---	---	---	---
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----	----	----
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	----	----	----	----	----
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	----	----	----	----	----
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	3.98	8.40	----	----	----	----	----
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	----	----	----	----	----

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

<p>Work Order : VA24B2777</p> <p>Client : Reworld Renewable Burnaby, ULC</p> <p>Contact : Nicole Victor</p> <p>Address : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p>Telephone : ----</p> <p>Project : Weekly Bottom Ash - Suite</p> <p>PO : VANCO0000052919</p> <p>C-O-C number : ----</p> <p>Sampler : ----</p> <p>Site : (includes 2:1 PH)</p> <p>Quote number : Covanta Burnaby Standing Offer 2024</p> <p>No. of samples received : 12</p> <p>No. of samples analysed : 12</p>	<p>Page : 1 of 16</p> <p>Laboratory : ALS Environmental - Vancouver</p> <p>Account Manager : Ian Chen</p> <p>Address : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p>Telephone : +1 604 253 4188</p> <p>Date Samples Received : 04-Jun-2024 13:20</p> <p>Issue Date : 17-Jun-2024 09:05</p>
--	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Duplicate outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **Soil/Solid**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Duplicate (DUP) RPDs								
Metals	VA24B2777-001	BA2422-A-1	Aluminum	7429-90-5	E440	65.6 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B2777-001	BA2422-A-1	Antimony	7440-36-0	E440	79.6 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B2777-001	BA2422-A-1	Bismuth	7440-69-9	E440	30.6 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B2777-001	BA2422-A-1	Boron	7440-42-8	E440	35.4 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B2777-001	BA2422-A-1	Cadmium	7440-43-9	E440	56.9 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B2777-001	BA2422-A-1	Lead	7439-92-1	E440	78.6 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B2777-001	BA2422-A-1	Strontium	7440-24-6	E440	81.3 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B2777-001	BA2422-A-1	Titanium	7440-32-6	E440	86.8 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B2777-001	BA2422-A-1	Tungsten	7440-33-7	E440	70.1 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B2777-001	BA2422-A-1	Zinc	7440-66-6	E440	89.4 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.

Result Qualifiers

Qualifier	Description
DUP-H	Duplicate results outside ALS DQO, due to sample heterogeneity.



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : High Silver in Soil/Solid by CRC ICPMS										
LDPE bag BA2422-A-8	E440.Ag	29-May-2024	13-Jun-2024	180 days	15 days	✔	14-Jun-2024	180 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-1	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-10	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-11	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-12	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-2	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-3	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-4	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-5	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-6	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-7	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-8	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2422-A-9	E510	29-May-2024	12-Jun-2024	28 days	14 days	✔	13-Jun-2024	28 days	15 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2422-A-1	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2422-A-10	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2422-A-11	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2422-A-12	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2422-A-2	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2422-A-3	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2422-A-4	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2422-A-5	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2422-A-6	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2422-A-7	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2422-A-8	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2422-A-9	E440	29-May-2024	12-Jun-2024	180 days	14 days	✔	13-Jun-2024	180 days	15 days	✔	



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-1	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-10	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-11	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-12	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-2	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-3	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-4	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-5	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-6	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-7	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-8	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2422-A-9	E144	29-May-2024	----	----	----		11-Jun-2024	----	13 days	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2422-A-1	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2422-A-10	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2422-A-11	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2422-A-12	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2422-A-2	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2422-A-3	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2422-A-4	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2422-A-5	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2422-A-6	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2422-A-7	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2422-A-8	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2422-A-9	E108	29-May-2024	12-Jun-2024	30 days	14 days	✔	12-Jun-2024	30 days	14 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2422-A-1	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2422-A-10	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2422-A-11	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2422-A-12	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2422-A-2	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2422-A-3	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2422-A-4	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2422-A-5	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2422-A-6	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2422-A-7	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2422-A-8	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2422-A-9	E512	06-Jun-2024	08-Jun-2024	36 days	10 days	✔	08-Jun-2024	36 days	10 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-1	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✔	08-Jun-2024	188 days	10 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-10	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✔	08-Jun-2024	188 days	10 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-11	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✔	08-Jun-2024	188 days	10 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-12	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✔	08-Jun-2024	188 days	10 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-2	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✔	08-Jun-2024	188 days	10 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-3	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✔	08-Jun-2024	188 days	10 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-4	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✔	08-Jun-2024	188 days	10 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-5	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✔	08-Jun-2024	188 days	10 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-6	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✔	08-Jun-2024	188 days	10 days	✔	



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-7	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✓	08-Jun-2024	188 days	10 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-8	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✓	08-Jun-2024	188 days	10 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2422-A-9	E444	06-Jun-2024	08-Jun-2024	188 days	10 days	✓	08-Jun-2024	188 days	10 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-1	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-10	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-11	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-12	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-2	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-3	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✓	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-4	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-5	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-6	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-7	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-8	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2422-A-9	EPP444	29-May-2024	06-Jun-2024	----	----		----	28 days	8 days	✔

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
			QC	Regular	Actual	Expected	Evaluation
Analytical Methods							
Laboratory Duplicates (DUP)							
Mercury by CVAAS (TCLP)	E512	1482822	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1488437	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1482823	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1488438	1	12	8.3	5.0	✔
Moisture Content by Gravimetry	E144	1488440	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1488439	1	15	6.6	5.0	✔
Laboratory Control Samples (LCS)							
High Silver in Soil/Solid by CRC ICPMS	E440.Ag	1493285	2	1	200.0	10.0	✔
Mercury in Soil/Solid by CVAAS	E510	1488437	2	12	16.6	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1488438	2	12	16.6	10.0	✔
Moisture Content by Gravimetry	E144	1488440	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1488439	1	15	6.6	5.0	✔
Method Blanks (MB)							
High Silver in Soil/Solid by CRC ICPMS	E440.Ag	1493285	1	1	100.0	5.0	✔
Mercury by CVAAS (TCLP)	E512	1482822	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1488437	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1482823	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1488438	1	12	8.3	5.0	✔
Moisture Content by Gravimetry	E144	1488440	1	12	8.3	5.0	✔
Matrix Spikes (MS)							
Mercury by CVAAS (TCLP)	E512	1482822	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1482823	1	12	8.3	5.0	✔



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally 20 ± 5°C), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at <60 °C) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at 105°C. Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with HNO ₃ and HCl. Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, Tl, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines. Analysis is by Collision/Reaction Cell ICPMS.
High Silver in Soil/Solid by CRC ICPMS	E440.Ag ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	Samples are sieved through a 2 mm sieve, and digested with HNO ₃ and HCl. This method is intended to liberate metals that may be environmentally available. Silicate minerals are not solubilized. Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, Tl, V, W, and Zr. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO ₃ and HCl, followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at <60°C) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.
Digestion for Metals and Mercury	EP440 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO3 and HCl. This method is intended to liberate metals that may be environmentally available.
Digestion for Silver	EP440.Ag ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO3 and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.

QUALITY CONTROL REPORT

Work Order	: VA24B2777	Page	: 1 of 13
Client	: Reworld Renewable Burnaby, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Ian Chen
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: Weekly Bottom Ash - Suite	Date Samples Received	: 04-Jun-2024 13:20
PO	: VANCO0000052919	Date Analysis Commenced	: 06-Jun-2024
C-O-C number	: ----	Issue Date	: 17-Jun-2024 09:07
Sampler	: ----		
Site	: (includes 2:1 PH)		
Quote number	: Covanta Burnaby Standing Offer 2024		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Chau Tran	Analyst	Vancouver Metals, Burnaby, British Columbia
Ghazaleh Khanmirzaei	Analyst	Vancouver Metals, Burnaby, British Columbia
Janice Leung	Supervisor - Organics Instrumentation	Vancouver Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Soil/Solid

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1488439)											
VA24B2777-001	BA2422-A-1	pH (1:2 soil:water)	----	E108	0.10	pH units	12.3	12.1	1.6%	5%	----
Physical Tests (QC Lot: 1488440)											
VA24B2777-001	BA2422-A-1	Moisture	----	E144	0.25	%	26.4	25.3	4.46%	20%	----
Metals (QC Lot: 1488437)											
VA24B2777-001	BA2422-A-1	Mercury	7439-97-6	E510	0.0500	mg/kg	<0.0500	<0.0500	0	Diff <2x LOR	----
Metals (QC Lot: 1488438)											
VA24B2777-001	BA2422-A-1	Aluminum	7429-90-5	E440	50	mg/kg	31700	62600	65.6%	40%	DUP-H
		Antimony	7440-36-0	E440	0.10	mg/kg	83.6	194	79.6%	30%	DUP-H
		Arsenic	7440-38-2	E440	0.10	mg/kg	25.2	18.8	29.4%	30%	----
		Barium	7440-39-3	E440	0.50	mg/kg	650	685	5.22%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	0.37	0.34	0.03	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	9.88	7.26	30.6%	30%	DUP-H
		Boron	7440-42-8	E440	5.0	mg/kg	246	172	35.4%	30%	DUP-H
		Cadmium	7440-43-9	E440	0.020	mg/kg	11.6	6.44	56.9%	30%	DUP-H
		Calcium	7440-70-2	E440	50	mg/kg	122000	112000	8.75%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	135	109	20.8%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	38.6	30.7	22.7%	30%	----
		Copper	7440-50-8	E440	0.50	mg/kg	1190	1130	5.22%	30%	----
		Iron	7439-89-6	E440	50	mg/kg	45500	41800	8.30%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	421	966	78.6%	40%	DUP-H
		Lithium	7439-93-2	E440	2.0	mg/kg	22.5	23.2	3.06%	30%	----
		Magnesium	7439-95-4	E440	20	mg/kg	10500	9680	8.09%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	668	800	17.9%	30%	----
		Molybdenum	7439-98-7	E440	0.10	mg/kg	11.3	14.1	22.0%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	85.7	86.4	0.785%	30%	----
		Phosphorus	7723-14-0	E440	50	mg/kg	9130	8590	6.12%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	6200	4990	21.5%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	0.40	0.20	0.19	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	4.00	3.97	0.727%	40%	----
		Sodium	7440-23-5	E440	50	mg/kg	16500	13900	17.3%	40%	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Metals (QC Lot: 1488438) - continued											
VA24B2777-001	BA2422-A-1	Strontium	7440-24-6	E440	0.50	mg/kg	570	240	81.3%	40%	DUP-H
		Sulfur	7704-34-9	E440	1000	mg/kg	10600	9100	16.0%	30%	----
		Thallium	7440-28-0	E440	0.050	mg/kg	0.056	<0.050	0.006	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	114	167	38.2%	40%	----
		Titanium	7440-32-6	E440	1.0	mg/kg	394	998	86.8%	40%	DUP-H
		Tungsten	7440-33-7	E440	0.50	mg/kg	9.62	4.63	70.1%	30%	DUP-H
		Uranium	7440-61-1	E440	0.050	mg/kg	2.47	2.32	6.26%	30%	----
		Vanadium	7440-62-2	E440	0.20	mg/kg	37.4	38.6	3.09%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	7560	2890	89.4%	30%	DUP-H
		Zirconium	7440-67-7	E440	1.0	mg/kg	1.2	3.0	1.8	Diff <2x LOR	----
TCLP Metals (QC Lot: 1482822)											
VA24B2777-001	BA2422-A-1	Mercury, TCLP	7439-97-6	E512	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
TCLP Metals (QC Lot: 1482823)											
VA24B2777-001	BA2422-A-1	Antimony, TCLP	7440-36-0	E444	1.00	mg/L	<1.00	<1.00	0	Diff <2x LOR	----
		Arsenic, TCLP	7440-38-2	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	<2.5	0	Diff <2x LOR	----
		Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	<0.025	0	Diff <2x LOR	----
		Boron, TCLP	7440-42-8	E444	0.50	mg/L	1.50	1.50	0.007	Diff <2x LOR	----
		Cadmium, TCLP	7440-43-9	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Calcium, TCLP	7440-70-2	E444	10	mg/L	1320	1350	2.23%	30%	----
		Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Cobalt, TCLP	7440-48-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Copper, TCLP	7440-50-8	E444	0.050	mg/L	0.882	0.878	0.338%	30%	----
		Iron, TCLP	7439-89-6	E444	5.0	mg/L	<5.0	<5.0	0	Diff <2x LOR	----
		Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	66.3	66.9	0.863%	30%	----
		Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Selenium, TCLP	7782-49-2	E444	0.10	mg/L	<0.10	<0.10	0	Diff <2x LOR	----
		Silver, TCLP	7440-22-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Thallium, TCLP	7440-28-0	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Uranium, TCLP	7440-61-1	E444	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	----
		Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	<0.15	0	Diff <2x LOR	----
		Zinc, TCLP	7440-66-6	E444	0.50	mg/L	<0.50	<0.50	0	Diff <2x LOR	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	<10	0	Diff <2x LOR	----		



Qualifiers

<i>Qualifier</i>	<i>Description</i>
DUP-H	<i>Duplicate results outside ALS DQO, due to sample heterogeneity.</i>



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1488440)						
Moisture	---	E144	0.25	%	<0.25	---
Metals (QCLot: 1488437)						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	---
Metals (QCLot: 1488438)						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	---
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---
Tin	7440-31-5	E440	2	mg/kg	<2.0	---



Sub-Matrix: **Soil/Solid**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Metals (QCLot: 1488438) - continued						
Titanium	7440-32-6	E440	1	mg/kg	<1.0	----
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	----
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
Metals (QCLot: 1493285)						
Silver	7440-22-4	E440.Ag	0.1	mg/kg	<0.10	----
TCLP Metals (QCLot: 1482822)						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----
TCLP Metals (QCLot: 1482823)						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----

Page : 8 of 13
Work Order : VA24B2777
Client : Reworld Renewable Burnaby, ULC
Project : Weekly Bottom Ash - Suite





Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1488439)									
pH (1:2 soil:water)	---	E108	---	pH units	6 pH units	99.5	95.0	105	---
Physical Tests (QCLot: 1488440)									
Moisture	---	E144	0.25	%	50 %	101	90.0	110	---
Metals (QCLot: 1488437)									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	99.6	80.0	120	---
Metals (QCLot: 1488438)									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	104	80.0	120	---
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	98.0	80.0	120	---
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	107	80.0	120	---
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	108	80.0	120	---
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	105	80.0	120	---
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	94.2	80.0	120	---
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	101	80.0	120	---
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	101	80.0	120	---
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	101	80.0	120	---
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	102	80.0	120	---
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	101	80.0	120	---
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	98.6	80.0	120	---
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	104	80.0	120	---
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	98.8	80.0	120	---
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	107	80.0	120	---
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	108	80.0	120	---
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	102	80.0	120	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	105	80.0	120	---
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	103	80.0	120	---
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	108	80.0	120	---
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	106	80.0	120	---
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	105	80.0	120	---
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	94.3	80.0	120	---
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	106	80.0	120	---
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	105	80.0	120	---
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	102	80.0	120	---



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Metals (QCLot: 1488438) - continued									
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	94.4	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	104	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	104	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	98.6	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	107	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	104	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	102	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	98.8	80.0	120	----
Metals (QCLot: 1493285)									
Silver	7440-22-4	E440.Ag	0.1	mg/kg	10 mg/kg	87.8	80.0	120	----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Soil/Solid

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
TCLP Metals (QCLot: 1482822)										
VA24B2777-001	BA2422-A-1	Mercury, TCLP	7439-97-6	E512	0.0008 mg/L	0.001 mg/L	77.8	50.0	140	----
TCLP Metals (QCLot: 1482823)										
VA24B2777-001	BA2422-A-1	Antimony, TCLP	7440-36-0	E444	4.34 mg/L	5 mg/L	86.9	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	4.4 mg/L	5 mg/L	88.9	50.0	140	----
		Barium, TCLP	7440-39-3	E444	10.6 mg/L	12.5 mg/L	84.8	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.208 mg/L	0.25 mg/L	83.4	50.0	140	----
		Boron, TCLP	7440-42-8	E444	7.55 mg/L	10 mg/L	75.5	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.211 mg/L	0.25 mg/L	84.3	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	----	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.06 mg/L	1.25 mg/L	84.6	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	0.215 mg/L	0.25 mg/L	86.0	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.02 mg/L	2.5 mg/L	80.8	50.0	140	----
		Iron, TCLP	7439-89-6	E444	206 mg/L	250 mg/L	82.2	50.0	140	----
		Lead, TCLP	7439-92-1	E444	7.61 mg/L	10 mg/L	76.1	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	227 mg/L	250 mg/L	90.8	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.11 mg/L	2.5 mg/L	84.5	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	4.14 mg/L	5 mg/L	82.7	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.062 mg/L	0.1 mg/L	62.0	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	3.8 mg/L	5 mg/L	76.5	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	3.84 mg/L	5 mg/L	76.7	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.65 mg/L	0.75 mg/L	87.2	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	8.51 mg/L	10 mg/L	85.1	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.7 mg/L	1 mg/L	68.9	50.0	150	----



Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1488437)									
QC-1488437-003	MRCA-21	Mercury	7439-97-6	E510	0.068 mg/kg	99.8	70.0	130	----
Metals (QCLot: 1488438)									
QC-1488438-003	MRCA-21	Aluminum	7429-90-5	E440	22500 mg/kg	106	70.0	130	----
QC-1488438-003	MRCA-21	Antimony	7440-36-0	E440	24.8 mg/kg	101	70.0	130	----
QC-1488438-003	MRCA-21	Arsenic	7440-38-2	E440	21.2 mg/kg	105	70.0	130	----
QC-1488438-003	MRCA-21	Barium	7440-39-3	E440	788 mg/kg	101	70.0	130	----
QC-1488438-003	MRCA-21	Beryllium	7440-41-7	E440	1.82 mg/kg	109	70.0	130	----
QC-1488438-003	MRCA-21	Bismuth	7440-69-9	E440	1.78 mg/kg	113	70.0	130	----
QC-1488438-003	MRCA-21	Cadmium	7440-43-9	E440	2.15 mg/kg	104	70.0	130	----
QC-1488438-003	MRCA-21	Calcium	7440-70-2	E440	4900 mg/kg	102	70.0	130	----
QC-1488438-003	MRCA-21	Chromium	7440-47-3	E440	56.9 mg/kg	101	70.0	130	----
QC-1488438-003	MRCA-21	Cobalt	7440-48-4	E440	32 mg/kg	102	70.0	130	----
QC-1488438-003	MRCA-21	Copper	7440-50-8	E440	969 mg/kg	100	70.0	130	----
QC-1488438-003	MRCA-21	Iron	7439-89-6	E440	32700 mg/kg	103	70.0	130	----
QC-1488438-003	MRCA-21	Lead	7439-92-1	E440	919 mg/kg	96.8	70.0	130	----
QC-1488438-003	MRCA-21	Lithium	7439-93-2	E440	47.3 mg/kg	112	70.0	130	----
QC-1488438-003	MRCA-21	Magnesium	7439-95-4	E440	7780 mg/kg	109	70.0	130	----
QC-1488438-003	MRCA-21	Manganese	7439-96-5	E440	8640 mg/kg	103	70.0	130	----
QC-1488438-003	MRCA-21	Molybdenum	7439-98-7	E440	25.1 mg/kg	104	70.0	130	----
QC-1488438-003	MRCA-21	Nickel	7440-02-0	E440	1000 mg/kg	103	70.0	130	----
QC-1488438-003	MRCA-21	Phosphorus	7723-14-0	E440	660 mg/kg	97.0	70.0	130	----
QC-1488438-003	MRCA-21	Potassium	7440-09-7	E440	10800 mg/kg	103	70.0	130	----
QC-1488438-003	MRCA-21	Selenium	7782-49-2	E440	1.04 mg/kg	97.0	60.0	140	----
QC-1488438-003	MRCA-21	Silver	7440-22-4	E440	8.98 mg/kg	103	70.0	130	----
QC-1488438-003	MRCA-21	Sodium	7440-23-5	E440	1770 mg/kg	109	70.0	130	----
QC-1488438-003	MRCA-21	Strontium	7440-24-6	E440	41 mg/kg	101	70.0	130	----
QC-1488438-003	MRCA-21	Sulfur	7704-34-9	E440	3940 mg/kg	83.8	50.0	150	----
QC-1488438-003	MRCA-21	Thallium	7440-28-0	E440	0.907 mg/kg	99.5	70.0	130	----
QC-1488438-003	MRCA-21	Tin	7440-31-5	E440	3.79 mg/kg	102	40.0	160	----
QC-1488438-003	MRCA-21	Titanium	7440-32-6	E440	2790 mg/kg	108	70.0	130	----
QC-1488438-003	MRCA-21	Tungsten	7440-33-7	E440	6.99 mg/kg	112	70.0	130	----
QC-1488438-003	MRCA-21	Uranium	7440-61-1	E440	3.97 mg/kg	127	70.0	130	----
QC-1488438-003	MRCA-21	Vanadium	7440-62-2	E440	66.2 mg/kg	102	70.0	130	----

Page : 13 of 13
 Work Order : VA24B2777
 Client : Reworld Renewable Burnaby, ULC
 Project : Weekly Bottom Ash - Suite



Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1488438) - continued									
QC-1488438-003	MRCA-21	Zinc	7440-66-6	E440	828 mg/kg	102	70.0	130	----
QC-1488438-003	MRCA-21	Zirconium	7440-67-7	E440	6.91 mg/kg	104	70.0	130	----
Metals (QCLot: 1493285)									
QC-1493285-003	MRCA-21	Silver	7440-22-4	E440.Ag	8.98 mg/kg	98.8	70.0	130	----



Report To		Report Format / Distribution		Service Requested (Rush for routine analysis subject to availability)	
Company: Covanta Energy		<input type="checkbox"/> Standard <input type="checkbox"/> Other		<input checked="" type="radio"/> Regular (Standard Turnaround Times - Business Days)	
Contact: Nicole Victor / Dan Skrypnik		<input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Digital <input type="checkbox"/> Fax		<input type="radio"/> Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT	
Address: 5150 Riverbend Drive		Email 1: nvictor@covanta.com		<input type="radio"/> Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT	
Burnaby BC		Email 2: ofetherstonhaugh@covanta.com		<input type="radio"/> Same Day or Weekend Emergency - Contact ALS to Confirm TAT	
Phone: 604-521-1025		Email 3: dskrypnik@covanta.com		Analysis Request	
Fax: <input type="checkbox"/> Yes <input type="checkbox"/> No		brent.kirkpatrick@metrovancover.org			
		Sarah.Wellman@metrovancover.org			

Invoice To Same as Report ?		Client / Project Information		Please indicate below Filtered, Preserved or both (F, P, F/P)									
Hardcopy of Invoice with Report? <input type="checkbox"/> Yes <input type="checkbox"/> No		Job #:		MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR-FULL-VA (all metals)			Number of Containers			
Company:		PO / AFE: PO# 46693 Weekly Bottom Ash - Suite											
Contact:		LSD: (includes 2:1 pH)											
Address:		Quote #:											
Phone:		Fax:											

Lab Work Order #		ALS Contact:		Sampler:	
(lab use only)					

Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR-FULL-VA (all metals)			Number of Containers
BA2422-A-1		29-May-24	9:00	Soil	X	X	X	X			1
BA2422-A-2		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-3		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-4		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-5		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-6		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-7		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-8		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-9		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-10		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-11		29-May-24	9:00	Soil	X	X		X			1
BA2422-A-12		29-May-24	9:00	Soil	X	X		X			1

Environmental Division
Vancouver
 Work Order Reference
VA24B2777



Telephone : +1 604 253 4188

Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.
 By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.
 Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

SHIPMENT/RELEASE (client use)			SHIPMENT/RECEPTION (lab use only)			SHIPMENT/VERIFICATION (lab use only)			Observations: Yes / No ? If Yes add SIF
Released by:	Date (dd-mmm-yy)	Time (hh-mm)	Received by:	Date:	Time:	Temperature:	Verified by:	Date:	
	7-June-24	0900	JL	JUN - 4 2024	13:20	20 °C			