

## Bottom Ash Data

2024 Week 27

---

The following analytical report represents bottom ash composite results for week 27 of 2024 (June 30, 2024 to July 6, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



## CERTIFICATE OF ANALYSIS

**Work Order** : **VA24B6661**  
**Client** : **Reworld Renewable Burnaby, ULC**  
**Contact** : Nicole Victor  
**Address** : 5150 Riverbend Drive  
                   Burnaby BC Canada V3N 4V3  
**Telephone** : ----  
**Project** : ----  
**PO** : PO#46693 Weekly Bottom Ash - Suite  
**C-O-C number** : ----  
**Sampler** : ----  
**Site** : (includes 2:1 pH)  
**Quote number** : Covanta Burnaby Standing Offer 2024  
**No. of samples received** : 12  
**No. of samples analysed** : 12

**Page** : 1 of 11  
**Laboratory** : ALS Environmental - Vancouver  
**Account Manager** : Ian Chen  
**Address** : 8081 Lougheed Highway  
                   Burnaby BC Canada V5A 1W9  
**Telephone** : +1 604 253 4188  
**Date Samples Received** : 10-Jul-2024 13:30  
**Date Analysis Commenced** : 11-Jul-2024  
**Issue Date** : 19-Jul-2024 22:30

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Ghazaleh Khanmirzaei	Analyst	Metals, Burnaby, British Columbia
Janice Leung	Supervisor - Organics Instrumentation	Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Metals, Burnaby, British Columbia



## General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances  
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
%	percent
mg/kg	milligrams per kilogram
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.



## Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2427-A-1	BA2427-A-2	BA2427-A-3	BA2427-A-4	BA2427-A-5
Client sampling date / time					03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B6661-001	VA24B6661-002	VA24B6661-003	VA24B6661-004	VA24B6661-005
					Result	Result	Result	Result	Result
<b>Physical Tests</b>									
Moisture	---	E144/VA	0.25	%	20.2	19.7	21.6	21.8	19.5
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	12.3	12.1	12.3	12.3	12.1
<b>Metals</b>									
Aluminum	7429-90-5	E440/VA	50	mg/kg	34300	52500	33600	38800	34400
Antimony	7440-36-0	E440/VA	0.10	mg/kg	296	171	180	174	134
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	33.4	40.8	34.9	31.2	24.8
Barium	7440-39-3	E440/VA	0.50	mg/kg	468	608	427	588	530
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.41	0.42	0.39	0.39	0.36
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	20.3	9.40	8.90	8.26	8.50
Boron	7440-42-8	E440/VA	5.0	mg/kg	258	232	192	155	223
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	18.8	12.4	14.3	13.1	10.5
Calcium	7440-70-2	E440/VA	50	mg/kg	156000	166000	160000	149000	144000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	158	168	164	159	131
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	37.0	45.2	152	29.3	58.9
Copper	7440-50-8	E440/VA	0.50	mg/kg	2050	3630	1840	5540	7170
Iron	7439-89-6	E440/VA	50	mg/kg	47600	56100	46100	53100	41500
Lead	7439-92-1	E440/VA	0.50	mg/kg	4360	425	428	317	347
Lithium	7439-93-2	E440/VA	2.0	mg/kg	25.5	26.4	38.7	21.4	22.9
Magnesium	7439-95-4	E440/VA	20	mg/kg	11600	12900	13100	11200	10900
Manganese	7439-96-5	E440/VA	1.0	mg/kg	665	1100	1150	806	648
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	0.0812	<0.0500	0.0511	0.0609	0.0526
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	22.0	22.0	18.5	18.0	17.0
Nickel	7440-02-0	E440/VA	0.50	mg/kg	144	170	222	94.2	184
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9070	12200	9750	9930	8310
Potassium	7440-09-7	E440/VA	100	mg/kg	5960	5970	5700	5650	5380
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.52	0.58	0.57	0.56	0.45
Silver	7440-22-4	E440/VA	0.10	mg/kg	5.49	14.8	5.81	6.24	3.74
Sodium	7440-23-5	E440/VA	50	mg/kg	15300	16300	13900	13500	14400
Strontium	7440-24-6	E440/VA	0.50	mg/kg	360	334	308	267	289
Sulfur	7704-34-9	E440/VA	1000	mg/kg	12800	12600	12800	11400	12800



## Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2427-A-1	BA2427-A-2	BA2427-A-3	BA2427-A-4	BA2427-A-5
Client sampling date / time					03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B6661-001	VA24B6661-002	VA24B6661-003	VA24B6661-004	VA24B6661-005	
					Result	Result	Result	Result	Result	
<b>Metals</b>										
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050	
Tin	7440-31-5	E440/VA	2.0	mg/kg	156	298	211	133	121	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	284	689	300	305	334	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	12.9	15.2	10.0	10.5	10.7	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.52	1.73	1.65	1.56	1.42	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	35.3	38.7	35.4	33.4	32.6	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3990	4370	4090	4180	4680	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.8	3.5	2.0	2.9	1.9	
<b>TCLP Metals</b>										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.0	12.0	12.2	12.1	12.1	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	9.06	8.99	10.6	9.95	8.91	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.89	2.89	2.89	2.89	2.89	
pH, TCLP final	----	EPP444/VA	0.010	pH units	8.11	8.25	9.28	9.29	8.34	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.51	1.55	1.23	1.28	1.48	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1560	1560	1570	1540	1540	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	0.067	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.21	1.24	0.906	0.908	1.22	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	80.5	83.4	61.2	60.9	77.1	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10	
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	



## Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2427-A-1	BA2427-A-2	BA2427-A-3	BA2427-A-4	BA2427-A-5
Client sampling date / time					03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B6661-001	VA24B6661-002	VA24B6661-003	VA24B6661-004	VA24B6661-005	
					Result	Result	Result	Result	Result	
<b>TCLP Metals</b>										
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



## Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2427-A-6	BA2427-A-7	BA2427-A-8	BA2427-A-9	BA2427-A-10
Client sampling date / time					03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B6661-006	VA24B6661-007	VA24B6661-008	VA24B6661-009	VA24B6661-010	
					Result	Result	Result	Result	Result	
<b>Physical Tests</b>										
Moisture	----	E144/VA	0.25	%	20.0	20.4	20.9	20.6	21.0	
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	12.3	12.1	12.3	12.3	12.2	
<b>Metals</b>										
Aluminum	7429-90-5	E440/VA	50	mg/kg	46800	41800	42500	30300	48100	
Antimony	7440-36-0	E440/VA	0.10	mg/kg	184	134	139	152	138	
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	33.3	29.1	27.1	25.7	24.1	
Barium	7440-39-3	E440/VA	0.50	mg/kg	545	544	569	553	520	
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.37	0.34	0.35	0.37	0.36	
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	9.17	7.14	7.98	7.65	6.35	
Boron	7440-42-8	E440/VA	5.0	mg/kg	337	175	170	235	194	
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	11.7	17.0	9.14	9.62	8.58	
Calcium	7440-70-2	E440/VA	50	mg/kg	161000	146000	142000	162000	136000	
Chromium	7440-47-3	E440/VA	0.50	mg/kg	187	176	186	206	130	
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	111	949	177	83.3	20.0	
Copper	7440-50-8	E440/VA	0.50	mg/kg	8680	2110	3160	2320	7930	
Iron	7439-89-6	E440/VA	50	mg/kg	41800	61100	52200	53300	50600	
Lead	7439-92-1	E440/VA	0.50	mg/kg	3880	448	369	380	325	
Lithium	7439-93-2	E440/VA	2.0	mg/kg	28.4	35.1	39.9	25.4	22.6	
Magnesium	7439-95-4	E440/VA	20	mg/kg	12300	11400	10900	11400	10600	
Manganese	7439-96-5	E440/VA	1.0	mg/kg	758	674	831	698	699	
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	0.0622	0.0528	<0.0500	
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	25.7	18.5	21.0	18.2	16.4	
Nickel	7440-02-0	E440/VA	0.50	mg/kg	254	148	188	1630	159	
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9110	10100	8710	12400	9410	
Potassium	7440-09-7	E440/VA	100	mg/kg	5640	5560	5630	6000	5540	
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.50	0.41	0.50	0.50	0.52	
Silver	7440-22-4	E440/VA	0.10	mg/kg	5.75	5.91	13.6	4.41	4.07	
Sodium	7440-23-5	E440/VA	50	mg/kg	15000	14000	13900	14400	14000	
Strontium	7440-24-6	E440/VA	0.50	mg/kg	323	274	287	306	296	
Sulfur	7704-34-9	E440/VA	1000	mg/kg	12600	11800	11300	11200	10800	
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050	



## Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2427-A-6	BA2427-A-7	BA2427-A-8	BA2427-A-9	BA2427-A-10
Client sampling date / time					03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B6661-006	VA24B6661-007	VA24B6661-008	VA24B6661-009	VA24B6661-010	
					Result	Result	Result	Result	Result	
<b>Metals</b>										
Tin	7440-31-5	E440/VA	2.0	mg/kg	562	127	129	132	161	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	504	367	383	217	626	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	14.3	16.2	9.70	9.09	7.96	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.57	1.46	1.53	1.48	1.41	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	40.7	34.6	34.2	31.6	30.4	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	5180	3520	4980	3630	3990	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.6	3.3	2.3	1.8	2.5	
<b>TCLP Metals</b>										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.0	12.0	12.1	12.1	12.0	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.98	8.71	8.72	9.18	9.18	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.89	2.89	2.89	2.89	2.89	
pH, TCLP final	----	EPP444/VA	0.010	pH units	9.04	8.24	8.72	8.23	8.15	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.34	1.48	1.39	1.42	1.49	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1490	1500	1470	1470	1540	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	0.064	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.10	1.08	1.33	1.07	1.10	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	65.8	78.0	73.3	79.5	81.3	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10	
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	





## Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2427-A-6	BA2427-A-7	BA2427-A-8	BA2427-A-9	BA2427-A-10
Client sampling date / time					03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00	03-Jul-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B6661-006	VA24B6661-007	VA24B6661-008	VA24B6661-009	VA24B6661-010	
					Result	Result	Result	Result	Result	
<b>TCLP Metals</b>										
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



## Analytical Results

Sub-Matrix: Soil					Client sample ID		BA2427-A-11	BA2427-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		03-Jul-2024 09:00	03-Jul-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B6661-011	VA24B6661-012	-----	-----	-----		
					Result	Result	----	----	----		
<b>Physical Tests</b>											
Moisture	----	E144/VA	0.25	%	21.2	21.8	----	----	----		
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	12.1	12.4	----	----	----		
<b>Metals</b>											
Aluminum	7429-90-5	E440/VA	50	mg/kg	41100	33500	----	----	----		
Antimony	7440-36-0	E440/VA	0.10	mg/kg	142	178	----	----	----		
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	27.5	31.7	----	----	----		
Barium	7440-39-3	E440/VA	0.50	mg/kg	510	541	----	----	----		
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.38	0.34	----	----	----		
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	6.52	8.30	----	----	----		
Boron	7440-42-8	E440/VA	5.0	mg/kg	207	192	----	----	----		
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	10.6	11.3	----	----	----		
Calcium	7440-70-2	E440/VA	50	mg/kg	157000	169000	----	----	----		
Chromium	7440-47-3	E440/VA	0.50	mg/kg	129	139	----	----	----		
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	27.9	224	----	----	----		
Copper	7440-50-8	E440/VA	0.50	mg/kg	3380	1870	----	----	----		
Iron	7439-89-6	E440/VA	50	mg/kg	55600	52500	----	----	----		
Lead	7439-92-1	E440/VA	0.50	mg/kg	323	345	----	----	----		
Lithium	7439-93-2	E440/VA	2.0	mg/kg	42.9	31.0	----	----	----		
Magnesium	7439-95-4	E440/VA	20	mg/kg	11700	12400	----	----	----		
Manganese	7439-96-5	E440/VA	1.0	mg/kg	661	702	----	----	----		
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	----	----	----		
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	17.5	17.8	----	----	----		
Nickel	7440-02-0	E440/VA	0.50	mg/kg	150	110	----	----	----		
Phosphorus	7723-14-0	E440/VA	50	mg/kg	10700	10500	----	----	----		
Potassium	7440-09-7	E440/VA	100	mg/kg	5600	5940	----	----	----		
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.44	0.47	----	----	----		
Silver	7440-22-4	E440/VA	0.10	mg/kg	6.13	5.44	----	----	----		
Sodium	7440-23-5	E440/VA	50	mg/kg	15300	14900	----	----	----		
Strontium	7440-24-6	E440/VA	0.50	mg/kg	283	295	----	----	----		
Sulfur	7704-34-9	E440/VA	1000	mg/kg	11100	12600	----	----	----		
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	----	----	----		



## Analytical Results

Sub-Matrix: Soil					Client sample ID		BA2427-A-11	BA2427-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		03-Jul-2024 09:00	03-Jul-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B6661-011	VA24B6661-012	-----	-----	-----		
					Result	Result	----	----	----		
<b>Metals</b>											
Tin	7440-31-5	E440/VA	2.0	mg/kg	166	181	----	----	----		
Titanium	7440-32-6	E440/VA	1.0	mg/kg	424	255	----	----	----		
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	9.53	9.92	----	----	----		
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.55	1.52	----	----	----		
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	30.9	30.6	----	----	----		
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3080	4050	----	----	----		
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.3	2.3	----	----	----		
<b>TCLP Metals</b>											
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.0	12.1	----	----	----		
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.73	10.3	----	----	----		
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.89	2.89	----	----	----		
pH, TCLP final	----	EPP444/VA	0.010	pH units	8.61	9.73	----	----	----		
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	----	----	----		
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----		
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	----	----	----		
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	----	----	----		
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.29	1.17	----	----	----		
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----		
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1390	1560	----	----	----		
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----		
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----		
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.15	0.958	----	----	----		
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	----	----	----		
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----		
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	71.6	52.4	----	----	----		
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	----	----	----		
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----		
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	----	----	----		
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----		
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----		
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	----	----	----		



### Analytical Results

Sub-Matrix: Soil					Client sample ID		BA2427-A-11	BA2427-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		03-Jul-2024 09:00	03-Jul-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B6661-011	VA24B6661-012	-----	-----	-----	-----	-----
TCLP Metals					Result	Result	----	----	----	----	----
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	----	----	----	----	----
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	<0.50	----	----	----	----	----
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	----	----	----	----	----

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



## QUALITY CONTROL INTERPRETIVE REPORT

<p><b>Work Order</b> : <b>VA24B6661</b></p> <p><b>Client</b> : <b>Reworld Renewable Burnaby, ULC</b></p> <p><b>Contact</b> : Nicole Victor</p> <p><b>Address</b> : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p><b>Telephone</b> : ----</p> <p><b>Project</b> : ----</p> <p><b>PO</b> : PO#46693 Weekly Bottom Ash - Suite</p> <p><b>C-O-C number</b> : ----</p> <p><b>Sampler</b> : ----</p> <p><b>Site</b> : (includes 2:1 pH)</p> <p><b>Quote number</b> : Covanta Burnaby Standing Offer 2024</p> <p><b>No. of samples received</b> : 12</p> <p><b>No. of samples analysed</b> : 12</p>	<p><b>Page</b> : 1 of 16</p> <p><b>Laboratory</b> : ALS Environmental - Vancouver</p> <p><b>Account Manager</b> : Ian Chen</p> <p><b>Address</b> : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p><b>Telephone</b> : +1 604 253 4188</p> <p><b>Date Samples Received</b> : 10-Jul-2024 13:30</p> <p><b>Issue Date</b> : 19-Jul-2024 22:30</p>
--	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

**Key**

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

### ***Workorder Comments***

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

### ***Summary of Outliers***

#### ***Outliers : Quality Control Samples***

- No Method Blank value outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Duplicate outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

#### ***Outliers: Reference Material (RM) Samples***

- No Reference Material (RM) Sample outliers occur.

### ***Outliers : Analysis Holding Time Compliance (Breaches)***

- No Analysis Holding Time Outliers exist.

### ***Outliers : Frequency of Quality Control Samples***

- No Quality Control Sample Frequency Outliers occur.



**Outliers : Quality Control Samples**

*Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes*

Matrix: **Soil/Solid**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
<b>Duplicate (DUP) RPDs</b>								
Metals	VA24B6661-001	BA2427-A-1	Antimony	7440-36-0	E440	64.6 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B6661-001	BA2427-A-1	Bismuth	7440-69-9	E440	99.5 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B6661-001	BA2427-A-1	Cadmium	7440-43-9	E440	45.0 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B6661-001	BA2427-A-1	Cobalt	7440-48-4	E440	71.3 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B6661-001	BA2427-A-1	Lead	7439-92-1	E440	152 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B6661-001	BA2427-A-1	Manganese	7439-96-5	E440	37.4 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.

**Result Qualifiers**

Qualifier	Description
DUP-H	Duplicate results outside ALS DQO, due to sample heterogeneity.



## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2427-A-1	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2427-A-10	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2427-A-11	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2427-A-12	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2427-A-2	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2427-A-3	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2427-A-4	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔	





Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
LDPE bag BA2427-A-5	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
LDPE bag BA2427-A-6	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
LDPE bag BA2427-A-7	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
LDPE bag BA2427-A-8	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
LDPE bag BA2427-A-9	E510	03-Jul-2024	18-Jul-2024	28 days	15 days	✔	18-Jul-2024	28 days	16 days	✔
<b>Metals : Metals in Soil/Solid by CRC ICMS</b>										
LDPE bag BA2427-A-1	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔
<b>Metals : Metals in Soil/Solid by CRC ICMS</b>										
LDPE bag BA2427-A-10	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔
<b>Metals : Metals in Soil/Solid by CRC ICMS</b>										
LDPE bag BA2427-A-11	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔
<b>Metals : Metals in Soil/Solid by CRC ICMS</b>										
LDPE bag BA2427-A-12	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2427-A-2	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2427-A-3	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2427-A-4	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2427-A-5	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2427-A-6	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2427-A-7	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2427-A-8	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2427-A-9	E440	03-Jul-2024	18-Jul-2024	180 days	15 days	✔	19-Jul-2024	180 days	17 days	✔	
<b>Physical Tests : Moisture Content by Gravimetry</b>											
LDPE bag BA2427-A-1	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days		



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2427-A-10	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2427-A-11	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2427-A-12	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2427-A-2	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2427-A-3	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2427-A-4	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2427-A-5	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2427-A-6	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2427-A-7	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Physical Tests : Moisture Content by Gravimetry</b>											
LDPE bag BA2427-A-8	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days		
<b>Physical Tests : Moisture Content by Gravimetry</b>											
LDPE bag BA2427-A-9	E144	03-Jul-2024	----	----	----		17-Jul-2024	----	14 days		
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-1	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-10	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-11	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-12	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-2	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-3	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-4	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-5	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-6	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-7	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-8	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2427-A-9	E108	03-Jul-2024	18-Jul-2024	30 days	15 days	✔	18-Jul-2024	30 days	15 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-1	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-10	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-11	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-12	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-2	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-3	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-4	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-5	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-6	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-7	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-8	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2427-A-9	E512	11-Jul-2024	17-Jul-2024	37 days	14 days	✔	17-Jul-2024	37 days	14 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-1	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-10	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-11	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-12	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-2	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-3	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-4	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-5	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-6	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-7	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-8	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2427-A-9	E444	11-Jul-2024	17-Jul-2024	189 days	14 days	✔	18-Jul-2024	189 days	15 days	✔	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-1	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-10	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-11	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-12	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-2	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-3	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-4	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔	





Matrix: **Soil/Solid**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-5	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-6	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-7	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-8	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2427-A-9	EPP444	03-Jul-2024	11-Jul-2024	----	----		----	28 days	9 days	✔

**Legend & Qualifier Definitions**

Rec. HT: ALS recommended hold time (see units).



## Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
			QC	Regular	Actual	Expected	Evaluation
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Mercury by CVAAS (TCLP)	E512	1549772	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1550142	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1549773	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1550143	1	12	8.3	5.0	✔
Moisture Content by Gravimetry	E144	1550146	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1550141	1	14	7.1	5.0	✔
<b>Laboratory Control Samples (LCS)</b>							
Mercury in Soil/Solid by CVAAS	E510	1550142	2	12	16.6	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1550143	2	12	16.6	10.0	✔
Moisture Content by Gravimetry	E144	1550146	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1550141	1	14	7.1	5.0	✔
<b>Method Blanks (MB)</b>							
Mercury by CVAAS (TCLP)	E512	1549772	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1550142	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1549773	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1550143	1	12	8.3	5.0	✔
Moisture Content by Gravimetry	E144	1550146	1	12	8.3	5.0	✔
<b>Matrix Spikes (MS)</b>							
Mercury by CVAAS (TCLP)	E512	1549772	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1549773	1	12	8.3	5.0	✔



## Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally $20 \pm 5^{\circ}\text{C}$ ), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at $<60^{\circ}\text{C}$ ) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at $105^{\circ}\text{C}$ . Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with $\text{HNO}_3$ and $\text{HCl}$ .  Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines.  Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with $\text{HNO}_3$ and $\text{HCl}$ , followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at $<60^{\circ}\text{C}$ ) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Digestion for Metals and Mercury	EP440  ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO <sub>3</sub> and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444  ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: VA24B6661</b>	<b>Page</b>	: 1 of 12
<b>Client</b>	: Reworld Renewable Burnaby, ULC	<b>Laboratory</b>	: ALS Environmental - Vancouver
<b>Contact</b>	: Nicole Victor	<b>Account Manager</b>	: Ian Chen
<b>Address</b>	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	<b>Address</b>	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
<b>Telephone</b>	: ----	<b>Telephone</b>	: +1 604 253 4188
<b>Project</b>	: ----	<b>Date Samples Received</b>	: 10-Jul-2024 13:30
<b>PO</b>	: PO#46693 Weekly Bottom Ash - Suite	<b>Date Analysis Commenced</b>	: 11-Jul-2024
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 19-Jul-2024 22:30
<b>Sampler</b>	: ----		
<b>Site</b>	: (includes 2:1 pH)		
<b>Quote number</b>	: Covanta Burnaby Standing Offer 2024		
<b>No. of samples received</b>	: 12		
<b>No. of samples analysed</b>	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Ghazaleh Khanmirzaei	Analyst	Vancouver Metals, Burnaby, British Columbia
Janice Leung	Supervisor - Organics Instrumentation	Vancouver Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Vancouver Metals, Burnaby, British Columbia

Page : 2 of 12  
Work Order : VA24B6661  
Client : Reworld Renewable Burnaby, ULC  
Project : ----



---

## General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

### Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

# = Indicates a QC result that did not meet the ALS DQO.

## Workorder Comments

---

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

---



### Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: **Soil/Solid**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<b>Physical Tests (QC Lot: 1550141)</b>											
VA24B6661-001	BA2427-A-1	pH (1:2 soil:water)	----	E108	0.10	pH units	12.3	12.2	0.2%	5%	----
<b>Physical Tests (QC Lot: 1550146)</b>											
VA24B6661-001	BA2427-A-1	Moisture	----	E144	0.25	%	20.2	21.0	4.01%	20%	----
<b>Metals (QC Lot: 1550142)</b>											
VA24B6661-001	BA2427-A-1	Mercury	7439-97-6	E510	0.0500	mg/kg	0.0812	<0.0500	0.0312	Diff <2x LOR	----
<b>Metals (QC Lot: 1550143)</b>											
VA24B6661-001	BA2427-A-1	Aluminum	7429-90-5	E440	50	mg/kg	34300	44500	25.9%	40%	----
		Antimony	7440-36-0	E440	0.10	mg/kg	296	151	64.6%	30%	DUP-H
		Arsenic	7440-38-2	E440	0.10	mg/kg	33.4	28.5	15.9%	30%	----
		Barium	7440-39-3	E440	0.50	mg/kg	468	455	2.75%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	0.41	0.34	0.06	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	20.3	6.81	99.5%	30%	DUP-H
		Boron	7440-42-8	E440	5.0	mg/kg	258	224	14.1%	30%	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	18.8	11.9	45.0%	30%	DUP-H
		Calcium	7440-70-2	E440	50	mg/kg	156000	152000	2.60%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	158	169	6.30%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	37.0	77.9	71.3%	30%	DUP-H
		Copper	7440-50-8	E440	0.50	mg/kg	2050	1620	23.4%	30%	----
		Iron	7439-89-6	E440	50	mg/kg	47600	52800	10.4%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	4360	595	152%	40%	DUP-H
		Lithium	7439-93-2	E440	2.0	mg/kg	25.5	24.3	4.86%	30%	----
		Magnesium	7439-95-4	E440	20	mg/kg	11600	12000	4.05%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	665	971	37.4%	30%	DUP-H
		Molybdenum	7439-98-7	E440	0.10	mg/kg	22.0	16.2	30.0%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	144	113	24.6%	30%	----
		Phosphorus	7723-14-0	E440	50	mg/kg	9070	9240	1.81%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	5960	5970	0.225%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	0.52	0.50	0.02	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	5.49	4.25	25.6%	40%	----
		Sodium	7440-23-5	E440	50	mg/kg	15300	15300	0.392%	40%	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<b>Metals (QC Lot: 1550143) - continued</b>											
VA24B6661-001	BA2427-A-1	Strontium	7440-24-6	E440	0.50	mg/kg	360	302	17.5%	40%	---
		Sulfur	7704-34-9	E440	1000	mg/kg	12800	11600	9.82%	30%	---
		Thallium	7440-28-0	E440	0.050	mg/kg	<0.050	<0.050	0	Diff <2x LOR	---
		Tin	7440-31-5	E440	2.0	mg/kg	156	126	21.6%	40%	---
		Titanium	7440-32-6	E440	1.0	mg/kg	284	365	24.8%	40%	---
		Tungsten	7440-33-7	E440	0.50	mg/kg	12.9	9.90	26.4%	30%	---
		Uranium	7440-61-1	E440	0.050	mg/kg	1.52	1.52	0.152%	30%	---
		Vanadium	7440-62-2	E440	0.20	mg/kg	35.3	33.6	4.89%	30%	---
		Zinc	7440-66-6	E440	2.0	mg/kg	3990	3500	13.2%	30%	---
Zirconium	7440-67-7	E440	1.0	mg/kg	2.8	2.9	0.08	Diff <2x LOR	---		
<b>TCLP Metals (QC Lot: 1549772)</b>											
VA24B6661-001	BA2427-A-1	Mercury, TCLP	7439-97-6	E512	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	---
<b>TCLP Metals (QC Lot: 1549773)</b>											
VA24B6661-001	BA2427-A-1	Antimony, TCLP	7440-36-0	E444	1.00	mg/L	<1.00	<1.00	0	Diff <2x LOR	---
		Arsenic, TCLP	7440-38-2	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	---
		Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	<2.5	0	Diff <2x LOR	---
		Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	<0.025	0	Diff <2x LOR	---
		Boron, TCLP	7440-42-8	E444	0.50	mg/L	1.51	1.56	0.04	Diff <2x LOR	---
		Cadmium, TCLP	7440-43-9	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	---
		Calcium, TCLP	7440-70-2	E444	10	mg/L	1560	1590	1.38%	30%	---
		Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	---
		Cobalt, TCLP	7440-48-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	---
		Copper, TCLP	7440-50-8	E444	0.050	mg/L	1.21	1.20	0.534%	30%	---
		Iron, TCLP	7439-89-6	E444	5.0	mg/L	<5.0	<5.0	0	Diff <2x LOR	---
		Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	---
		Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	80.5	79.7	0.960%	30%	---
		Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	---
		Selenium, TCLP	7782-49-2	E444	0.10	mg/L	<0.10	<0.10	0	Diff <2x LOR	---
		Silver, TCLP	7440-22-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	---
		Thallium, TCLP	7440-28-0	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	---
		Uranium, TCLP	7440-61-1	E444	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	---
		Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	<0.15	0	Diff <2x LOR	---
		Zinc, TCLP	7440-66-6	E444	0.50	mg/L	<0.50	<0.50	0	Diff <2x LOR	---
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	<10	0	Diff <2x LOR	---		





---

## Qualifiers

<i>Qualifier</i>	<i>Description</i>
DUP-H	<i>Duplicate results outside ALS DQO, due to sample heterogeneity.</i>

---



## Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Physical Tests (QCLot: 1550146)</b>						
Moisture	---	E144	0.25	%	<0.25	---
<b>Metals (QCLot: 1550142)</b>						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	---
<b>Metals (QCLot: 1550143)</b>						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	---
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---
Tin	7440-31-5	E440	2	mg/kg	<2.0	---



Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Metals (QCLot: 1550143) - continued</b>						
Titanium	7440-32-6	E440	1	mg/kg	<1.0	----
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	----
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
<b>TCLP Metals (QCLot: 1549772)</b>						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----
<b>TCLP Metals (QCLot: 1549773)</b>						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----



### Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
<b>Physical Tests (QCLot: 1550141)</b>									
pH (1:2 soil:water)	---	E108	---	pH units	6 pH units	99.8	95.0	105	---
<b>Physical Tests (QCLot: 1550146)</b>									
Moisture	---	E144	0.25	%	50 %	100	90.0	110	---
<b>Metals (QCLot: 1550142)</b>									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	103	80.0	120	---
<b>Metals (QCLot: 1550143)</b>									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	106	80.0	120	---
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	111	80.0	120	---
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	112	80.0	120	---
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	105	80.0	120	---
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	104	80.0	120	---
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	102	80.0	120	---
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	106	80.0	120	---
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	107	80.0	120	---
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	105	80.0	120	---
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	106	80.0	120	---
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	104	80.0	120	---
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	103	80.0	120	---
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	107	80.0	120	---
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	106	80.0	120	---
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	104	80.0	120	---
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	108	80.0	120	---
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	109	80.0	120	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	109	80.0	120	---
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	104	80.0	120	---
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	111	80.0	120	---
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	109	80.0	120	---
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	106	80.0	120	---
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	94.1	80.0	120	---
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	102	80.0	120	---
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	108	80.0	120	---
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	95.8	80.0	120	---



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
<b>Metals (QCLot: 1550143) - continued</b>									
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	103	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	110	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	101	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	109	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	108	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	106	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	103	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	105	80.0	120	----



### Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Soil/Solid

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
<b>TCLP Metals (QCLot: 1549772)</b>										
VA24B6661-001	BA2427-A-1	Mercury, TCLP	7439-97-6	E512	0.0009 mg/L	0.001 mg/L	94.5	50.0	140	----
<b>TCLP Metals (QCLot: 1549773)</b>										
VA24B6661-001	BA2427-A-1	Antimony, TCLP	7440-36-0	E444	5.21 mg/L	5 mg/L	104	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	5.3 mg/L	5 mg/L	106	50.0	140	----
		Barium, TCLP	7440-39-3	E444	13.3 mg/L	12.5 mg/L	106	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.247 mg/L	0.25 mg/L	98.8	50.0	140	----
		Boron, TCLP	7440-42-8	E444	8.92 mg/L	10 mg/L	89.2	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.259 mg/L	0.25 mg/L	104	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	----	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.25 mg/L	1.25 mg/L	100	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	0.249 mg/L	0.25 mg/L	99.6	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.42 mg/L	2.5 mg/L	96.7	50.0	140	----
		Iron, TCLP	7439-89-6	E444	246 mg/L	250 mg/L	98.4	50.0	140	----
		Lead, TCLP	7439-92-1	E444	9.90 mg/L	10 mg/L	99.0	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	278 mg/L	250 mg/L	111	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.45 mg/L	2.5 mg/L	97.9	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	5.12 mg/L	5 mg/L	102	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.095 mg/L	0.1 mg/L	95.2	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	5.1 mg/L	5 mg/L	101	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	5.19 mg/L	5 mg/L	104	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.76 mg/L	0.75 mg/L	101	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	9.67 mg/L	10 mg/L	96.7	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.8 mg/L	1 mg/L	85.7	50.0	150	----



## Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
<b>Metals (QCLot: 1550142)</b>									
QC-1550142-003	MRCA-21	Mercury	7439-97-6	E510	0.068 mg/kg	101	70.0	130	----
<b>Metals (QCLot: 1550143)</b>									
QC-1550143-003	MRCA-21	Aluminum	7429-90-5	E440	22500 mg/kg	111	70.0	130	----
QC-1550143-003	MRCA-21	Antimony	7440-36-0	E440	24.8 mg/kg	107	70.0	130	----
QC-1550143-003	MRCA-21	Arsenic	7440-38-2	E440	21.2 mg/kg	102	70.0	130	----
QC-1550143-003	MRCA-21	Barium	7440-39-3	E440	788 mg/kg	102	70.0	130	----
QC-1550143-003	MRCA-21	Beryllium	7440-41-7	E440	1.82 mg/kg	109	70.0	130	----
QC-1550143-003	MRCA-21	Bismuth	7440-69-9	E440	1.78 mg/kg	100	70.0	130	----
QC-1550143-003	MRCA-21	Cadmium	7440-43-9	E440	2.15 mg/kg	104	70.0	130	----
QC-1550143-003	MRCA-21	Calcium	7440-70-2	E440	4900 mg/kg	110	70.0	130	----
QC-1550143-003	MRCA-21	Chromium	7440-47-3	E440	56.9 mg/kg	102	70.0	130	----
QC-1550143-003	MRCA-21	Cobalt	7440-48-4	E440	32 mg/kg	101	70.0	130	----
QC-1550143-003	MRCA-21	Copper	7440-50-8	E440	969 mg/kg	103	70.0	130	----
QC-1550143-003	MRCA-21	Iron	7439-89-6	E440	32700 mg/kg	106	70.0	130	----
QC-1550143-003	MRCA-21	Lead	7439-92-1	E440	919 mg/kg	97.6	70.0	130	----
QC-1550143-003	MRCA-21	Lithium	7439-93-2	E440	47.3 mg/kg	116	70.0	130	----
QC-1550143-003	MRCA-21	Magnesium	7439-95-4	E440	7780 mg/kg	103	70.0	130	----
QC-1550143-003	MRCA-21	Manganese	7439-96-5	E440	8640 mg/kg	102	70.0	130	----
QC-1550143-003	MRCA-21	Molybdenum	7439-98-7	E440	25.1 mg/kg	100	70.0	130	----
QC-1550143-003	MRCA-21	Nickel	7440-02-0	E440	1000 mg/kg	102	70.0	130	----
QC-1550143-003	MRCA-21	Phosphorus	7723-14-0	E440	660 mg/kg	102	70.0	130	----
QC-1550143-003	MRCA-21	Potassium	7440-09-7	E440	10800 mg/kg	103	70.0	130	----
QC-1550143-003	MRCA-21	Selenium	7782-49-2	E440	1.04 mg/kg	90.4	60.0	140	----
QC-1550143-003	MRCA-21	Silver	7440-22-4	E440	8.98 mg/kg	102	70.0	130	----
QC-1550143-003	MRCA-21	Sodium	7440-23-5	E440	1770 mg/kg	108	70.0	130	----
QC-1550143-003	MRCA-21	Strontium	7440-24-6	E440	41 mg/kg	104	70.0	130	----
QC-1550143-003	MRCA-21	Sulfur	7704-34-9	E440	3940 mg/kg	92.2	50.0	150	----
QC-1550143-003	MRCA-21	Thallium	7440-28-0	E440	0.907 mg/kg	99.7	70.0	130	----
QC-1550143-003	MRCA-21	Tin	7440-31-5	E440	3.79 mg/kg	106	40.0	160	----
QC-1550143-003	MRCA-21	Titanium	7440-32-6	E440	2790 mg/kg	103	70.0	130	----
QC-1550143-003	MRCA-21	Tungsten	7440-33-7	E440	6.99 mg/kg	124	70.0	130	----
QC-1550143-003	MRCA-21	Uranium	7440-61-1	E440	3.97 mg/kg	107	70.0	130	----
QC-1550143-003	MRCA-21	Vanadium	7440-62-2	E440	66.2 mg/kg	101	70.0	130	----

Page : 12 of 12  
 Work Order : VA24B6661  
 Client : Reworld Renewable Burnaby, ULC  
 Project : ----



Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
<b>Metals (QCLot: 1550143) - continued</b>									
QC-1550143-003	MRCA-21	Zinc	7440-66-6	E440	828 mg/kg	98.6	70.0	130	----
QC-1550143-003	MRCA-21	Zirconium	7440-67-7	E440	6.91 mg/kg	114	70.0	130	----





