

## Bottom Ash Data

2024 Week 6

---

The following analytical report represents bottom ash composite results for week 6 of 2024 (February 4, 2024 to February 10, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



---

## CERTIFICATE OF ANALYSIS

---

**Work Order** : **VA24A2790**  
**Client** : **Covanta Burnaby Renewable Energy, ULC**  
**Contact** : Nicole Victor  
**Address** : 5150 Riverbend Drive  
Burnaby BC Canada V3N 4V3  
**Telephone** : ----  
**Project** : ----  
**PO** : PO#46693 Weekly Bottom Ash-Suite  
**C-O-C number** : ----  
**Sampler** : ----  
**Site** : (includes 2:1 pH)  
**Quote number** : Standing Offer (BC work)  
**No. of samples received** : 12  
**No. of samples analysed** : 12

**Page** : 1 of 13  
**Laboratory** : ALS Environmental - Vancouver  
**Account Manager** : Ian Chen  
**Address** : 8081 Lougheed Highway  
Burnaby BC Canada V5A 1W9  
**Telephone** : +1 604 253 4188  
**Date Samples Received** : 13-Feb-2024 12:45  
**Date Analysis Commenced** : 15-Feb-2024  
**Issue Date** : 21-Feb-2024 22:05

---

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

---

## Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Alex Thornton	Analyst	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Organics, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Russell Zhang	Analyst	Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Metals, Burnaby, British Columbia

Sam Silveira  
Sam Silveira  
Sam Silveira  
Sam Silveira  
Sam Silveira  
Sam Silveira  
Sam Silveira  
Sam Silveira  
Sam Silveira  
Sam Silveira  
Sam Silveira

Analyst  
Analyst  
Analyst  
Analyst  
Analyst  
Analyst  
Analyst  
Analyst  
Analyst  
Analyst  
Analyst

Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia  
Metals, Burnaby, British Columbia



## General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances  
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
%	percent
mg/kg	milligrams per kilogram
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.



## Analytical Results

Sub-Matrix: Soil/Solid					Client sample ID				
(Matrix: Soil/Solid)					BA2406-A-A	BA2406-A-2	BA2406-A-3	BA2406-A-4	BA2406-A-5
Client sampling date / time					07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A2790-001	VA24A2790-002	VA24A2790-003	VA24A2790-004	VA24A2790-005
					Result	Result	Result	Result	Result
<b>Physical Tests</b>									
Moisture	----	E144/VA	0.25	%	25.6	27.1	26.2	24.7	26.4
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	11.2	11.1	11.2	11.1	11.1
<b>Metals</b>									
Aluminum	7429-90-5	E440/VA	50	mg/kg	37600	42200	34600	30500	36300
Antimony	7440-36-0	E440/VA	0.10	mg/kg	138	141	132	128	154
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	42.9	47.2	47.8	51.8	48.4
Barium	7440-39-3	E440/VA	0.50	mg/kg	353	336	324	308	364
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.34	0.34	0.33	0.34	0.34
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	26.1	11.3	17.7	11.6	14.4
Boron	7440-42-8	E440/VA	5.0	mg/kg	201	326	277	200	189
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	13.7	23.0	11.9	12.8	11.8
Calcium	7440-70-2	E440/VA	50	mg/kg	133000	139000	127000	135000	143000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	154	339	123	151	168
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	139	49.4	59.0	321	74.3
Copper	7440-50-8	E440/VA	0.50	mg/kg	1960	2960	3520	1880	3160
Iron	7439-89-6	E440/VA	50	mg/kg	57200	44700	64200	56800	67300
Lead	7439-92-1	E440/VA	0.50	mg/kg	416	431	523	444	498
Lithium	7439-93-2	E440/VA	2.0	mg/kg	29.4	34.4	30.6	30.1	24.6
Magnesium	7439-95-4	E440/VA	20	mg/kg	12100	11000	10400	12000	11900
Manganese	7439-96-5	E440/VA	1.0	mg/kg	768	757	740	914	793
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	0.0524	0.0550	0.0541	0.0685	<0.0500
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	19.3	39.5	14.8	19.2	17.6
Nickel	7440-02-0	E440/VA	0.50	mg/kg	149	268	128	146	134
Phosphorus	7723-14-0	E440/VA	50	mg/kg	8480	8480	7710	8440	7360
Potassium	7440-09-7	E440/VA	100	mg/kg	6700	6450	5900	6270	6120
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.54	0.42	0.44	0.43	0.39
Silver	7440-22-4	E440/VA	0.10	mg/kg	5.80	7.20	5.97	4.87	6.65
Sodium	7440-23-5	E440/VA	50	mg/kg	16100	17100	16700	17300	17200
Strontium	7440-24-6	E440/VA	0.50	mg/kg	277	293	280	315	298



## Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2406-A-A	BA2406-A-2	BA2406-A-3	BA2406-A-4	BA2406-A-5
Client sampling date / time					07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A2790-001	VA24A2790-002	VA24A2790-003	VA24A2790-004	VA24A2790-005
					Result	Result	Result	Result	Result
<b>Metals</b>									
Sulfur	7704-34-9	E440/VA	1000	mg/kg	15200	13600	13900	13900	14600
Thallium	7440-28-0	E440/VA	0.050	mg/kg	0.063	0.053	0.056	0.050	0.053
Tin	7440-31-5	E440/VA	2.0	mg/kg	139	127	130	117	172
Titanium	7440-32-6	E440/VA	1.0	mg/kg	327	298	232	172	308
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	18.9	16.3	16.9	16.1	16.4
Uranium	7440-61-1	E440/VA	0.050	mg/kg	3.51	3.45	3.17	3.59	3.41
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	38.5	36.7	37.4	35.3	36.7
Zinc	7440-66-6	E440/VA	2.0	mg/kg	4520	3110	3450	3400	3980
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.2	4.0	2.9	3.2	2.3
<b>TCLP Metals</b>									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.9	11.8	11.8	11.8	11.9
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.12	8.27	7.97	8.15	7.85
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.89	2.89	2.89	2.89	2.89
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.29	7.28	7.34	7.51	7.43
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.17	2.11	3.02	2.32	2.33
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.073	0.077	0.068	0.066	0.163
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	2170	2110	2310	2240	2210
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.479	0.663	0.481	0.391	0.495
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.677	0.746	0.681	0.716	0.770
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	124	124	131	127	126
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.30	0.26	0.27	0.26	<0.25
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2406-A-A	BA2406-A-2	BA2406-A-3	BA2406-A-4	BA2406-A-5
Client sampling date / time					07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A2790-001	VA24A2790-002	VA24A2790-003	VA24A2790-004	VA24A2790-005
					Result	Result	Result	Result	Result
<b>TCLP Metals</b>									
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	2.28	4.79	1.58	0.81	1.37
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.





## Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2406-A-6	BA2406-A-7	BA2406-A-8	BA2406-A-9	BA2406-A-10
Client sampling date / time					07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A2790-006	VA24A2790-007	VA24A2790-008	VA24A2790-009	VA24A2790-010
					Result	Result	Result	Result	Result
<b>Physical Tests</b>									
Moisture	---	E144/VA	0.25	%	26.8	24.2	25.2	24.9	26.2
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	11.0	11.0	11.2	11.0	11.0
<b>Metals</b>									
Aluminum	7429-90-5	E440/VA	50	mg/kg	38900	33900	30200	32100	31000
Antimony	7440-36-0	E440/VA	0.10	mg/kg	179	126	164	165	145
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	98.1	40.1	57.2	55.0	55.6
Barium	7440-39-3	E440/VA	0.50	mg/kg	373	258	348	335	351
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.37	0.37	0.32	0.36	0.34
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	11.7	12.6	15.9	11.2	15.8
Boron	7440-42-8	E440/VA	5.0	mg/kg	261	174	187	208	170
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	15.7	14.4	13.3	13.1	13.4
Calcium	7440-70-2	E440/VA	50	mg/kg	145000	141000	140000	143000	144000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	155	173	176	259	152
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	708	209	245	36.6	94.2
Copper	7440-50-8	E440/VA	0.50	mg/kg	9110	2100	4510	1970	4020
Iron	7439-89-6	E440/VA	50	mg/kg	48200	54300	57300	45300	55900
Lead	7439-92-1	E440/VA	0.50	mg/kg	410	1300	385	453	542
Lithium	7439-93-2	E440/VA	2.0	mg/kg	55.1	32.8	47.8	23.4	32.1
Magnesium	7439-95-4	E440/VA	20	mg/kg	11900	11500	12600	12200	12900
Manganese	7439-96-5	E440/VA	1.0	mg/kg	824	812	887	918	846
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	0.0833	0.155	0.0922	0.0992	0.100
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	17.1	18.9	20.4	19.1	17.6
Nickel	7440-02-0	E440/VA	0.50	mg/kg	99.3	191	132	229	176
Phosphorus	7723-14-0	E440/VA	50	mg/kg	8730	8850	10400	8660	9020
Potassium	7440-09-7	E440/VA	100	mg/kg	6660	6270	6450	6730	6270
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.40	0.38	0.58	0.46	0.47
Silver	7440-22-4	E440/VA	0.10	mg/kg	6.31	5.18	10.4	6.29	14.8
Sodium	7440-23-5	E440/VA	50	mg/kg	17800	16700	17100	17100	16300
Strontium	7440-24-6	E440/VA	0.50	mg/kg	320	287	321	287	298
Sulfur	7704-34-9	E440/VA	1000	mg/kg	14900	13200	15200	14400	13800



## Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2406-A-6	BA2406-A-7	BA2406-A-8	BA2406-A-9	BA2406-A-10
Client sampling date / time					07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A2790-006	VA24A2790-007	VA24A2790-008	VA24A2790-009	VA24A2790-010
					Result	Result	Result	Result	Result
<b>Metals</b>									
Thallium	7440-28-0	E440/VA	0.050	mg/kg	0.051	<0.050	0.052	0.052	0.050
Tin	7440-31-5	E440/VA	2.0	mg/kg	123	134	142	165	774
Titanium	7440-32-6	E440/VA	1.0	mg/kg	312	204	211	284	264
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	17.4	16.1	15.5	16.0	20.4
Uranium	7440-61-1	E440/VA	0.050	mg/kg	3.65	3.36	3.56	3.54	3.66
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	37.9	37.4	39.4	41.2	37.9
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3520	3820	3910	3750	3520
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	3.1	1.7	2.6	2.5	2.0
<b>TCLP Metals</b>									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.8	11.9	11.8	11.7	11.8
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.06	7.99	7.63	7.82	7.38
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.89	2.89	2.89	2.89	2.89
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.07	7.30	7.20	7.11	7.32
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.24	2.50	2.32	2.37	2.38
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.513	0.079	0.088	0.239	0.088
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	2150	2250	2210	2180	2290
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.641	0.653	0.758	0.539	0.547
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.706	0.736	0.865	0.784	0.756
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	130	127	134	130	130
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.36	0.26	0.33	0.33	0.28
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050



## Analytical Results

Sub-Matrix: Soil/Solid

(Matrix: Soil/Solid)

					Client sample ID	BA2406-A-6	BA2406-A-7	BA2406-A-8	BA2406-A-9	BA2406-A-10
					Client sampling date / time	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00	07-Feb-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A2790-006	VA24A2790-007	VA24A2790-008	VA24A2790-009	VA24A2790-010	
					Result	Result	Result	Result	Result	
<b>TCLP Metals</b>										
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	12.1	2.11	5.65	5.44	2.21	
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



### Analytical Results

Sub-Matrix: Soil/Solid					Client sample ID				
(Matrix: Soil/Solid)					BA2406-A-11	BA2406-A-12	----	----	----
Client sampling date / time					07-Feb-2024 09:00	07-Feb-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A2790-011	VA24A2790-012	-----	-----	-----
					Result	Result	----	----	----
<b>Physical Tests</b>									
Moisture	---	E144/VA	0.25	%	24.8	25.2	----	----	----
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	11.1	11.2	----	----	----
<b>Metals</b>									
Aluminum	7429-90-5	E440/VA	50	mg/kg	31300	34500	----	----	----
Antimony	7440-36-0	E440/VA	0.10	mg/kg	134	135	----	----	----
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	61.7	46.7	----	----	----
Barium	7440-39-3	E440/VA	0.50	mg/kg	364	347	----	----	----
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.39	0.33	----	----	----
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	11.1	13.5	----	----	----
Boron	7440-42-8	E440/VA	5.0	mg/kg	217	228	----	----	----
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	18.4	15.0	----	----	----
Calcium	7440-70-2	E440/VA	50	mg/kg	138000	138000	----	----	----
Chromium	7440-47-3	E440/VA	0.50	mg/kg	146	143	----	----	----
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	58.6	43.0	----	----	----
Copper	7440-50-8	E440/VA	0.50	mg/kg	2350	6850	----	----	----
Iron	7439-89-6	E440/VA	50	mg/kg	59100	56600	----	----	----
Lead	7439-92-1	E440/VA	0.50	mg/kg	640	330	----	----	----
Lithium	7439-93-2	E440/VA	2.0	mg/kg	27.3	23.4	----	----	----
Magnesium	7439-95-4	E440/VA	20	mg/kg	11400	12200	----	----	----
Manganese	7439-96-5	E440/VA	1.0	mg/kg	744	1010	----	----	----
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	0.120	0.0806	----	----	----
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	19.5	22.6	----	----	----
Nickel	7440-02-0	E440/VA	0.50	mg/kg	147	130	----	----	----
Phosphorus	7723-14-0	E440/VA	50	mg/kg	8130	8000	----	----	----
Potassium	7440-09-7	E440/VA	100	mg/kg	6340	5970	----	----	----
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.40	0.43	----	----	----
Silver	7440-22-4	E440/VA	0.10	mg/kg	6.40	6.38	----	----	----
Sodium	7440-23-5	E440/VA	50	mg/kg	16400	17000	----	----	----
Strontium	7440-24-6	E440/VA	0.50	mg/kg	287	288	----	----	----
Sulfur	7704-34-9	E440/VA	1000	mg/kg	14200	14500	----	----	----



### Analytical Results

Sub-Matrix: Soil/Solid					Client sample ID				
(Matrix: Soil/Solid)					BA2406-A-11	BA2406-A-12	----	----	----
Client sampling date / time					07-Feb-2024 09:00	07-Feb-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A2790-011	VA24A2790-012	-----	-----	-----
					Result	Result	----	----	----
<b>Metals</b>									
Thallium	7440-28-0	E440/VA	0.050	mg/kg	0.053	<0.050	----	----	----
Tin	7440-31-5	E440/VA	2.0	mg/kg	127	153	----	----	----
Titanium	7440-32-6	E440/VA	1.0	mg/kg	227	333	----	----	----
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	14.7	20.2	----	----	----
Uranium	7440-61-1	E440/VA	0.050	mg/kg	3.70	3.62	----	----	----
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	37.3	37.4	----	----	----
Zinc	7440-66-6	E440/VA	2.0	mg/kg	4000	3460	----	----	----
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.1	1.9	----	----	----
<b>TCLP Metals</b>									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.7	11.8	----	----	----
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	7.79	7.88	----	----	----
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.89	2.89	----	----	----
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.18	6.95	----	----	----
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	----	----	----
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	----	----	----
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	----	----	----
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.48	2.44	----	----	----
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.118	0.127	----	----	----
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	2320	2220	----	----	----
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.556	1.12	----	----	----
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.734	0.827	----	----	----
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	----	----	----
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	132	135	----	----	----
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	----	----	----
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.32	0.37	----	----	----
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	----	----	----
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----



## Analytical Results

Sub-Matrix: Soil/Solid

(Matrix: Soil/Solid)

					Client sample ID	BA2406-A-11	BA2406-A-12	----	----	----
					Client sampling date / time	07-Feb-2024 09:00	07-Feb-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24A2790-011	VA24A2790-012	-----	-----	-----	
					Result	Result	---	---	---	
<b>TCLP Metals</b>										
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----	
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	----	----	----	
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	----	----	----	
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	4.68	29.0	----	----	----	
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	----	----	----	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



## QUALITY CONTROL INTERPRETIVE REPORT

<p><b>Work Order</b> : <b>VA24A2790</b></p> <p><b>Client</b> : <b>Covanta Burnaby Renewable Energy, ULC</b></p> <p><b>Contact</b> : Nicole Victor</p> <p><b>Address</b> : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p><b>Telephone</b> : ----</p> <p><b>Project</b> : ----</p> <p><b>PO</b> : PO#46693 Weekly Bottom Ash-Suite</p> <p><b>C-O-C number</b> : ----</p> <p><b>Sampler</b> : ----</p> <p><b>Site</b> : (includes 2:1 pH)</p> <p><b>Quote number</b> : Standing Offer (BC work)</p> <p><b>No. of samples received</b> : 12</p> <p><b>No. of samples analysed</b> : 12</p>	<p><b>Page</b> : 1 of 16</p> <p><b>Laboratory</b> : ALS Environmental - Vancouver</p> <p><b>Account Manager</b> : Ian Chen</p> <p><b>Address</b> : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p><b>Telephone</b> : +1 604 253 4188</p> <p><b>Date Samples Received</b> : 13-Feb-2024 12:45</p> <p><b>Issue Date</b> : 21-Feb-2024 22:05</p>
--	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

**Key**

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

### Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

### Summary of Outliers

#### Outliers : Quality Control Samples

- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Method Blank value outliers occur - please see following pages for full details.
- Duplicate outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

#### Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

***Outliers : Analysis Holding Time Compliance (Breaches)***

- No Analysis Holding Time Outliers exist.

***Outliers : Frequency of Quality Control Samples***

- No Quality Control Sample Frequency Outliers occur.





**Outliers : Quality Control Samples**

*Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes*

Matrix: **Soil/Solid**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
<b>Method Blank (MB) Values</b>								
Metals	QC-MRG2-1338528 001	----	Nickel	7440-02-0	E440	0.69 <sup>B</sup> mg/kg	0.5 mg/kg	Blank result exceeds permitted value

**Result Qualifiers**

*Qualifier Description*

**B** *Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.*

<b>Duplicate (DUP) RPDs</b>								
Metals	VA24A2790-001	BA2406-A-A	Bismuth	7440-69-9	E440	66.8 % <sup>DUP-H</sup>	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24A2790-001	BA2406-A-A	Cobalt	7440-48-4	E440	90.1 % <sup>DUP-H</sup>	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24A2790-001	BA2406-A-A	Copper	7440-50-8	E440	46.5 % <sup>DUP-H</sup>	30%	Duplicate RPD does not meet the DQO for this test.

**Result Qualifiers**

*Qualifier Description*

**DUP-H** *Duplicate results outside ALS DQO, due to sample heterogeneity.*



## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: **Soil/Solid**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
<b>LDPE bag</b> BA2406-A-10	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
<b>LDPE bag</b> BA2406-A-11	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
<b>LDPE bag</b> BA2406-A-12	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
<b>LDPE bag</b> BA2406-A-2	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
<b>LDPE bag</b> BA2406-A-3	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
<b>LDPE bag</b> BA2406-A-4	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
<b>LDPE bag</b> BA2406-A-5	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2406-A-6	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2406-A-7	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2406-A-8	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2406-A-9	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2406-A-A	E510	07-Feb-2024	21-Feb-2024	28 days	14 days	✔	21-Feb-2024	28 days	14 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-10	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✔	21-Feb-2024	180 days	14 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-11	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✔	21-Feb-2024	180 days	14 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-12	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✔	21-Feb-2024	180 days	14 days	✔	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-2	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✔	21-Feb-2024	180 days	14 days	✔	



Matrix: Soil/Solid

Evaluation: \* = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-3	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✓	21-Feb-2024	180 days	14 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-4	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✓	21-Feb-2024	180 days	14 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-5	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✓	21-Feb-2024	180 days	14 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-6	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✓	21-Feb-2024	180 days	14 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-7	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✓	21-Feb-2024	180 days	14 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-8	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✓	21-Feb-2024	180 days	14 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-9	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✓	21-Feb-2024	180 days	14 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2406-A-A	E440	07-Feb-2024	21-Feb-2024	180 days	14 days	✓	21-Feb-2024	180 days	14 days	✓	
<b>Physical Tests : Moisture Content by Gravimetry</b>											
LDPE bag BA2406-A-10	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days		



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-11	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-12	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-2	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-3	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-4	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-5	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-6	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-7	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-8	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	



Matrix: Soil/Solid

Evaluation: \* = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-9	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2406-A-A	E144	07-Feb-2024	----	----	----		20-Feb-2024	----	13 days	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-10	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✓	21-Feb-2024	30 days	14 days	✓
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-11	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✓	21-Feb-2024	30 days	14 days	✓
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-12	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✓	21-Feb-2024	30 days	14 days	✓
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-2	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✓	21-Feb-2024	30 days	14 days	✓
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-3	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✓	21-Feb-2024	30 days	14 days	✓
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-4	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✓	21-Feb-2024	30 days	14 days	✓
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-5	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✓	21-Feb-2024	30 days	14 days	✓



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-6	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✔	21-Feb-2024	30 days	14 days	✔
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-7	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✔	21-Feb-2024	30 days	14 days	✔
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-8	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✔	21-Feb-2024	30 days	14 days	✔
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-9	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✔	21-Feb-2024	30 days	14 days	✔
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>										
LDPE bag BA2406-A-A	E108	07-Feb-2024	21-Feb-2024	30 days	14 days	✔	21-Feb-2024	30 days	14 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2406-A-10	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✔	20-Feb-2024	37 days	13 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2406-A-11	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✔	20-Feb-2024	37 days	13 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2406-A-12	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✔	20-Feb-2024	37 days	13 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2406-A-2	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✔	20-Feb-2024	37 days	13 days	✔



Matrix: Soil/Solid

Evaluation: \* = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2406-A-3	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✓	20-Feb-2024	37 days	13 days	✓	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2406-A-4	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✓	20-Feb-2024	37 days	13 days	✓	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2406-A-5	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✓	20-Feb-2024	37 days	13 days	✓	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2406-A-6	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✓	20-Feb-2024	37 days	13 days	✓	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2406-A-7	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✓	20-Feb-2024	37 days	13 days	✓	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2406-A-8	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✓	20-Feb-2024	37 days	13 days	✓	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2406-A-9	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✓	20-Feb-2024	37 days	13 days	✓	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2406-A-A	E512	15-Feb-2024	20-Feb-2024	37 days	13 days	✓	20-Feb-2024	37 days	13 days	✓	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-10	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✓	20-Feb-2024	189 days	13 days	✓	





Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-11	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✔	20-Feb-2024	189 days	13 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-12	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✔	20-Feb-2024	189 days	13 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-2	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✔	20-Feb-2024	189 days	13 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-3	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✔	20-Feb-2024	189 days	13 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-4	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✔	20-Feb-2024	189 days	13 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-5	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✔	20-Feb-2024	189 days	13 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-6	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✔	20-Feb-2024	189 days	13 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-7	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✔	20-Feb-2024	189 days	13 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-8	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✔	20-Feb-2024	189 days	13 days	✔	



Matrix: Soil/Solid

Evaluation: \* = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-9	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✓	20-Feb-2024	189 days	13 days	✓	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2406-A-A	E444	15-Feb-2024	20-Feb-2024	189 days	13 days	✓	20-Feb-2024	189 days	13 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-10	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-11	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-12	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-2	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-3	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-4	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-5	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✓	



Matrix: **Soil/Solid**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-6	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-7	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-8	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-9	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2406-A-A	EPP444	07-Feb-2024	15-Feb-2024	----	----		----	28 days	9 days	✔

**Legend & Qualifier Definitions**

Rec. HT: ALS recommended hold time (see units).



## Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
			QC	Regular	Actual	Expected	Evaluation
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Mercury in Soil/Solid by CVAAS	E510	1338528	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1338529	1	12	8.3	5.0	✔
Moisture Content by Gravimetry	E144	1338531	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1338530	1	12	8.3	5.0	✔
<b>Laboratory Control Samples (LCS)</b>							
Mercury in Soil/Solid by CVAAS	E510	1338528	2	12	16.6	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1338529	2	12	16.6	10.0	✔
Moisture Content by Gravimetry	E144	1338531	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1338530	1	12	8.3	5.0	✔
<b>Method Blanks (MB)</b>							
Mercury by CVAAS (TCLP)	E512	1336626	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1338528	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1336627	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1338529	1	12	8.3	5.0	✔
Moisture Content by Gravimetry	E144	1338531	1	12	8.3	5.0	✔
<b>Matrix Spikes (MS)</b>							
Mercury by CVAAS (TCLP)	E512	1336626	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1336627	1	12	8.3	5.0	✔



## Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally 20 ± 5°C), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at <60°C) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at 105°C. Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with HNO <sub>3</sub> and HCl.  Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, Tl, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines.  Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO <sub>3</sub> and HCl, followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at <60°C) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Digestion for Metals and Mercury	EP440  ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO <sub>3</sub> and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444  ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>VA24A2790</b>	<b>Page</b>	: 1 of 11
<b>Client</b>	: Covanta Burnaby Renewable Energy, ULC	<b>Laboratory</b>	: ALS Environmental - Vancouver
<b>Contact</b>	: Nicole Victor	<b>Account Manager</b>	: Ian Chen
<b>Address</b>	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	<b>Address</b>	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
<b>Telephone</b>	:	<b>Telephone</b>	: +1 604 253 4188
<b>Project</b>	: ----	<b>Date Samples Received</b>	: 13-Feb-2024 12:45
<b>PO</b>	: PO#46693 Weekly Bottom Ash-Suite	<b>Date Analysis Commenced</b>	: 15-Feb-2024
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 21-Feb-2024 22:05
<b>Sampler</b>	: ----		
<b>Site</b>	: (includes 2:1 pH)		
<b>Quote number</b>	: Standing Offer (BC work)		
<b>No. of samples received</b>	: 12		
<b>No. of samples analysed</b>	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Alex Thornton	Analyst	Vancouver Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Vancouver Organics, Burnaby, British Columbia
Russell Zhang	Analyst	Vancouver Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Vancouver Metals, Burnaby, British Columbia

Page : 2 of 11  
Work Order : VA24A2790  
Client : Covanta Burnaby Renewable Energy, ULC  
Project : ----



---

## General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

# = Indicates a QC result that did not meet the ALS DQO.

## Workorder Comments

---

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

---





### Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Soil/Solid

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<b>Physical Tests (QC Lot: 1338530)</b>											
VA24A2790-001	BA2406-A-A	pH (1:2 soil:water)	----	E108	0.10	pH units	11.2	11.2	0.2%	5%	----
<b>Physical Tests (QC Lot: 1338531)</b>											
VA24A2790-001	BA2406-A-A	Moisture	----	E144	0.25	%	25.6	25.8	0.850%	20%	----
<b>Metals (QC Lot: 1338528)</b>											
VA24A2790-001	BA2406-A-A	Mercury	7439-97-6	E510	0.0500	mg/kg	0.0524	0.0637	0.0113	Diff <2x LOR	----
<b>Metals (QC Lot: 1338529)</b>											
VA24A2790-001	BA2406-A-A	Aluminum	7429-90-5	E440	50	mg/kg	37600	37200	1.18%	40%	----
		Antimony	7440-36-0	E440	0.10	mg/kg	138	134	3.49%	30%	----
		Arsenic	7440-38-2	E440	0.10	mg/kg	42.9	36.3	16.5%	30%	----
		Barium	7440-39-3	E440	0.50	mg/kg	353	374	5.69%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	0.34	0.39	0.04	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	26.1	13.0	66.8%	30%	DUP-H
		Boron	7440-42-8	E440	5.0	mg/kg	201	189	6.30%	30%	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	13.7	13.1	4.46%	30%	----
		Calcium	7440-70-2	E440	50	mg/kg	133000	135000	1.13%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	154	138	10.9%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	139	52.7	90.1%	30%	DUP-H
		Copper	7440-50-8	E440	0.50	mg/kg	1960	3160	46.5%	30%	DUP-H
		Iron	7439-89-6	E440	50	mg/kg	57200	50700	12.1%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	416	440	5.46%	40%	----
		Lithium	7439-93-2	E440	2.0	mg/kg	29.4	27.7	5.97%	30%	----
		Magnesium	7439-95-4	E440	20	mg/kg	12100	12200	1.08%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	768	761	0.810%	30%	----
		Molybdenum	7439-98-7	E440	0.10	mg/kg	19.3	17.5	10.1%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	149	114	26.1%	30%	----
		Phosphorus	7723-14-0	E440	50	mg/kg	8480	7290	15.1%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	6700	6610	1.38%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	0.54	0.42	0.11	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	5.80	8.50	37.8%	40%	----
		Sodium	7440-23-5	E440	50	mg/kg	16100	16800	4.41%	40%	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<b>Metals (QC Lot: 1338529) - continued</b>											
VA24A2790-001	BA2406-A-A	Strontium	7440-24-6	E440	0.50	mg/kg	277	293	5.82%	40%	----
		Sulfur	7704-34-9	E440	1000	mg/kg	15200	14200	7.23%	30%	----
		Thallium	7440-28-0	E440	0.050	mg/kg	0.063	0.061	0.002	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	139	117	17.4%	40%	----
		Titanium	7440-32-6	E440	1.0	mg/kg	327	323	1.30%	40%	----
		Tungsten	7440-33-7	E440	0.50	mg/kg	18.9	21.3	12.0%	30%	----
		Uranium	7440-61-1	E440	0.050	mg/kg	3.51	3.42	2.49%	30%	----
		Vanadium	7440-62-2	E440	0.20	mg/kg	38.5	36.7	4.72%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	4520	3630	21.9%	30%	----
		Zirconium	7440-67-7	E440	1.0	mg/kg	2.2	2.0	0.2	Diff <2x LOR	----

**Qualifiers**

Qualifier	Description
DUP-H	Duplicate results outside ALS DQO, due to sample heterogeneity.



## Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Physical Tests (QCLot: 1338531)</b>						
Moisture	---	E144	0.25	%	<0.25	---
<b>Metals (QCLot: 1338528)</b>						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	---
<b>Metals (QCLot: 1338529)</b>						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	# 0.69	B
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---
Tin	7440-31-5	E440	2	mg/kg	<2.0	---



Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Metals (QCLot: 1338529) - continued</b>						
Titanium	7440-32-6	E440	1	mg/kg	<1.0	---
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	---
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	---
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	---
Zinc	7440-66-6	E440	2	mg/kg	<2.0	---
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	---
<b>TCLP Metals (QCLot: 1336626)</b>						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	---
<b>TCLP Metals (QCLot: 1336627)</b>						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	---
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	---
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	---
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	---
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	---
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	---
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	---
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	---
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	---
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	---
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	---
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	---
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	---
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	---
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	---
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	---
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	---
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	---
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	---
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	---
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	---

**Qualifiers**

Qualifier	Description
B	Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.



## Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
<b>Physical Tests (QCLot: 1338530)</b>									
pH (1:2 soil:water)	---	E108	---	pH units	6 pH units	99.7	95.0	105	---
<b>Physical Tests (QCLot: 1338531)</b>									
Moisture	---	E144	0.25	%	50 %	101	90.0	110	---
<b>Metals (QCLot: 1338528)</b>									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	93.1	80.0	120	---
<b>Metals (QCLot: 1338529)</b>									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	96.2	80.0	120	---
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	96.1	80.0	120	---
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	99.3	80.0	120	---
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	92.7	80.0	120	---
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	93.2	80.0	120	---
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	95.0	80.0	120	---
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	95.6	80.0	120	---
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	97.8	80.0	120	---
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	93.5	80.0	120	---
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	94.1	80.0	120	---
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	97.9	80.0	120	---
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	97.3	80.0	120	---
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	103	80.0	120	---
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	96.4	80.0	120	---
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	93.9	80.0	120	---
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	102	80.0	120	---
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	95.2	80.0	120	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	98.5	80.0	120	---
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	89.3	80.0	120	---
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	99.2	80.0	120	---
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	91.9	80.0	120	---
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	97.9	80.0	120	---
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	87.2	80.0	120	---
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	96.1	80.0	120	---
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	94.0	80.0	120	---



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
<b>Metals (QCLot: 1338529) - continued</b>									
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	101	80.0	120	----
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	97.3	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	95.6	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	95.9	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	99.9	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	104	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	97.8	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	94.9	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	94.7	80.0	120	----



### Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Soil/Solid

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
<b>TCLP Metals (QCLot: 1336626)</b>										
VA24A2790-001	BA2406-A-A	Mercury, TCLP	7439-97-6	E512	0.0008 mg/L	0.001 mg/L	80.7	50.0	140	----
<b>TCLP Metals (QCLot: 1336627)</b>										
VA24A2790-001	BA2406-A-A	Antimony, TCLP	7440-36-0	E444	3.62 mg/L	5 mg/L	72.5	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	3.4 mg/L	5 mg/L	68.5	50.0	140	----
		Barium, TCLP	7440-39-3	E444	8.0 mg/L	12.5 mg/L	64.2	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.242 mg/L	0.25 mg/L	96.6	50.0	140	----
		Boron, TCLP	7440-42-8	E444	9.77 mg/L	10 mg/L	97.7	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.238 mg/L	0.25 mg/L	95.0	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	250 mg/L	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.19 mg/L	1.25 mg/L	95.5	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	ND mg/L	0.25 mg/L	ND	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.19 mg/L	2.5 mg/L	87.7	50.0	140	----
		Iron, TCLP	7439-89-6	E444	231 mg/L	250 mg/L	92.5	50.0	140	----
		Lead, TCLP	7439-92-1	E444	8.33 mg/L	10 mg/L	83.3	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	250 mg/L	250 mg/L	100	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.35 mg/L	2.5 mg/L	93.9	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	4.49 mg/L	5 mg/L	89.9	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.085 mg/L	0.1 mg/L	85.5	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	4.9 mg/L	5 mg/L	97.8	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	5.30 mg/L	5 mg/L	106	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.67 mg/L	0.75 mg/L	89.1	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	8.66 mg/L	10 mg/L	86.6	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.7 mg/L	1 mg/L	74.3	50.0	150	----



## Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
<b>Metals (QCLot: 1338528)</b>									
	SCP SS-2	Mercury	7439-97-6	E510	0.059 mg/kg	91.9	70.0	130	---
<b>Metals (QCLot: 1338529)</b>									
	SCP SS-2	Aluminum	7429-90-5	E440	9817 mg/kg	100	70.0	130	---
	SCP SS-2	Antimony	7440-36-0	E440	3.99 mg/kg	90.3	70.0	130	---
	SCP SS-2	Arsenic	7440-38-2	E440	3.73 mg/kg	99.4	70.0	130	---
	SCP SS-2	Barium	7440-39-3	E440	105 mg/kg	89.2	70.0	130	---
	SCP SS-2	Beryllium	7440-41-7	E440	0.349 mg/kg	106	70.0	130	---
	SCP SS-2	Boron	7440-42-8	E440	8.5 mg/kg	115	40.0	160	---
	SCP SS-2	Cadmium	7440-43-9	E440	0.91 mg/kg	120	70.0	130	---
	SCP SS-2	Calcium	7440-70-2	E440	31082 mg/kg	93.0	70.0	130	---
	SCP SS-2	Chromium	7440-47-3	E440	101 mg/kg	106	70.0	130	---
	SCP SS-2	Cobalt	7440-48-4	E440	6.9 mg/kg	100	70.0	130	---
	SCP SS-2	Copper	7440-50-8	E440	123 mg/kg	96.0	70.0	130	---
	SCP SS-2	Iron	7439-89-6	E440	23558 mg/kg	102	70.0	130	---
	SCP SS-2	Lead	7439-92-1	E440	267 mg/kg	91.4	70.0	130	---
	SCP SS-2	Lithium	7439-93-2	E440	9.5 mg/kg	100	70.0	130	---
	SCP SS-2	Magnesium	7439-95-4	E440	5509 mg/kg	104	70.0	130	---
	SCP SS-2	Manganese	7439-96-5	E440	269 mg/kg	103	70.0	130	---
	SCP SS-2	Molybdenum	7439-98-7	E440	1.03 mg/kg	97.2	70.0	130	---
	SCP SS-2	Nickel	7440-02-0	E440	26.7 mg/kg	94.2	70.0	130	---
	SCP SS-2	Phosphorus	7723-14-0	E440	752 mg/kg	83.6	70.0	130	---
	SCP SS-2	Potassium	7440-09-7	E440	1587 mg/kg	105	70.0	130	---
	SCP SS-2	Sodium	7440-23-5	E440	797 mg/kg	100	70.0	130	---
	SCP SS-2	Strontium	7440-24-6	E440	86.1 mg/kg	92.3	70.0	130	---
	SCP SS-2	Thallium	7440-28-0	E440	0.0786 mg/kg	97.4	40.0	160	---
	SCP SS-2	Tin	7440-31-5	E440	10.6 mg/kg	96.2	70.0	130	---
	SCP SS-2	Titanium	7440-32-6	E440	839 mg/kg	115	70.0	130	---






Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
<b>Metals (QCLot: 1338529) - continued</b>									
	SCP SS-2	Uranium	7440-61-1	E440	0.52 mg/kg	106	70.0	130	----
	SCP SS-2	Vanadium	7440-62-2	E440	32.7 mg/kg	101	70.0	130	----
	SCP SS-2	Zinc	7440-66-6	E440	297 mg/kg	94.1	70.0	130	----
	SCP SS-2	Zirconium	7440-67-7	E440	5.73 mg/kg	93.3	70.0	130	----



**Chain of Custody / Analytical Request Form**  
 Canada Toll Free: 1 800 668 9878  
 www.alsglobal.com

COC #  
 Environmental Division  
 Vancouver  
 Work Order Reference  
**VA24A2790**



Telephone : + 1 604 253 4188

<b>Report To</b>		<b>Report Format / Distribution</b>		<b>Service Requested (Rush)</b>	
Company:	Covanta Energy	<input type="checkbox"/> Standard	<input type="checkbox"/> Other	<input checked="" type="radio"/> Regular (Standard Turnaround Time)	
Contact:	Nicole Victor / Dan Skrypyk	<input checked="" type="checkbox"/> PDF	<input type="checkbox"/> Excel	<input type="checkbox"/> Digital	<input type="checkbox"/> Fax
Address:	5150 Riverbend Drive Burnaby BC	Email 1:	nvictor@covanta.com		
Phone:	604-521-1025	Fax:	<input type="checkbox"/> Yes <input type="checkbox"/> No		
		Email 2:	ofetherstonhaugh@covanta.com		
		Email 3:	dskrypyk@covanta.com		
			brent.kirkpatrick@metrovancover.org		
			Sarah.Welman@metrovancover.org		

<b>Invoice To</b>	Same as Report ?	<b>Client / Project Information</b>		Please indicate below Filter	
Hardcopy of Invoice with Report?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Job #:			
Company:		PO / AFE:	PO# 46693 Weekly Bottom Ash - Suite		
Contact:		LSD:	(includes 2:1 pH)		
Address:		Quote #:			
Phone:					

Lab Work Order # (lab use only)	<b>A 2790</b>	ALS Contact:		Sampler:	
------------------------------------	---------------	--------------	--	----------	--

Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR+FULL-VA (all metals)					Number of Containers	
	BA2406-A-1	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-2	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-3	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-4	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-5	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-6	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-7	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-8	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-9	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-10	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-11	07-Feb-24	9:00	Soil	X	X		X						1
	BA2406-A-12	07-Feb-24	9:00	Soil	X	X		X						1

**Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details**

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.

By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.

Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

<b>SHIPMENT RELEASE (client use)</b>			<b>SHIPMENT RECEPTION (lab use only)</b>				<b>SHIPMENT VERIFICATION (lab use only)</b>			
Released by:	Date (dd-mmm-yy)	Time (hh-mm)	Received by:	Date:	Time:	Temperature:	Verified by:	Date:	Time:	Observations:
<i>[Signature]</i>	13-Feb-24	0900				°C	<i>[Signature]</i>	2/13/24		Yes / No ? If Yes add SIF

*(2) buckets*  
 GENF 20.00 Front  
 12:45 PM