

Stack - 2025 (Every 2 Years)

Ebco Metal Finishing L.P.
Permit: 1093 / Due Date: October 31, 2025

01a - Galvanizing kettle enclosure - Baghouse A					
Ammonia					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	1.2380 mg/m3	1.0530 mg/m3	0.4700 mg/m3		
Average of Test Results:	0.92 mg/m3				
Contaminant Permit Limit:	3.2500 mg/m3				
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Ammonium chloride					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0840 mg/m3	0.0050 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.03 mg/m3				
Contaminant Permit Limit:	1.0000 mg/m3				
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Antimony					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0010 mg/m3	0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Arsenic					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	< 0.0010 mg/m3	0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Barium					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0020 mg/m3	0.0010 mg/m3	0.0030 mg/m3		
Average of Test Results:	0.002 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Beryllium					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Cadmium					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Chlorine					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0080 mg/m3	0.0780 mg/m3	0.1730 mg/m3		
Average of Test Results:	0.086 mg/m3				
Contaminant Permit Limit:	0.5000 mg/m3				
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Chromium					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0010 mg/m3	0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Cobalt					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Copper					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0010 mg/m3	< 0.0010 mg/m3	0.0020 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Hydrogen chloride					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.1900 mg/m3	0.1940 mg/m3	0.2590 mg/m3		
Average of Test Results:	0.214 mg/m3				
Contaminant Permit Limit:	3.0000 mg/m3				
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Lead					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0040 mg/m3	0.0010 mg/m3	0.0030 mg/m3		
Average of Test Results:	0.003 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Manganese					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0010 mg/m3	< 0.0010 mg/m3	0.0020 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Nickel					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0010 mg/m3	< 0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:	0.0050 mg/m3				
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Particulate Matter					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.8600 mg/m3	0.7800 mg/m3	0.1200 mg/m3		
Average of Test Results:	0.587 mg/m3				
Contaminant Permit Limit:	5.0000 mg/m3				
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Phosphorus					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0140 mg/m3	0.0100 mg/m3	0.0080 mg/m3		
Average of Test Results:	0.011 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Selenium					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0030 mg/m3	0.0020 mg/m3	0.0040 mg/m3		
Average of Test Results:	0.003 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Silver					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Thallium					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Titanium					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0010 mg/m3	< 0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Total volatile organic compounds					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.6800 mg/m3	0.5300 mg/m3	0.2800 mg/m3		
Average of Test Results:	0.497 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Zinc					
Test Dates:	Jul 23, 2025	Jul 23, 2025	Jul 23, 2025		
Test Results:	0.0120 mg/m3	0.0130 mg/m3	0.0170 mg/m3		
Average of Test Results:	0.014 mg/m3				
Contaminant Permit Limit:	2.5000 mg/m3				
Test Result Comments:					
Flow Results:	107.000 m3/min	107.000 m3/min	107.000 m3/min		
Average of Flow Results:	107 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
01b - Galvanizing kettle enclosure - Baghouse B					
Ammonia					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.7020 mg/m3	0.6150 mg/m3	0.5620 mg/m3		
Average of Test Results:	0.626 mg/m3				
Contaminant Permit Limit:	3.2500 mg/m3				
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Ammonium chloride					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.0140 mg/m3	0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.005 mg/m3				
Contaminant Permit Limit:	1.0000 mg/m3				
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Antimony					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.0010 mg/m3	0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Arsenic					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Barium					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.0010 mg/m3	0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Beryllium					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Cadmium					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Chlorine					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	1.2500 mg/m3	0.0100 mg/m3	0.0100 mg/m3		
Average of Test Results:	0.423 mg/m3				
Contaminant Permit Limit:	0.5000 mg/m3				
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Chromium					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.0010 mg/m3	0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Cobalt					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Copper					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.0010 mg/m3	0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Hydrogen chloride					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.2100 mg/m3	0.2600 mg/m3	0.2600 mg/m3		
Average of Test Results:	0.243 mg/m3				
Contaminant Permit Limit:	3.0000 mg/m3				
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Lead					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Manganese					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.0010 mg/m3	0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Nickel					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.0010 mg/m3	0.0010 mg/m3	0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:	0.0050 mg/m3				
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Particulate Matter					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.6500 mg/m3	0.8700 mg/m3	0.6500 mg/m3		
Average of Test Results:	0.723 mg/m3				
Contaminant Permit Limit:	5.0000 mg/m3				
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Phosphorus					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.0050 mg/m3	0.0140 mg/m3	0.0050 mg/m3		
Average of Test Results:	0.008 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Selenium					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	< 0.0010 mg/m3	0.0050 mg/m3	0.0020 mg/m3		
Average of Test Results:	0.003 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Silver					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Thallium					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Titanium					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	< 0.0010 mg/m3	< 0.0010 mg/m3	< 0.0010 mg/m3		
Average of Test Results:	0.001 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					
Total volatile organic compounds					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.9200 mg/m3	0.8100 mg/m3	0.4700 mg/m3		
Average of Test Results:	0.733 mg/m3				
Contaminant Permit Limit:					
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					

Zinc					
Test Dates:	Jul 24, 2025	Jul 24, 2025	Jul 24, 2025		
Test Results:	0.0160 mg/m3	0.0150 mg/m3	0.0130 mg/m3		
Average of Test Results:	0.015 mg/m3				
Contaminant Permit Limit:	2.5000 mg/m3				
Test Result Comments:					
Flow Results:	115.000 m3/min	115.000 m3/min	116.000 m3/min		
Average of Flow Results:	115.333 m3/min				
Permitted Flow Limit:	142.00 m3/min				
Flow Result Comments:					