

Waste Discharge Permit Application

Greater Vancouver Sewerage & Drainage District
Sewer Use Bylaw No. 299 (as amended), 2007



This is an application for a **Waste Discharge Permit** under the Greater Vancouver Sewerage and Drainage District (GVS&DD) Sewer Use Bylaw No. 299, 2007. A link to GVS&DD Sewer Use Bylaw No. 299, 2007 is available at:

https://metrovancover.org/boards/Bylaws/GVSDD_Bylaw_299_Consolidated.pdf

NEW PERMIT APPLICATION FEE

Application Type	Fee
Industrial Site	\$1000

PERMIT AMENDMENT APPLICATION FEES

Application Type	Fee
Minor Amendment	\$250
Major Amendment	\$500

A minor amendment is an amendment that is limited to the following:

- name and legal address changes;
- monitoring program changes;
- a decrease in the quantity of contaminants or flow authorized;
- a change to the authorized discharge such that, in the opinion of the Sewage Control Manager, there would be equal or less demand for regulatory and treatment services; or
- a change in the authorized works or measures such that, in the opinion of the Sewage Control Manager, there would be equal or less demand for regulatory and treatment services.

A major amendment is any amendment that is not a minor amendment.

The application fee can be paid either by cheque or by credit card. If paying by credit card, an officer will contact you with the instructions for payment after we have received the application. Cheques for application fees should be made payable to the Greater Vancouver Sewerage and Drainage District (GVS&DD) and delivered, with the application, to the address below

GENERAL INSTRUCTIONS

- ◆ Provide all required information and attachments.
- ◆ If you do not have an answer for the requested information, indicate so and explain why.
- ◆ Indicate 'n/a' if a section does not apply to your application.
- ◆ Use additional pages, as required.
- ◆ Send the completed application form, attachments, and the application fee to the following address:

Metro Vancouver
Environmental Regulation & Enforcement Division
4515 Central Boulevard
Burnaby, BC V5H 0C6
Attn: Sewage Control Manager
Telephone: 604-432-6200
Email: regulationenforcement@metrovancover.org

CONTENTS

	Page
SECTION A: Business Name and Address	1
SECTION B: Process Description	2
SECTION C: Operating Period	2
SECTION D: Wastewater Sources	3
SECTION E: Wastewater Treatment	4
SECTION F: Sample Point Location	5
SECTION G: Spill Prevention and Containment	5
SECTION H: Wastewater Classification and Quality	6
SECTION I: Flow Information	8
SECTION J: Requested Permit Term	10
SECTION K: Required Attachments	10
SECTION L: Declaration	11
ATTACHMENT A: Example of Schematic Flow Diagram	12
ATTACHMENT B: Example of Site Layout	13

SECTION A: BUSINESS NAME AND ADDRESS

APPLICANT BUSINESS NAME (Registered Company Name):	INCORPORATION NUMBER:
SITE ADDRESS: _____ (Street) _____ (City/Province) _____ (Postal Code)	BUSINESS MAILING ADDRESS: _____ (Street) _____ (City/Province) _____ (Postal Code)

CONTACT PERSON REGARDING THIS APPLICATION:

_____ (Name) _____ (Company Name) _____ (Street Address) _____ (City/Province)	_____ (Title) _____ (Postal Code) _____ (Telephone) _____ (Fax) _____ (E-mail)
---	---

Applicants must **attach the results of a corporate registry search**, conducted within 30 days of this applications submission date. The corporate registry search indicates that the applicant business has been registered with the BC Ministry of Finance.

Corporate registry searches can be obtained for a nominal fee from:

- BC Online at: <http://www.bconline.gov.bc.ca/>.
- Small Business BC at <http://www.smallbusinessbc.ca/>.
- By using the services of companies listed in the yellow pages under "Title Service".

Describe all sources of non-domestic wastewater discharged to the sanitary sewer, including process wastewater, plant wash water, cooling water, boiler blow down, contaminated storm waste, etc. Indicate whether the discharge is batch or continuous (see definitions below). Estimate the daily volume of wastewater generated. Identify each source on the Schematic Flow Diagram and Site Layout (Attachments A and B).

Batch discharge: A discharge to the sewer where an operator must manually commence and complete the discharge from a storage medium (tank, sump, pit, etc.) of known volume.

Continuous discharge: A discharge to the sewer that does not require any manual intervention by an operator to commence or cease. This discharge is not necessarily constant and may begin automatically by the triggering of a float, high level switch, etc.

Source #	Wastewater Source Description	Continuous or Batch?	Daily Volume (m ³)
1	<i>Example: Three product cooking kettles - sauces are prepared in the kettles and then transferred to filling line for packaging. Wastewater is generated from cleaning of kettles twice per day.</i>	Batch	25

(use additional pages if necessary)

SECTION E: WASTEWATER TREATMENT

A sampling point must be designated for each process wastewater connection to the sanitary sewer system. It is essential that the sampling location does not include any domestic waste. The sampling point must be downstream of the final treatment process and complete mixing must have occurred. Identify the sample point location(s) in the Site Layout (Attachment B).

Please describe the proposed sampling point(s) below. Include an explanation of how samples collected at these locations will be representative of the wastewater discharged to sanitary sewer.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

(use additional pages, if necessary)

SECTION G: SPILL PREVENTION AND CONTAINMENT

Summarize the provisions taken to prevent spills from entering the sanitary sewer system:

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

(use additional pages, if necessary)

SECTION H: WASTEWATER CLASSIFICATION AND QUALITY

Use the check boxes to indicate whether any of the following types of wastes, as defined in Section 2.1 (Page 1) and Schedule “A” of the Bylaw, are discharged to sanitary sewer.

PROHIBITED WASTES, STORM OR UNCONTAMINATED WATER	Yes (√)	No (√)
STORM WATER		
UNCONTAMINATED WATER		
FLAMMABLE OR EXPLOSIVE WASTE		
WASTE CAUSING OBSTRUCTION OR INTERFERENCE		
WASTE CAUSING AIR POLLUTION		
HIGH TEMPERATURE CREATING WASTE (>65°C)		
RADIOACTIVE WASTE		
BIOMEDICAL WASTE		
SPECIFIED RISK MATERIAL FOR BOVINE SPONGIFORM ENCEPHALOPATHY		

	Yes (√)	No (√)
Does your wastewater discharge meet the Water Quality Guidelines for Aquatic Life prior to any treatment?		
Does your wastewater discharge meet the Water Quality Guidelines for Aquatic Life after treatment?		

If Yes to either of the above, detail (on a separate page) if an application was made to the host municipality with respect to options for discharge directly to the environment or to storm sewer. Please explain.

Use the check boxes to indicate whether any of the following types of wastes, as defined in Schedule “B” of the Bylaw, are discharged to sanitary sewer. When present, please provide estimates of the concentration of each contaminant before and after treatment. Provide actual data wherever possible.

RESTRICTED WASTES Units expressed as mg/L, except as noted.	Yes (√)	No (√)	Before Treatment (Maximum Concentration or Range)	After Treatment (Maximum Concentration or Range)
PARTICLE SIZE WASTE (>0.5 cm in any dimension)				
pH WASTE (pH units)				
<i>SPECIFIED WASTE (Expressed as Total Concentrations)</i>				
BIOCHEMICAL OXYGEN DEMAND				
TOTAL SUSPENDED SOLIDS				
TOTAL OIL AND GREASE				
OIL AND GREASE (Hydrocarbons)				
Aluminum				
Arsenic				
Boron				
Cadmium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				

SECTION H: WASTEWATER CLASSIFICATION AND QUALITY CONTINUED

Manganese				
Mercury				
Molybdenum				
Nickel				
Selenium				
Silver				
Zinc				
Cyanide				
Phenols				
Chlorinated Phenols				
Sulphate				
Sulphide				

OTHER WASTE Units expressed as mg/L, except as noted.	Yes (√)	No (√)	Before Treatment (Maximum Concentration or Range)	After Treatment (Maximum Concentration or Range)
Conductivity				
Chemical Oxygen Demand				
Dissolved Organic Halogen				
Formaldehyde				
Ammonia				
Styrene				
Total Benzene/Ethylbenzene/Toluene/Xylenes				
◆ Benzene				
◆ Ethylbenzene				
◆ Toluene				
◆ Xylenes				
Total Polynuclear Aromatic Hydrocarbons				
Total Polychlorinated Biphenyls				
Carbon Tetrachloride				
Trichloroethylene				
Tetrachloroethylene				
Vinyl Chloride				

HAZARDOUS WASTES	Yes (√)	No (√)
Does your wastewater discharge contain Hazardous Waste, <u>prior to</u> treatment?		
Does your wastewater discharge contain Hazardous Waste, <u>following</u> treatment?		

If Yes to either of the above, detail (on a separate page) the provisions taken to comply with Column 3 of Schedule 1.2 (Standard for Discharges Directed to Municipal or Industrial Effluent Treatment Works) of the Hazardous Waste Regulation. Please provide supporting information and analytical data.

SECTION I: FLOW INFORMATION

1. Requested Discharge Flow Rates

The following process flow information is required to complete both Municipal sewer line and GVS&DD trunk sewer line hydraulic loading capacity evaluations. You may need to contact your host municipality to assist in providing this information.

GVS&DD District Drawing No.: _____ Sheet No.: _____

GVS&DD Sewer Branch: _____

Manhole No.: _____ Chainage: _____ m

Municipal Connection ID: _____

Total Plant Site Area: _____ acres; or _____ m²

If there is a storm water component associated with this Permit indicate dry and wet weather conditions individually for maximum daily discharge rate and maximum instantaneous peak flow rate.

Maximum Daily Discharge Rate: _____ m³/day

Maximum Instantaneous Peak Flow Rate: _____ litres/second

Maximum Discharge Duration: _____ hours/day _____ days/week _____ weeks/year

2. Discharge Flow Rate Estimation Methods



Indicate the method(s) used to estimate the discharge flow rates. Provide the additional information required for the method(s) used.

(√)	Method	Additional Information Required
	Water Meter Usage Records	Provide details of your flow estimation calculation. <i>e.g. (incoming water meter usage value) minus (water incorporated into product) minus (domestic waste consumption - 0.1 m³/ day / person) = daily discharge volume</i>
	Discharge Pump Capacity	Provide all supporting calculations, including pump and pipe specifications, assumptions, etc.
	Discharge Pipe Capacity	Provide all supporting calculations, including pipe diameters and slopes, assumptions, etc.
	Flow Measurement	Describe the flow monitoring/recording equipment used. Provide specifications, if available.

SECTION I: FLOW INFORMATION CONTINUED

3. Discharge Flow Rate Profile

Provide a graphic representation of a 24 hour profile of the instantaneous flow rate from your operation on both average and high discharge days, as per the following example:



SECTION J: REQUESTED PERMIT TERM

Please indicate in the appropriate box below the length of time that you will require a Waste Discharge Permit.

	(√)		(√)
Less than 7 days		181 - 270 days	
7 - 30 days		271 - 365 days	
31 - 90 days		Ongoing	
91 - 180 days			

SECTION K: REQUIRED ATTACHMENTS

Attachment A: Schematic Flow Diagram

The schematic flow diagram should be a simple line drawing illustrating production/process steps at your facility, with particular emphasis on the processes that generate wastewater and their associated pretreatment systems. Your diagram should include:

- each plant process that generates wastewater (number each waste source);
- additional schematics of each wastewater pretreatment process;
- process water flow lines
- wastewater flow lines
- sewer discharge points for each waste stream.

Attachment B: Site Layout

The site layout locates each activity and process in a geographical setting. The site layout, at minimum, should include:

- building outlines;
- property lines;
- north arrow;
- wastewater drainage/collection / treatment systems;
- locations of any continuous monitoring equipment (pH, conductivity, flow meters, etc.);
- sample point location(s);
- discharge points to sewer.

Both of the attachments should be no smaller than 8.5 x 11 inches and no larger than 11 x 17 inches. For examples of Attachments A & B, please refer to Pages 12 and 13 of this application.

SECTION L: DECLARATION

1. APPLICANT DECLARATION


I declare that the information given on this form is correct and accurate to the best of my knowledge.	
Company Name:	
Name and Position (please print):	
Telephone:	
E-mail:	
Applicant Signature:	Date:

If there is more than one applicant, please attach the above-noted information, with signature(s) on a separate page for each applicant.

2. DESIGNATED PRIMARY COMPANY CONTACT

If you elect to appoint an employee as the primary contact for this application, please complete the following.	
Contact Name and Title (please print):	
Company Name:	
BUSINESS MAILING ADDRESS	
Street:	
City/Province:	
Postal Code:	
Telephone:	
Cell Number:	
Fax Number:	
E-mail:	
Primary Contact Signature:	Date:
Applicant Signature:	Date:

ATTACHMENT A: EXAMPLE OF SCHEMATIC FLOW DIAGRAM



ATTACHMENT B: EXAMPLE OF SITE LAYOUT

