

Bottom Ash Data

2024 Week 45

The following analytical report represents bottom ash composite results for week 45 of 2024 (November 3, 2024 to November 9, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



CERTIFICATE OF ANALYSIS

Work Order	: VA24D1504		
Client	: Reworld Renewable Burnaby, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Gulraj Dhanaua
Address	: 5150 Riverbend Drive Burnaby British Columbia Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby BC Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: Weekly Bottom Ash-Suite	Date Samples Received	: 20-Nov-2024 14:10
PO	: VANCO0000052919	Date Analysis Commenced	: 26-Nov-2024
C-O-C number	: ----	Issue Date	: 29-Nov-2024 15:39
Sampler	: ----		
Site	: ----		
Quote number	: Covanta Burnaby Standing Offer 2024		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Janice Leung	Supervisor - Organics Instrumentation	Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Metals, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Metals, Burnaby, British Columbia
Owen Cheng		Metals, Burnaby, British Columbia



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
mg/kg	milligrams per kilogram
%	percent
pH units	pH units
mg/L	milligrams per litre

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

<i>Qualifier</i>	<i>Description</i>
DLA	Detection Limit adjusted for required dilution.

Work Order : VA24D1504
Client : Reworld Renewable Burnaby, ULC
Project : Weekly Bottom Ash-Suite





Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID	BA2445-A-1	BA2445-A-2	BA2445-A-3	BA2445-A-4	BA2445-A-5
					Client sampling date / time	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-001	VA24D1504-002	VA24D1504-003	VA24D1504-004	VA24D1504-005	
					Result	Result	Result	Result	Result	
Physical Tests										
Moisture	----	E144/VA	0.25	%	28.4	28.8	29.5	28.0	29.6	
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	10.6	10.7	10.6	10.5	10.5	
Metals										
Aluminum	7429-90-5	E440/VA	50	mg/kg	36200	33000	39300	37400	34000	
Antimony	7440-36-0	E440/VA	0.10	mg/kg	114	123	109	98.6	206	
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	23.9	16.3	17.2	17.2	21.5	
Barium	7440-39-3	E440/VA	0.50	mg/kg	539	607	566	498	517	
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.42	0.37	0.35	0.37	<0.36 ^{DLA}	
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	14.6	6.09	11.2	6.34	6.32	
Boron	7440-42-8	E440/VA	5.0	mg/kg	140	159	152	228	134	
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	7.19	7.76	7.61	8.30	73.3	
Calcium	7440-70-2	E440/VA	50	mg/kg	137000	140000	138000	134000	126000	
Chromium	7440-47-3	E440/VA	0.50	mg/kg	210	217	299	146	156	
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	483	335	48.6	84.6	73.9	
Copper	7440-50-8	E440/VA	0.50	mg/kg	1880	5260	4740	2170	43700	
Iron	7439-89-6	E440/VA	50	mg/kg	69800	68900	64600	49000	82000	
Lead	7439-92-1	E440/VA	0.50	mg/kg	833	379	375	326	1120	
Lithium	7439-93-2	E440/VA	2.0	mg/kg	120	62.7	32.0	37.6	26.5	
Magnesium	7439-95-4	E440/VA	20	mg/kg	12200	11600	10600	11600	11600	
Manganese	7439-96-5	E440/VA	1.0	mg/kg	2500	1380	986	871	1470	
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	0.0579	<0.0500	<0.0500	<0.0500	



Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID				
					BA2445-A-1	BA2445-A-2	BA2445-A-3	BA2445-A-4	BA2445-A-5
					Client sampling date / time				
					06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-001	VA24D1504-002	VA24D1504-003	VA24D1504-004	VA24D1504-005
					Result	Result	Result	Result	Result
Metals									
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	18.3	40.4	24.1	15.4	20.5
Nickel	7440-02-0	E440/VA	0.50	mg/kg	682	401	258	302	322
Phosphorus	7723-14-0	E440/VA	50	mg/kg	10500	9880	10800	10300	8480
Potassium	7440-09-7	E440/VA	100	mg/kg	5480	4990	5200	5150	4800
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.34	0.37	0.30	0.30	<0.72 ^{DLA}
Silver	7440-22-4	E440/VA	0.10	mg/kg	6.51	5.88	8.57	10.6	7.48
Sodium	7440-23-5	E440/VA	50	mg/kg	15100	14300	14000	14600	13900
Strontium	7440-24-6	E440/VA	0.50	mg/kg	316	310	334	283	320
Sulfur	7704-34-9	E440/VA	1000	mg/kg	10000	10200	10100	9800	6100
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.179 ^{DLA}
Tin	7440-31-5	E440/VA	2.0	mg/kg	106	222	166	108	111
Titanium	7440-32-6	E440/VA	1.0	mg/kg	304	349	256	212	326
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	17.4	34.6	15.1	14.4	78.5
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.91	2.02	1.93	1.89	1.86
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	41.4	39.4	42.7	38.1	42.2
Zinc	7440-66-6	E440/VA	2.0	mg/kg	4070	3220	3350	3560	5290
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	1.7	1.4	2.4	3.3	<3.6 ^{DLA}
TCLP Metals									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.3	11.5	11.4	11.4	11.4
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	5.06	5.25	6.00	5.93	5.73
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.88	2.88	2.88	2.88	2.88



Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID				
					BA2445-A-1	BA2445-A-2	BA2445-A-3	BA2445-A-4	BA2445-A-5
					Client sampling date / time				
					06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-001	VA24D1504-002	VA24D1504-003	VA24D1504-004	VA24D1504-005
					Result	Result	Result	Result	Result
TCLP Metals									
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.72	6.58	6.69	6.67	6.55
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.84	1.82	1.85	1.84	2.05
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.055	0.071	0.111	0.206	0.098
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1880	1860	1860	1870	2050
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.875	0.754	0.860	0.638	1.00
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.996	0.794	1.03	1.00	1.39
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	111	112	116	114	129
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.29	0.36	0.27	0.42	0.34
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15



Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID				
					BA2445-A-1	BA2445-A-2	BA2445-A-3	BA2445-A-4	BA2445-A-5
					Client sampling date / time				
					06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-001	VA24D1504-002	VA24D1504-003	VA24D1504-004	VA24D1504-005
					Result	Result	Result	Result	Result
TCLP Metals									
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	8.87	10.8	10.2	12.3	14.3
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID				
					BA2445-A-6	BA2445-A-7	BA2445-A-8	BA2445-A-9	BA2445-A-10
					Client sampling date / time				
					06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-006	VA24D1504-007	VA24D1504-008	VA24D1504-009	VA24D1504-010
					Result	Result	Result	Result	Result
Physical Tests									
Moisture	----	E144/VA	0.25	%	27.9	31.6	28.7	29.8	31.2
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	10.5	10.4	10.5	10.5	10.6
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	36800	39500	45300	34900	34600
Antimony	7440-36-0	E440/VA	0.10	mg/kg	362	102	107	104	112
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	36.2	17.0	17.0	17.4	16.0
Barium	7440-39-3	E440/VA	0.50	mg/kg	504	546	584	624	584
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.33	0.34	0.34	0.34	0.34
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	6.72	5.91	43.7	6.13	7.48
Boron	7440-42-8	E440/VA	5.0	mg/kg	155	136	146	204	187
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	7.31	7.50	7.19	6.81	7.46
Calcium	7440-70-2	E440/VA	50	mg/kg	131000	126000	129000	125000	133000



Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID	BA2445-A-6	BA2445-A-7	BA2445-A-8	BA2445-A-9	BA2445-A-10
					Client sampling date / time	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-006	VA24D1504-007	VA24D1504-008	VA24D1504-009	VA24D1504-010	
					Result	Result	Result	Result	Result	
Metals										
Chromium	7440-47-3	E440/VA	0.50	mg/kg	224	194	1190	179	179	
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	87.3	85.7	70.6	125	321	
Copper	7440-50-8	E440/VA	0.50	mg/kg	2480	9840	3940	7920	2270	
Iron	7439-89-6	E440/VA	50	mg/kg	74800	78300	74200	66800	60300	
Lead	7439-92-1	E440/VA	0.50	mg/kg	10600	1840	290	322	2400	
Lithium	7439-93-2	E440/VA	2.0	mg/kg	30.9	28.2	27.7	32.2	31.9	
Magnesium	7439-95-4	E440/VA	20	mg/kg	10600	11100	11900	11200	11700	
Manganese	7439-96-5	E440/VA	1.0	mg/kg	878	946	3080	920	907	
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	35.7	19.2	195	17.0	15.6	
Nickel	7440-02-0	E440/VA	0.50	mg/kg	594	207	1140	368	176	
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9270	9030	10000	8700	9920	
Potassium	7440-09-7	E440/VA	100	mg/kg	4760	4930	5410	5300	5230	
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.82	0.33	0.24	0.33	0.29	
Silver	7440-22-4	E440/VA	0.10	mg/kg	15.5	8.05	4.86	9.16	>54.6	
Sodium	7440-23-5	E440/VA	50	mg/kg	13300	13400	14600	14600	14200	
Strontium	7440-24-6	E440/VA	0.50	mg/kg	294	276	294	306	290	
Sulfur	7704-34-9	E440/VA	1000	mg/kg	9600	9300	9800	9300	9800	
Thallium	7440-28-0	E440/VA	0.050	mg/kg	0.088	<0.050	<0.050	<0.050	<0.050	
Tin	7440-31-5	E440/VA	2.0	mg/kg	111	108	242	2910	108	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	318	271	319	321	264	



Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID				
					BA2445-A-6	BA2445-A-7	BA2445-A-8	BA2445-A-9	BA2445-A-10
					Client sampling date / time				
					06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-006	VA24D1504-007	VA24D1504-008	VA24D1504-009	VA24D1504-010
					Result	Result	Result	Result	Result
Metals									
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	24.3	17.6	24.0	26.1	28.8
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.89	1.82	1.93	1.87	1.96
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	36.8	49.4	42.4	49.3	37.4
Zinc	7440-66-6	E440/VA	2.0	mg/kg	4830	3100	3520	3590	3270
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.4	2.3	2.9	1.6	1.7
TCLP Metals									
pH, TCLP 1st preliminary	---	EPP444/VA	0.010	pH units	11.4	11.3	11.5	11.2	11.4
pH, TCLP 2nd preliminary	---	EPP444/VA	0.010	pH units	5.53	5.78	5.69	5.74	5.52
pH, TCLP extraction fluid initial	---	EPP444/VA	0.010	pH units	2.88	2.88	2.88	2.88	2.88
pH, TCLP final	---	EPP444/VA	0.010	pH units	6.38	6.29	6.39	6.35	6.34
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.94	1.91	2.02	2.00	2.06
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.273	0.118	0.577	0.180	0.082
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	2000	1900	1990	1960	1990
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	2.89	0.997	0.727	0.942	0.932
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.19	1.23	1.19	1.14	1.02
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: Soil/Solid (Matrix: Soil/Solid)					Client sample ID				
					BA2445-A-6	BA2445-A-7	BA2445-A-8	BA2445-A-9	BA2445-A-10
Client sampling date / time					06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00	06-Nov-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-006	VA24D1504-007	VA24D1504-008	VA24D1504-009	VA24D1504-010
					Result	Result	Result	Result	Result
TCLP Metals									
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	0.40	<0.25	0.43	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	123	119	127	122	122
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.38	0.42	0.39	0.34	0.36
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	22.7	21.5	19.6	19.3	17.8
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Analytical Results

Sub-Matrix: Soil/Solid (Matrix: Soil/Solid)					Client sample ID				
					BA2445-A-11	BA2445-A-12	----	----	----
Client sampling date / time					06-Nov-2024 09:00	06-Nov-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-011	VA24D1504-012	----	----	----
					Result	Result	----	----	----
Physical Tests									
Moisture	----	E144/VA	0.25	%	30.2	29.7	----	----	----
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	10.4	10.7	----	----	----



Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID		BA2445-A-11	BA2445-A-12	----	----	----
					Client sampling date / time		06-Nov-2024 09:00	06-Nov-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-011	VA24D1504-012	----	----	----	----	----
					Result	Result	----	----	----	----	----
Metals											
Aluminum	7429-90-5	E440/VA	50	mg/kg	43000	37700	----	----	----	----	----
Antimony	7440-36-0	E440/VA	0.10	mg/kg	113	111	----	----	----	----	----
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	23.4	16.3	----	----	----	----	----
Barium	7440-39-3	E440/VA	0.50	mg/kg	616	536	----	----	----	----	----
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.37	0.34	----	----	----	----	----
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	5.98	6.40	----	----	----	----	----
Boron	7440-42-8	E440/VA	5.0	mg/kg	264	156	----	----	----	----	----
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	7.33	7.51	----	----	----	----	----
Calcium	7440-70-2	E440/VA	50	mg/kg	128000	134000	----	----	----	----	----
Chromium	7440-47-3	E440/VA	0.50	mg/kg	159	227	----	----	----	----	----
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	41.2	196	----	----	----	----	----
Copper	7440-50-8	E440/VA	0.50	mg/kg	2790	5170	----	----	----	----	----
Iron	7439-89-6	E440/VA	50	mg/kg	78400	72600	----	----	----	----	----
Lead	7439-92-1	E440/VA	0.50	mg/kg	569	292	----	----	----	----	----
Lithium	7439-93-2	E440/VA	2.0	mg/kg	31.1	28.7	----	----	----	----	----
Magnesium	7439-95-4	E440/VA	20	mg/kg	10900	11000	----	----	----	----	----
Manganese	7439-96-5	E440/VA	1.0	mg/kg	874	737	----	----	----	----	----
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	0.0688	----	----	----	----	----
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	14.6	18.5	----	----	----	----	----
Nickel	7440-02-0	E440/VA	0.50	mg/kg	261	787	----	----	----	----	----
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9840	8890	----	----	----	----	----



Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID		BA2445-A-11	BA2445-A-12	----	----	----
					Client sampling date / time		06-Nov-2024 09:00	06-Nov-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-011	VA24D1504-012	----	----	----	----	----
					Result	Result	----	----	----	----	----
Metals											
Potassium	7440-09-7	E440/VA	100	mg/kg	5160	5320	----	----	----	----	----
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.35	0.30	----	----	----	----	----
Silver	7440-22-4	E440/VA	0.10	mg/kg	>52.3	>66.2	----	----	----	----	----
Sodium	7440-23-5	E440/VA	50	mg/kg	14200	14400	----	----	----	----	----
Strontium	7440-24-6	E440/VA	0.50	mg/kg	268	292	----	----	----	----	----
Sulfur	7704-34-9	E440/VA	1000	mg/kg	9600	9400	----	----	----	----	----
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	----	----	----	----	----
Tin	7440-31-5	E440/VA	2.0	mg/kg	127	104	----	----	----	----	----
Titanium	7440-32-6	E440/VA	1.0	mg/kg	455	349	----	----	----	----	----
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	176	71.9	----	----	----	----	----
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.89	1.93	----	----	----	----	----
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	38.1	40.4	----	----	----	----	----
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3540	4570	----	----	----	----	----
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	1.9	2.3	----	----	----	----	----
TCLP Metals											
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.5	11.5	----	----	----	----	----
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	6.18	5.64	----	----	----	----	----
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.88	2.88	----	----	----	----	----
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.17	6.40	----	----	----	----	----
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	----	----	----	----	----
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----	----	----



Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID		BA2445-A-11	BA2445-A-12	----	----	----
					Client sampling date / time		06-Nov-2024 09:00	06-Nov-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24D1504-011	VA24D1504-012	----	----	----	----	----
					Result	Result	----	----	----	----	----
TCLP Metals											
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	----	----	----	----	----
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	----	----	----	----	----
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.89	1.98	----	----	----	----	----
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	1.21	0.119	----	----	----	----	----
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1920	1990	----	----	----	----	----
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----	----	----
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	1.59	1.08	----	----	----	----	----
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.14	1.13	----	----	----	----	----
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	----	----	----	----	----
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----	----	----
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	117	120	----	----	----	----	----
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	----	----	----	----	----
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.38	0.32	----	----	----	----	----
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	----	----	----	----	----
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----	----	----
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----	----	----
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	----	----	----	----	----
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	----	----	----	----	----
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	28.4	28.1	----	----	----	----	----
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	----	----	----	----	----

Please refer to the General Comments section for an explanation of any result qualifiers detected.



QUALITY CONTROL INTERPRETIVE REPORT

<p>Work Order : VA24D1504</p> <p>Client : Reworld Renewable Burnaby, ULC</p> <p>Contact : Nicole Victor</p> <p>Address : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p>Telephone : ----</p> <p>Project : Weekly Bottom Ash-Suite</p> <p>PO : VANCO0000052919</p> <p>C-O-C number : ----</p> <p>Sampler : ----</p> <p>Site : ----</p> <p>Quote number : Covanta Burnaby Standing Offer 2024</p> <p>No. of samples received : 12</p> <p>No. of samples analysed : 12</p>	<p>Page : 1 of 16</p> <p>Laboratory : ALS Environmental - Vancouver</p> <p>Account Manager : Gulraj Dhanaua</p> <p>Address : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p>Telephone : +1 604 253 4188</p> <p>Date Samples Received : 20-Nov-2024 14:10</p> <p>Issue Date : 29-Nov-2024 15:39</p>
---	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Duplicate outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **Soil/Solid**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Duplicate (DUP) RPDs								
Metals	VA24D1504-001	BA2445-A-1	Bismuth	7440-69-9	E440	75.3 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24D1504-001	BA2445-A-1	Cobalt	7440-48-4	E440	130 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24D1504-001	BA2445-A-1	Copper	7440-50-8	E440	111 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24D1504-001	BA2445-A-1	Lead	7439-92-1	E440	58.4 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24D1504-001	BA2445-A-1	Lithium	7439-93-2	E440	115 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24D1504-001	BA2445-A-1	Manganese	7439-96-5	E440	87.2 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.

Result Qualifiers

Qualifier	Description
DUP-H	Duplicate results outside ALS DQO, due to sample heterogeneity.



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-1	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-10	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-11	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-12	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-2	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-3	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-4	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-5	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-6	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-7	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-8	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2445-A-9	E510	06-Nov-2024	27-Nov-2024	28 days	21 days	✔	29-Nov-2024	28 days	2 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2445-A-1	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✔	29-Nov-2024	180 days	23 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2445-A-10	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✔	29-Nov-2024	180 days	23 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2445-A-11	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✔	29-Nov-2024	180 days	23 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2445-A-12	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✔	29-Nov-2024	180 days	23 days	✔



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2445-A-2	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✓	29-Nov-2024	180 days	23 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2445-A-3	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✓	29-Nov-2024	180 days	23 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2445-A-4	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✓	29-Nov-2024	180 days	23 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2445-A-5	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✓	29-Nov-2024	180 days	23 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2445-A-6	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✓	29-Nov-2024	180 days	23 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2445-A-7	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✓	29-Nov-2024	180 days	23 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2445-A-8	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✓	29-Nov-2024	180 days	23 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2445-A-9	E440	06-Nov-2024	27-Nov-2024	180 days	21 days	✓	29-Nov-2024	180 days	23 days	✓	
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2445-A-1	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days		



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-10	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-11	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-12	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-2	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-3	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-4	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-5	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-6	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-7	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-8	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2445-A-9	E144	06-Nov-2024	----	----	----		26-Nov-2024	----	20 days	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2445-A-1	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2445-A-10	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2445-A-11	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2445-A-12	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2445-A-2	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2445-A-3	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2445-A-4	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2445-A-5	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2445-A-6	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2445-A-7	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2445-A-8	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2445-A-9	E108	06-Nov-2024	27-Nov-2024	30 days	21 days	✔	27-Nov-2024	30 days	21 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2445-A-1	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2445-A-10	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2445-A-11	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2445-A-12	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2445-A-2	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2445-A-3	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2445-A-4	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2445-A-5	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2445-A-6	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2445-A-7	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2445-A-8	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2445-A-9	E512	27-Nov-2024	28-Nov-2024	49 days	22 days	✔	28-Nov-2024	49 days	22 days	✔
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2445-A-1	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-10	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-11	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-12	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-2	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-3	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-4	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-5	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-6	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-7	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✔	29-Nov-2024	201 days	23 days	✔	



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-8	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✓	29-Nov-2024	201 days	23 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2445-A-9	E444	27-Nov-2024	28-Nov-2024	201 days	22 days	✓	29-Nov-2024	201 days	23 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-1	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-10	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-11	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-12	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-2	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-3	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-4	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✓	



Matrix: **Soil/Solid**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-5	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-6	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-7	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-8	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2445-A-9	EPP444	06-Nov-2024	27-Nov-2024	----	----		----	28 days	21 days	✔

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
			QC	Regular	Actual	Expected	Evaluation
Analytical Methods							
Laboratory Duplicates (DUP)							
Mercury by CVAAS (TCLP)	E512	1788182	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1783357	1	20	5.0	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1788183	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1783358	1	20	5.0	5.0	✔
Moisture Content by Gravimetry	E144	1783360	1	20	5.0	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1783359	1	20	5.0	5.0	✔
Laboratory Control Samples (LCS)							
Mercury in Soil/Solid by CVAAS	E510	1783357	2	20	10.0	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1783358	2	20	10.0	10.0	✔
Moisture Content by Gravimetry	E144	1783360	1	20	5.0	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1783359	1	20	5.0	5.0	✔
Method Blanks (MB)							
Mercury by CVAAS (TCLP)	E512	1788182	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1783357	1	20	5.0	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1788183	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1783358	1	20	5.0	5.0	✔
Moisture Content by Gravimetry	E144	1783360	1	20	5.0	5.0	✔
Matrix Spikes (MS)							
Mercury by CVAAS (TCLP)	E512	1788182	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1788183	1	12	8.3	5.0	✔



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally $20 \pm 5^{\circ}\text{C}$), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at 105°C . Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl . Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, Tl, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines. Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl , followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Digestion for Metals and Mercury	EP440 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO ₃ and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.

QUALITY CONTROL REPORT

Work Order	: VA24D1504	Page	: 1 of 12
Client	: Reworld Renewable Burnaby, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Gulraj Dhanaua
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: Weekly Bottom Ash-Suite	Date Samples Received	: 20-Nov-2024 14:10
PO	: VANCO0000052919	Date Analysis Commenced	: 26-Nov-2024
C-O-C number	: ----	Issue Date	: 29-Nov-2024 15:39
Sampler	: ----		
Site	: ----		
Quote number	: Covanta Burnaby Standing Offer 2024		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Janice Leung	Supervisor - Organics Instrumentation	Vancouver Organics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Vancouver Metals, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Vancouver Metals, Burnaby, British Columbia
Owen Cheng		Vancouver Metals, Burnaby, British Columbia

Page : 2 of 12
Work Order : VA24D1504
Client : Reworld Renewable Burnaby, ULC
Project : Weekly Bottom Ash-Suite



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Soil/Solid

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1783359)											
VA24D1504-001	BA2445-A-1	pH (1:2 soil:water)	----	E108	0.10	pH units	10.6	10.5	0.6%	5%	----
Physical Tests (QC Lot: 1783360)											
VA24D1504-001	BA2445-A-1	Moisture	----	E144	0.25	%	28.4	28.8	1.51%	20%	----
Metals (QC Lot: 1783357)											
VA24D1504-001	BA2445-A-1	Mercury	7439-97-6	E510	0.0500	mg/kg	<0.0500	<0.0500	0	Diff <2x LOR	----
Metals (QC Lot: 1783358)											
VA24D1504-001	BA2445-A-1	Aluminum	7429-90-5	E440	50	mg/kg	36200	41100	12.7%	40%	----
		Antimony	7440-36-0	E440	0.10	mg/kg	114	101	12.5%	30%	----
		Arsenic	7440-38-2	E440	0.10	mg/kg	23.9	19.5	20.3%	30%	----
		Barium	7440-39-3	E440	0.50	mg/kg	539	558	3.37%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	0.42	0.43	0.02	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	14.6	6.62	75.3%	30%	DUP-H
		Boron	7440-42-8	E440	5.0	mg/kg	140	142	0.933%	30%	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	7.19	7.72	7.09%	30%	----
		Calcium	7440-70-2	E440	50	mg/kg	137000	136000	0.611%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	210	219	4.24%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	483	102	130%	30%	DUP-H
		Copper	7440-50-8	E440	0.50	mg/kg	1880	6600	111%	30%	DUP-H
		Iron	7439-89-6	E440	50	mg/kg	69800	61000	13.4%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	833	457	58.4%	40%	DUP-H
		Lithium	7439-93-2	E440	2.0	mg/kg	120	32.2	115%	30%	DUP-H
		Magnesium	7439-95-4	E440	20	mg/kg	12200	10800	11.6%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	2500	981	87.2%	30%	DUP-H
		Molybdenum	7439-98-7	E440	0.10	mg/kg	18.3	18.8	2.79%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	682	820	18.4%	30%	----
		Phosphorus	7723-14-0	E440	50	mg/kg	10500	10500	0.492%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	5480	5390	1.59%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	0.34	0.34	0.003	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	6.51	5.07	24.9%	40%	----
		Sodium	7440-23-5	E440	50	mg/kg	15100	14700	2.57%	40%	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Metals (QC Lot: 1783358) - continued											
VA24D1504-001	BA2445-A-1	Strontium	7440-24-6	E440	0.50	mg/kg	316	347	9.45%	40%	----
		Sulfur	7704-34-9	E440	1000	mg/kg	10000	10100	0.362%	30%	----
		Thallium	7440-28-0	E440	0.050	mg/kg	<0.050	<0.050	0	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	106	102	4.17%	40%	----
		Titanium	7440-32-6	E440	1.0	mg/kg	304	238	24.5%	40%	----
		Tungsten	7440-33-7	E440	0.50	mg/kg	17.4	20.4	16.0%	30%	----
		Uranium	7440-61-1	E440	0.050	mg/kg	1.91	2.02	5.64%	30%	----
		Vanadium	7440-62-2	E440	0.20	mg/kg	41.4	50.2	19.1%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	4070	3360	19.0%	30%	----
		Zirconium	7440-67-7	E440	1.0	mg/kg	1.7	2.2	0.5	Diff <2x LOR	----
TCLP Metals (QC Lot: 1788182)											
VA24D1504-001	BA2445-A-1	Mercury, TCLP	7439-97-6	E512	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
TCLP Metals (QC Lot: 1788183)											
VA24D1504-001	BA2445-A-1	Antimony, TCLP	7440-36-0	E444	1.00	mg/L	<1.00	<1.00	0	Diff <2x LOR	----
		Arsenic, TCLP	7440-38-2	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	<2.5	0	Diff <2x LOR	----
		Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	<0.025	0	Diff <2x LOR	----
		Boron, TCLP	7440-42-8	E444	0.50	mg/L	1.84	1.92	0.07	Diff <2x LOR	----
		Cadmium, TCLP	7440-43-9	E444	0.050	mg/L	0.055	0.056	0.001	Diff <2x LOR	----
		Calcium, TCLP	7440-70-2	E444	10	mg/L	1880	1920	2.61%	30%	----
		Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Cobalt, TCLP	7440-48-4	E444	0.050	mg/L	0.875	0.895	2.18%	30%	----
		Copper, TCLP	7440-50-8	E444	0.050	mg/L	0.996	1.00	0.768%	30%	----
		Iron, TCLP	7439-89-6	E444	5.0	mg/L	<5.0	<5.0	0	Diff <2x LOR	----
		Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	111	113	1.23%	30%	----
		Nickel, TCLP	7440-02-0	E444	0.25	mg/L	0.29	0.30	0.005	Diff <2x LOR	----
		Selenium, TCLP	7782-49-2	E444	0.10	mg/L	<0.10	<0.10	0	Diff <2x LOR	----
		Silver, TCLP	7440-22-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Thallium, TCLP	7440-28-0	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Uranium, TCLP	7440-61-1	E444	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	----
		Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	<0.15	0	Diff <2x LOR	----
		Zinc, TCLP	7440-66-6	E444	0.50	mg/L	8.87	9.00	1.45%	30%	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	<10	0	Diff <2x LOR	----		



Qualifiers

<i>Qualifier</i>	<i>Description</i>
DUP-H	<i>Duplicate results outside ALS DQO, due to sample heterogeneity.</i>



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1783360)						
Moisture	---	E144	0.25	%	<0.25	---
Metals (QCLot: 1783357)						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	---
Metals (QCLot: 1783358)						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	---
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---
Tin	7440-31-5	E440	2	mg/kg	<2.0	---



Sub-Matrix: **Soil/Solid**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Metals (QCLot: 1783358) - continued						
Titanium	7440-32-6	E440	1	mg/kg	<1.0	----
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	----
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
TCLP Metals (QCLot: 1788182)						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----
TCLP Metals (QCLot: 1788183)						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1783359)									
pH (1:2 soil:water)	---	E108	---	pH units	6 pH units	100	95.0	105	---
Physical Tests (QCLot: 1783360)									
Moisture	---	E144	0.25	%	50 %	100	90.0	110	---
Metals (QCLot: 1783357)									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	96.2	80.0	120	---
Metals (QCLot: 1783358)									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	96.8	80.0	120	---
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	100	80.0	120	---
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	99.3	80.0	120	---
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	95.7	80.0	120	---
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	98.5	80.0	120	---
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	95.2	80.0	120	---
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	94.3	80.0	120	---
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	95.5	80.0	120	---
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	98.5	80.0	120	---
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	93.5	80.0	120	---
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	92.9	80.0	120	---
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	91.1	80.0	120	---
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	95.3	80.0	120	---
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	96.0	80.0	120	---
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	102	80.0	120	---
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	96.3	80.0	120	---
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	94.4	80.0	120	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	99.1	80.0	120	---
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	92.2	80.0	120	---
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	105	80.0	120	---
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	99.8	80.0	120	---
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	96.9	80.0	120	---
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	92.9	80.0	120	---
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	96.8	80.0	120	---
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	103	80.0	120	---
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	96.5	80.0	120	---



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Metals (QCLot: 1783358) - continued									
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	94.6	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	95.9	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	94.0	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	96.2	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	98.6	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	95.8	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	93.6	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	94.5	80.0	120	----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: **Soil/Solid**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
TCLP Metals (QCLot: 1788182)										
VA24D1504-001	BA2445-A-1	Mercury, TCLP	7439-97-6	E512	0.0009 mg/L	0.001 mg/L	93.2	50.0	140	----
TCLP Metals (QCLot: 1788183)										
VA24D1504-001	BA2445-A-1	Antimony, TCLP	7440-36-0	E444	5.41 mg/L	5 mg/L	108	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	5.5 mg/L	5 mg/L	110	50.0	140	----
		Barium, TCLP	7440-39-3	E444	12.8 mg/L	12.5 mg/L	102	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.271 mg/L	0.25 mg/L	108	50.0	140	----
		Boron, TCLP	7440-42-8	E444	10.4 mg/L	10 mg/L	104	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.267 mg/L	0.25 mg/L	107	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	----	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.28 mg/L	1.25 mg/L	102	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	ND mg/L	----	ND	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.47 mg/L	2.5 mg/L	98.9	50.0	140	----
		Iron, TCLP	7439-89-6	E444	252 mg/L	250 mg/L	101	50.0	140	----
		Lead, TCLP	7439-92-1	E444	10.2 mg/L	10 mg/L	102	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	260 mg/L	250 mg/L	104	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.52 mg/L	2.5 mg/L	101	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	5.37 mg/L	5 mg/L	107	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.074 mg/L	0.1 mg/L	73.9	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	5.1 mg/L	5 mg/L	102	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	5.27 mg/L	5 mg/L	105	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.79 mg/L	0.75 mg/L	105	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	10.4 mg/L	10 mg/L	104	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.8 mg/L	1 mg/L	85.6	50.0	150	----



Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1783357)									
QC-1783357-003	MRCA-21	Mercury	7439-97-6	E510	0.068 mg/kg	96.2	70.0	130	----
Metals (QCLot: 1783358)									
QC-1783358-003	MRCA-21	Aluminum	7429-90-5	E440	22500 mg/kg	108	70.0	130	----
QC-1783358-003	MRCA-21	Antimony	7440-36-0	E440	24.8 mg/kg	103	70.0	130	----
QC-1783358-003	MRCA-21	Arsenic	7440-38-2	E440	21.2 mg/kg	101	70.0	130	----
QC-1783358-003	MRCA-21	Barium	7440-39-3	E440	788 mg/kg	95.0	70.0	130	----
QC-1783358-003	MRCA-21	Beryllium	7440-41-7	E440	1.82 mg/kg	110	70.0	130	----
QC-1783358-003	MRCA-21	Bismuth	7440-69-9	E440	1.78 mg/kg	89.0	70.0	130	----
QC-1783358-003	MRCA-21	Cadmium	7440-43-9	E440	2.15 mg/kg	101	70.0	130	----
QC-1783358-003	MRCA-21	Calcium	7440-70-2	E440	4900 mg/kg	106	70.0	130	----
QC-1783358-003	MRCA-21	Chromium	7440-47-3	E440	56.9 mg/kg	99.0	70.0	130	----
QC-1783358-003	MRCA-21	Cobalt	7440-48-4	E440	32 mg/kg	99.2	70.0	130	----
QC-1783358-003	MRCA-21	Copper	7440-50-8	E440	969 mg/kg	98.7	70.0	130	----
QC-1783358-003	MRCA-21	Iron	7439-89-6	E440	32700 mg/kg	100	70.0	130	----
QC-1783358-003	MRCA-21	Lead	7439-92-1	E440	919 mg/kg	97.7	70.0	130	----
QC-1783358-003	MRCA-21	Lithium	7439-93-2	E440	47.3 mg/kg	114	70.0	130	----
QC-1783358-003	MRCA-21	Magnesium	7439-95-4	E440	7780 mg/kg	103	70.0	130	----
QC-1783358-003	MRCA-21	Manganese	7439-96-5	E440	8640 mg/kg	98.8	70.0	130	----
QC-1783358-003	MRCA-21	Molybdenum	7439-98-7	E440	25.1 mg/kg	99.8	70.0	130	----
QC-1783358-003	MRCA-21	Nickel	7440-02-0	E440	1000 mg/kg	101	70.0	130	----
QC-1783358-003	MRCA-21	Phosphorus	7723-14-0	E440	660 mg/kg	109	70.0	130	----
QC-1783358-003	MRCA-21	Potassium	7440-09-7	E440	10800 mg/kg	105	70.0	130	----
QC-1783358-003	MRCA-21	Selenium	7782-49-2	E440	1.04 mg/kg	112	60.0	140	----
QC-1783358-003	MRCA-21	Silver	7440-22-4	E440	8.98 mg/kg	96.6	70.0	130	----
QC-1783358-003	MRCA-21	Sodium	7440-23-5	E440	1770 mg/kg	114	70.0	130	----
QC-1783358-003	MRCA-21	Strontium	7440-24-6	E440	41 mg/kg	102	70.0	130	----
QC-1783358-003	MRCA-21	Sulfur	7704-34-9	E440	3940 mg/kg	105	50.0	150	----
QC-1783358-003	MRCA-21	Thallium	7440-28-0	E440	0.907 mg/kg	98.6	70.0	130	----
QC-1783358-003	MRCA-21	Tin	7440-31-5	E440	3.79 mg/kg	100	40.0	160	----
QC-1783358-003	MRCA-21	Titanium	7440-32-6	E440	2790 mg/kg	105	70.0	130	----
QC-1783358-003	MRCA-21	Tungsten	7440-33-7	E440	6.99 mg/kg	114	70.0	130	----
QC-1783358-003	MRCA-21	Uranium	7440-61-1	E440	3.97 mg/kg	97.5	70.0	130	----
QC-1783358-003	MRCA-21	Vanadium	7440-62-2	E440	66.2 mg/kg	99.5	70.0	130	----

Page : 12 of 12
 Work Order : VA24D1504
 Client : Reworld Renewable Burnaby, ULC
 Project : Weekly Bottom Ash-Suite



Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1783358) - continued									
QC-1783358-003	MRCA-21	Zinc	7440-66-6	E440	828 mg/kg	101	70.0	130	----
QC-1783358-003	MRCA-21	Zirconium	7440-67-7	E440	6.91 mg/kg	99.6	70.0	130	----



Report To		Report Format / Distribution		Service Requested (Rush for routine analysis subject to availability)					
Company: Covanta Energy		<input type="checkbox"/> Standard <input type="checkbox"/> Other		<input checked="" type="radio"/> Regular (Standard Turnaround Times - Business Days)					
Contact: Nicole Victor / Dan Skrypnik		<input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Digital <input type="checkbox"/> Fax		<input type="radio"/> Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT					
Address: 5150 Riverbend Drive Burnaby BC		Email 1: nvictor@covanta.com		<input type="radio"/> Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT					
Phone: 604-521-1025		Email 2: rminchin@covanta.com		<input type="radio"/> Same Day or Weekend Emergency - Contact ALS to Confirm TAT					
Fax: <input type="checkbox"/> Yes <input type="checkbox"/> No		Email 3: dskrypnik@covanta.com		Analysis Request					
		brent.kirkpatrick@metrovancover.org							
		Sarah.Wellman@metrovancover.org							

Invoice To Same as Report ?		Client / Project Information		Please indicate below Filtered, Preserved or both (F, P, F/P)																																							
Hardcopy of Invoice with Report? <input type="checkbox"/> Yes <input type="checkbox"/> No		Job #:		<table border="1"> <tr> <td rowspan="5">MET-TCLP-VA (all metals, Hg)</td> <td rowspan="5">MOISTURE</td> <td rowspan="5">Chrome 6</td> <td rowspan="5">MET-CSR+FULL-VA (all metals)</td> <td colspan="6">Number of Containers</td> </tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>						MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR+FULL-VA (all metals)	Number of Containers																													
MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR+FULL-VA (all metals)											Number of Containers																													
Company:		PO / AFE: PO# 46693 Weekly Bottom Ash - Suite																																									
Contact:		LSD: (includes 2:1 pH)																																									
Address:																																											
Phone:		Quote #:																																									
Lab Work Order # (lab use only)		ALS Contact:		Sampler:																																							

Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR+FULL-VA (all metals)	Number of Containers					
1	BA2445-A-1	06-Nov-24	9:00	Soil	X	X		X						1
2	BA2445-A-2	06-Nov-24	9:00	Soil	X	X		X						1
3	BA2445-A-3	06-Nov-24	9:00	Soil	X	X		X						1
4	BA2445-A-4	06-Nov-24	9:00	Soil	X	X		X						1
5	BA2445-A-5	06-Nov-24	9:00	Soil	X	X		X						1
6	BA2445-A-6	06-Nov-24	9:00	Soil	X	X		X						1
7	BA2445-A-7	06-Nov-24	9:00	Soil	X	X		X						1
8	BA2445-A-8	06-Nov-24	9:00	Soil	X	X		X						1
9	BA2445-A-9	06-Nov-24	9:00	Soil	X	X		X						1
10	BA2445-A-10	06-Nov-24	9:00	Soil	X	X		X						1
11	BA2445-A-11	06-Nov-24	9:00	Soil	X	X		X						1
12	BA2445-A-12	06-Nov-24	9:00	Soil	X	X		X						1

Environmental Division
 Vancouver
 Work Order Reference
VA24D1504

Telephone : + 1 604 253 4188

Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.

By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.

Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

SHIPMENT RELEASE (client use)			SHIPMENT RECEPTION (lab use only)			SHIPMENT VERIFICATION (lab use only)			Observations: Yes / No ? If Yes add SIF	
Released by: <i>[Signature]</i>	Date (dd-mmm-yy): 20-Nov-24	Time (hh-mm): 0920	Received by: <i>[Signature]</i>	Date: Nov 20	Time: 2:10	Temperature: 20°C	Verified by:	Date:	Time:	

D1504

Per 17, 18, 17°C