

Bottom Ash Data

2024 Week 24

The following analytical report represents bottom ash composite results for week 24 of 2024 (June 9, 2024 to June 15, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



CERTIFICATE OF ANALYSIS

Work Order : **VA24B4462**
Client : **Reworld Renewable Burnaby, ULC**
Contact : Nicole Victor
Address : 5150 Riverbend Drive
 Burnaby BC Canada V3N 4V3
Telephone : ----
Project : Weekly Bottom Ash - Suite
PO : VANCO0000052919
C-O-C number : ----
Sampler : ----
Site : ----
Quote number : Covanta Burnaby Standing Offer 2024
No. of samples received : 12
No. of samples analysed : 12

Page : 1 of 11
Laboratory : ALS Environmental - Vancouver
Account Manager : Ian Chen
Address : 8081 Lougheed Highway
 Burnaby BC Canada V5A 1W9
Telephone : +1 604 253 4188
Date Samples Received : 19-Jun-2024 13:20
Date Analysis Commenced : 20-Jun-2024
Issue Date : 27-Jun-2024 08:07

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Janice Leung	Supervisor - Organics Instrumentation	Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Metals, Burnaby, British Columbia



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
%	percent
mg/kg	milligrams per kilogram
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.



Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2424-A-1	BA2424-A-2	BA2424-A-3	BA2424-A-4	BA2424-A-5
Client sampling date / time					12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B4462-001	VA24B4462-002	VA24B4462-003	VA24B4462-004	VA24B4462-005
					Result	Result	Result	Result	Result
Physical Tests									
Moisture	----	E144/VA	0.25	%	23.3	22.5	23.9	23.3	24.5
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	11.0	11.2	11.0	11.1	11.1
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	36900	39300	50300	28700	39000
Antimony	7440-36-0	E440/VA	0.10	mg/kg	89.5	81.6	99.9	81.7	89.7
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	17.5	19.1	20.9	16.2	18.0
Barium	7440-39-3	E440/VA	0.50	mg/kg	584	720	527	622	520
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.39	0.32	0.39	0.33	0.35
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	7.18	5.78	7.66	12.6	7.42
Boron	7440-42-8	E440/VA	5.0	mg/kg	169	191	184	135	216
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	7.24	6.05	7.80	7.31	6.64
Calcium	7440-70-2	E440/VA	50	mg/kg	120000	111000	131000	125000	131000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	163	138	149	125	147
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	37.6	115	1310	28.6	161
Copper	7440-50-8	E440/VA	0.50	mg/kg	1360	1250	2710	1430	1310
Iron	7439-89-6	E440/VA	50	mg/kg	49900	60200	51300	49000	66000
Lead	7439-92-1	E440/VA	0.50	mg/kg	304	245	475	969	415
Lithium	7439-93-2	E440/VA	2.0	mg/kg	25.4	24.8	45.2	19.7	26.2
Magnesium	7439-95-4	E440/VA	20	mg/kg	10500	10000	11900	10200	10700
Manganese	7439-96-5	E440/VA	1.0	mg/kg	1130	791	2020	3550	905
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	53.8	48.3	44.3	41.7	48.8
Nickel	7440-02-0	E440/VA	0.50	mg/kg	114	127	1020	118	724
Phosphorus	7723-14-0	E440/VA	50	mg/kg	7690	9860	8940	8180	9000
Potassium	7440-09-7	E440/VA	100	mg/kg	5350	5010	5430	5330	5440
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.36	0.32	0.34	0.26	0.32
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.33	3.28	5.44	3.24	4.46
Sodium	7440-23-5	E440/VA	50	mg/kg	15100	14400	16200	14600	15200
Strontium	7440-24-6	E440/VA	0.50	mg/kg	623	260	324	310	264



Analytical Results

Sub-Matrix: Soil					Client sample ID	BA2424-A-1	BA2424-A-2	BA2424-A-3	BA2424-A-4	BA2424-A-5
(Matrix: Soil/Solid)					Client sampling date / time	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B4462-001	VA24B4462-002	VA24B4462-003	VA24B4462-004	VA24B4462-005	
					Result	Result	Result	Result	Result	
Metals										
Sulfur	7704-34-9	E440/VA	1000	mg/kg	10600	8500	11900	9900	10800	
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050	
Tin	7440-31-5	E440/VA	2.0	mg/kg	86.6	91.9	132	75.2	205	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	436	667	728	352	369	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	9.25	9.18	11.3	8.50	15.6	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.88	1.62	1.97	1.65	1.96	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	37.9	34.9	36.0	35.4	40.8	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3020	2650	2810	4300	2940	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	1.9	1.4	2.2	1.7	2.7	
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.6	11.7	11.7	11.8	11.7	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	6.50	6.21	6.31	6.25	6.69	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.93	2.93	2.93	2.93	2.93	
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.56	7.62	7.66	7.73	7.71	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.93	2.04	1.89	2.02	1.89	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1690	1780	1640	1780	1640	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.241	0.268	0.159	0.362	0.415	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.802	0.853	0.808	0.935	0.873	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	87.6	94.3	87.8	102	92.0	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10	



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2424-A-1	BA2424-A-2	BA2424-A-3	BA2424-A-4	BA2424-A-5
Client sampling date / time					12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B4462-001	VA24B4462-002	VA24B4462-003	VA24B4462-004	VA24B4462-005	
					Result	Result	Result	Result	Result	
TCLP Metals										
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2424-A-6	BA2424-A-7	BA2424-A-8	BA2424-A-9	BA2424-A-10
Client sampling date / time					12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B4462-006	VA24B4462-007	VA24B4462-008	VA24B4462-009	VA24B4462-010	
					Result	Result	Result	Result	Result	
Physical Tests										
Moisture	---	E144/VA	0.25	%	22.7	23.8	23.8	23.2	23.2	
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	11.1	11.2	11.1	11.1	11.2	
Metals										
Aluminum	7429-90-5	E440/VA	50	mg/kg	37900	42200	49300	36400	37900	
Antimony	7440-36-0	E440/VA	0.10	mg/kg	85.8	90.3	92.4	112	87.4	
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	16.5	18.0	20.6	18.7	17.4	
Barium	7440-39-3	E440/VA	0.50	mg/kg	498	581	689	781	607	
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.42	0.47	0.40	0.36	0.35	
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	6.85	8.01	6.99	54.0	7.05	
Boron	7440-42-8	E440/VA	5.0	mg/kg	240	224	240	220	147	
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	8.18	8.63	6.56	6.99	6.64	
Calcium	7440-70-2	E440/VA	50	mg/kg	124000	128000	123000	126000	125000	
Chromium	7440-47-3	E440/VA	0.50	mg/kg	152	162	284	127	377	
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	54.0	73.3	60.7	274	604	
Copper	7440-50-8	E440/VA	0.50	mg/kg	1020	2420	3500	2350	1560	
Iron	7439-89-6	E440/VA	50	mg/kg	51800	43000	48200	45100	43500	
Lead	7439-92-1	E440/VA	0.50	mg/kg	1850	300	339	850	253	
Lithium	7439-93-2	E440/VA	2.0	mg/kg	25.2	26.4	27.0	24.6	44.0	
Magnesium	7439-95-4	E440/VA	20	mg/kg	10800	10800	11800	11000	10000	
Manganese	7439-96-5	E440/VA	1.0	mg/kg	940	727	739	589	933	
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	51.5	45.0	50.3	52.5	55.6	
Nickel	7440-02-0	E440/VA	0.50	mg/kg	124	140	2230	118	869	
Phosphorus	7723-14-0	E440/VA	50	mg/kg	8370	9130	6670	7800	8350	
Potassium	7440-09-7	E440/VA	100	mg/kg	5050	5800	5820	5310	5050	
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.33	0.24	0.31	0.33	0.38	
Silver	7440-22-4	E440/VA	0.10	mg/kg	3.47	4.59	6.03	5.24	3.80	
Sodium	7440-23-5	E440/VA	50	mg/kg	14000	16400	16400	14700	15200	
Strontium	7440-24-6	E440/VA	0.50	mg/kg	263	296	305	278	275	
Sulfur	7704-34-9	E440/VA	1000	mg/kg	9900	10500	10600	10100	10500	



Analytical Results

Sub-Matrix: Soil					Client sample ID	BA2424-A-6	BA2424-A-7	BA2424-A-8	BA2424-A-9	BA2424-A-10
(Matrix: Soil/Solid)					Client sampling date / time	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B4462-006	VA24B4462-007	VA24B4462-008	VA24B4462-009	VA24B4462-010	
					Result	Result	Result	Result	Result	
Metals										
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050	
Tin	7440-31-5	E440/VA	2.0	mg/kg	83.7	176	129	186	82.5	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	477	263	472	364	360	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	10.7	10.4	11.7	9.19	14.4	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.84	2.10	1.85	1.91	1.86	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	36.3	35.3	39.6	36.3	39.9	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	2520	3220	6750	4280	2660	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.0	4.0	2.4	1.8	1.9	
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.7	11.7	11.8	11.7	11.8	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	6.68	6.65	7.12	6.87	6.97	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.93	2.93	2.93	2.93	2.93	
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.00	7.49	7.16	7.06	6.83	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.17	1.90	2.28	2.14	2.02	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.060	<0.050	0.088	0.051	0.066	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1880	1690	1750	1860	1760	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.467	0.222	0.361	0.416	0.722	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.811	0.788	0.858	0.932	0.869	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	117	90.2	95.7	105	97.4	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.44	<0.25	<0.25	<0.25	0.26	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10	
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2424-A-6	BA2424-A-7	BA2424-A-8	BA2424-A-9	BA2424-A-10
Client sampling date / time					12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00	12-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B4462-006	VA24B4462-007	VA24B4462-008	VA24B4462-009	VA24B4462-010	
TCLP Metals					Result	Result	Result	Result	Result	
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	4.06	0.54	1.93	4.65	8.82	
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2424-A-11	BA2424-A-12	----	----	----
Client sampling date / time					12-Jun-2024 09:00	12-Jun-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B4462-011	VA24B4462-012	-----	-----	-----
					Result	Result	----	----	----
Physical Tests									
Moisture	---	E144/VA	0.25	%	22.7	22.8	----	----	----
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	11.1	11.0	----	----	----
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	45000	43000	----	----	----
Antimony	7440-36-0	E440/VA	0.10	mg/kg	93.5	100	----	----	----
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	19.4	18.0	----	----	----
Barium	7440-39-3	E440/VA	0.50	mg/kg	600	513	----	----	----
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.34	0.37	----	----	----
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	9.39	8.12	----	----	----
Boron	7440-42-8	E440/VA	5.0	mg/kg	145	211	----	----	----
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	7.11	7.61	----	----	----
Calcium	7440-70-2	E440/VA	50	mg/kg	122000	129000	----	----	----
Chromium	7440-47-3	E440/VA	0.50	mg/kg	168	132	----	----	----
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	56.2	41.2	----	----	----
Copper	7440-50-8	E440/VA	0.50	mg/kg	1360	1440	----	----	----
Iron	7439-89-6	E440/VA	50	mg/kg	56100	39200	----	----	----
Lead	7439-92-1	E440/VA	0.50	mg/kg	415	3050	----	----	----
Lithium	7439-93-2	E440/VA	2.0	mg/kg	32.0	24.9	----	----	----
Magnesium	7439-95-4	E440/VA	20	mg/kg	10900	11000	----	----	----
Manganese	7439-96-5	E440/VA	1.0	mg/kg	694	718	----	----	----
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	0.0616	<0.0500	----	----	----
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	48.3	57.7	----	----	----
Nickel	7440-02-0	E440/VA	0.50	mg/kg	117	124	----	----	----
Phosphorus	7723-14-0	E440/VA	50	mg/kg	6890	8680	----	----	----
Potassium	7440-09-7	E440/VA	100	mg/kg	4980	5580	----	----	----
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.30	0.25	----	----	----
Silver	7440-22-4	E440/VA	0.10	mg/kg	3.70	8.33	----	----	----
Sodium	7440-23-5	E440/VA	50	mg/kg	14000	17000	----	----	----
Strontium	7440-24-6	E440/VA	0.50	mg/kg	273	296	----	----	----
Sulfur	7704-34-9	E440/VA	1000	mg/kg	11000	10600	----	----	----



Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2424-A-11	BA2424-A-12	----	----	----
Client sampling date / time					12-Jun-2024 09:00	12-Jun-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B4462-011	VA24B4462-012	-----	-----	-----
					Result	Result	----	----	----
Metals									
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	----	----	----
Tin	7440-31-5	E440/VA	2.0	mg/kg	83.1	101	----	----	----
Titanium	7440-32-6	E440/VA	1.0	mg/kg	1030	374	----	----	----
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	15.2	28.8	----	----	----
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.78	1.95	----	----	----
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	36.4	35.3	----	----	----
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3460	3600	----	----	----
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	1.6	2.9	----	----	----
TCLP Metals									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.6	11.7	----	----	----
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	6.49	6.52	----	----	----
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.93	2.93	----	----	----
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.97	6.90	----	----	----
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	----	----	----
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	----	----	----
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	----	----	----
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.98	1.96	----	----	----
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.054	0.053	----	----	----
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1760	1760	----	----	----
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	2.27	0.720	----	----	----
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.884	0.873	----	----	----
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	----	----	----
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	98.7	94.7	----	----	----
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	----	----	----
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	----	----	----
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----



Analytical Results

Sub-Matrix: Soil					Client sample ID		BA2424-A-11	BA2424-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		12-Jun-2024 09:00	12-Jun-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B4462-011	VA24B4462-012	-----	-----	-----	-----	-----
TCLP Metals					Result	Result	---	---	---	---	---
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	---	---	---	---	---
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	---	---	---	---	---
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	---	---	---	---	---
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	3.60	5.95	---	---	---	---	---
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	---	---	---	---	---

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

<p>Work Order : VA24B4462</p> <p>Client : Reworld Renewable Burnaby, ULC</p> <p>Contact : Nicole Victor</p> <p>Address : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p>Telephone : ----</p> <p>Project : Weekly Bottom Ash - Suite</p> <p>PO : VANCO0000052919</p> <p>C-O-C number : ----</p> <p>Sampler : ----</p> <p>Site : ----</p> <p>Quote number : Covanta Burnaby Standing Offer 2024</p> <p>No. of samples received : 12</p> <p>No. of samples analysed : 12</p>	<p>Page : 1 of 16</p> <p>Laboratory : ALS Environmental - Vancouver</p> <p>Account Manager : Ian Chen</p> <p>Address : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p>Telephone : +1 604 253 4188</p> <p>Date Samples Received : 19-Jun-2024 13:20</p> <p>Issue Date : 27-Jun-2024 08:07</p>
---	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Duplicate outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- Reference Material (RM) Sample outliers occur - please see the following pages for full details.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: Soil/Solid

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Duplicate (DUP) RPDs								
Metals	VA24B4462-001	BA2424-A-1	Antimony	7440-36-0	E440	38.0 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B4462-001	BA2424-A-1	Arsenic	7440-38-2	E440	38.1 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B4462-001	BA2424-A-1	Bismuth	7440-69-9	E440	99.4 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B4462-001	BA2424-A-1	Copper	7440-50-8	E440	33.4 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B4462-001	BA2424-A-1	Lead	7439-92-1	E440	151 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B4462-001	BA2424-A-1	Manganese	7439-96-5	E440	45.2 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B4462-001	BA2424-A-1	Nickel	7440-02-0	E440	40.0 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B4462-001	BA2424-A-1	Strontium	7440-24-6	E440	75.8 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B4462-001	BA2424-A-1	Tin	7440-31-5	E440	132 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B4462-001	BA2424-A-1	Zinc	7440-66-6	E440	54.1 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.

Result Qualifiers

Qualifier	Description
DUP-H	Duplicate results outside ALS DQO, due to sample heterogeneity.

Reference Material (RM) Sample								
Metals	QC-MRG2-1511695 003	----	Uranium	7440-61-1	E440	134 % MES	70.0-130%	Recovery greater than upper control limit

Result Qualifiers

Qualifier	Description
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-1	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✔	26-Jun-2024	28 days	14 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-10	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✔	26-Jun-2024	28 days	14 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-11	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✔	26-Jun-2024	28 days	14 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-12	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✔	26-Jun-2024	28 days	14 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-2	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✔	26-Jun-2024	28 days	14 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-3	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✔	26-Jun-2024	28 days	14 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-4	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✔	26-Jun-2024	28 days	14 days	✔



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-5	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✓	26-Jun-2024	28 days	14 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-6	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✓	26-Jun-2024	28 days	14 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-7	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✓	26-Jun-2024	28 days	14 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-8	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✓	26-Jun-2024	28 days	14 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2424-A-9	E510	12-Jun-2024	25-Jun-2024	28 days	13 days	✓	26-Jun-2024	28 days	14 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2424-A-1	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2424-A-10	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2424-A-11	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2424-A-12	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2424-A-2	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2424-A-3	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2424-A-4	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2424-A-5	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2424-A-6	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2424-A-7	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2424-A-8	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2424-A-9	E440	12-Jun-2024	25-Jun-2024	180 days	13 days	✓	26-Jun-2024	180 days	14 days	✓	
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2424-A-1	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days		



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-10	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-11	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-12	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-2	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-3	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-4	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-5	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-6	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-7	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-8	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2424-A-9	E144	12-Jun-2024	----	----	----		24-Jun-2024	----	12 days	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-1	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-10	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-11	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-12	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-2	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-3	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-4	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-5	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-6	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-7	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-8	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2424-A-9	E108	12-Jun-2024	25-Jun-2024	30 days	13 days	✔	25-Jun-2024	30 days	13 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2424-A-1	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✔	24-Jun-2024	37 days	12 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2424-A-10	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✔	24-Jun-2024	37 days	12 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2424-A-11	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✔	24-Jun-2024	37 days	12 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2424-A-12	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✔	24-Jun-2024	37 days	12 days	✔



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2424-A-2	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✓	24-Jun-2024	37 days	12 days	✓	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2424-A-3	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✓	24-Jun-2024	37 days	12 days	✓	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2424-A-4	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✓	24-Jun-2024	37 days	12 days	✓	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2424-A-5	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✓	24-Jun-2024	37 days	12 days	✓	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2424-A-6	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✓	24-Jun-2024	37 days	12 days	✓	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2424-A-7	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✓	24-Jun-2024	37 days	12 days	✓	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2424-A-8	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✓	24-Jun-2024	37 days	12 days	✓	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2424-A-9	E512	20-Jun-2024	24-Jun-2024	37 days	12 days	✓	24-Jun-2024	37 days	12 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-1	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-10	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-11	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-12	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-2	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-3	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-4	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-5	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-6	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-7	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-8	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2424-A-9	E444	20-Jun-2024	24-Jun-2024	189 days	12 days	✓	25-Jun-2024	189 days	13 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-1	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-10	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-11	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-12	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-2	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-3	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✓	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-4	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✓	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-5	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-6	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-7	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-8	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2424-A-9	EPP444	12-Jun-2024	20-Jun-2024	----	----		----	28 days	9 days	✔

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
			QC	Regular	Actual	Expected	Evaluation
Analytical Methods							
Laboratory Duplicates (DUP)							
Mercury by CVAAS (TCLP)	E512	1510675	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1511695	1	18	5.5	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1510676	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1511696	1	18	5.5	5.0	✔
Moisture Content by Gravimetry	E144	1511700	1	18	5.5	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1511697	1	18	5.5	5.0	✔
Laboratory Control Samples (LCS)							
Mercury in Soil/Solid by CVAAS	E510	1511695	2	18	11.1	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1511696	2	18	11.1	10.0	✔
Moisture Content by Gravimetry	E144	1511700	1	18	5.5	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1511697	1	18	5.5	5.0	✔
Method Blanks (MB)							
Mercury by CVAAS (TCLP)	E512	1510675	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1511695	1	18	5.5	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1510676	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1511696	1	18	5.5	5.0	✔
Moisture Content by Gravimetry	E144	1511700	1	18	5.5	5.0	✔
Matrix Spikes (MS)							
Mercury by CVAAS (TCLP)	E512	1510675	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1510676	1	12	8.3	5.0	✔



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally $20 \pm 5^{\circ}\text{C}$), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at 105°C . Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl . Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, Tl, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines. Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl , followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Digestion for Metals and Mercury	EP440 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO ₃ and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.

QUALITY CONTROL REPORT

Work Order	: VA24B4462	Page	: 1 of 12
Client	: Reworld Renewable Burnaby, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Ian Chen
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: Weekly Bottom Ash - Suite	Date Samples Received	: 19-Jun-2024 13:20
PO	: VANCO0000052919	Date Analysis Commenced	: 20-Jun-2024
C-O-C number	: ----	Issue Date	: 27-Jun-2024 08:07
Sampler	: ----		
Site	: ----		
Quote number	: Covanta Burnaby Standing Offer 2024		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Janice Leung	Supervisor - Organics Instrumentation	Vancouver Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Vancouver Metals, Burnaby, British Columbia

Page : 2 of 12
Work Order : VA24B4462
Client : Reworld Renewable Burnaby, ULC
Project : Weekly Bottom Ash - Suite



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Soil/Solid

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1511697)											
VA24B4462-001	BA2424-A-1	pH (1:2 soil:water)	----	E108	0.10	pH units	11.0	11.0	0.3%	5%	----
Physical Tests (QC Lot: 1511700)											
VA24B4462-001	BA2424-A-1	Moisture	----	E144	0.25	%	23.3	22.8	2.16%	20%	----
Metals (QC Lot: 1511695)											
VA24B4462-001	BA2424-A-1	Mercury	7439-97-6	E510	0.0500	mg/kg	<0.0500	<0.0500	0	Diff <2x LOR	----
Metals (QC Lot: 1511696)											
VA24B4462-001	BA2424-A-1	Aluminum	7429-90-5	E440	50	mg/kg	36900	47100	24.1%	40%	----
		Antimony	7440-36-0	E440	0.10	mg/kg	89.5	132	38.0%	30%	DUP-H
		Arsenic	7440-38-2	E440	0.10	mg/kg	17.5	25.7	38.1%	30%	DUP-H
		Barium	7440-39-3	E440	0.50	mg/kg	584	596	2.11%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	0.39	0.37	0.01	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	7.18	21.4	99.4%	30%	DUP-H
		Boron	7440-42-8	E440	5.0	mg/kg	169	178	4.83%	30%	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	7.24	9.63	28.3%	30%	----
		Calcium	7440-70-2	E440	50	mg/kg	120000	125000	3.95%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	163	146	11.1%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	37.6	35.5	5.66%	30%	----
		Copper	7440-50-8	E440	0.50	mg/kg	1360	1910	33.4%	30%	DUP-H
		Iron	7439-89-6	E440	50	mg/kg	49900	39400	23.5%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	304	2190	151%	40%	DUP-H
		Lithium	7439-93-2	E440	2.0	mg/kg	25.4	27.0	6.44%	30%	----
		Magnesium	7439-95-4	E440	20	mg/kg	10500	10300	2.03%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	1130	714	45.2%	30%	DUP-H
		Molybdenum	7439-98-7	E440	0.10	mg/kg	53.8	66.5	21.2%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	114	172	40.0%	30%	DUP-H
		Phosphorus	7723-14-0	E440	50	mg/kg	7690	8850	14.1%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	5350	5620	4.92%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	0.36	0.34	0.01	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	4.33	5.48	23.5%	40%	----
		Sodium	7440-23-5	E440	50	mg/kg	15100	15600	2.98%	40%	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Metals (QC Lot: 1511696) - continued											
VA24B4462-001	BA2424-A-1	Strontium	7440-24-6	E440	0.50	mg/kg	623	280	75.8%	40%	DUP-H
		Sulfur	7704-34-9	E440	1000	mg/kg	10600	10500	0.946%	30%	----
		Thallium	7440-28-0	E440	0.050	mg/kg	<0.050	<0.050	0	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	86.6	420	132%	40%	DUP-H
		Titanium	7440-32-6	E440	1.0	mg/kg	436	446	2.28%	40%	----
		Tungsten	7440-33-7	E440	0.50	mg/kg	9.25	8.72	5.99%	30%	----
		Uranium	7440-61-1	E440	0.050	mg/kg	1.88	1.83	2.96%	30%	----
		Vanadium	7440-62-2	E440	0.20	mg/kg	37.9	34.1	10.5%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	3020	5260	54.1%	30%	DUP-H
		Zirconium	7440-67-7	E440	1.0	mg/kg	1.9	2.7	0.8	Diff <2x LOR	----
TCLP Metals (QC Lot: 1510675)											
VA24B4462-001	BA2424-A-1	Mercury, TCLP	7439-97-6	E512	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
TCLP Metals (QC Lot: 1510676)											
VA24B4462-001	BA2424-A-1	Antimony, TCLP	7440-36-0	E444	1.00	mg/L	<1.00	<1.00	0	Diff <2x LOR	----
		Arsenic, TCLP	7440-38-2	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	<2.5	0	Diff <2x LOR	----
		Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	<0.025	0	Diff <2x LOR	----
		Boron, TCLP	7440-42-8	E444	0.50	mg/L	1.93	1.95	0.03	Diff <2x LOR	----
		Cadmium, TCLP	7440-43-9	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Calcium, TCLP	7440-70-2	E444	10	mg/L	1690	1700	0.429%	30%	----
		Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Cobalt, TCLP	7440-48-4	E444	0.050	mg/L	0.241	0.252	0.011	Diff <2x LOR	----
		Copper, TCLP	7440-50-8	E444	0.050	mg/L	0.802	0.821	2.37%	30%	----
		Iron, TCLP	7439-89-6	E444	5.0	mg/L	<5.0	<5.0	0	Diff <2x LOR	----
		Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	87.6	90.0	2.70%	30%	----
		Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Selenium, TCLP	7782-49-2	E444	0.10	mg/L	<0.10	<0.10	0	Diff <2x LOR	----
		Silver, TCLP	7440-22-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Thallium, TCLP	7440-28-0	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Uranium, TCLP	7440-61-1	E444	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	----
		Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	<0.15	0	Diff <2x LOR	----
		Zinc, TCLP	7440-66-6	E444	0.50	mg/L	<0.50	<0.50	0	Diff <2x LOR	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	<10	0	Diff <2x LOR	----		



Qualifiers

<i>Qualifier</i>	<i>Description</i>
DUP-H	<i>Duplicate results outside ALS DQO, due to sample heterogeneity.</i>



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1511700)						
Moisture	---	E144	0.25	%	<0.25	---
Metals (QCLot: 1511695)						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	---
Metals (QCLot: 1511696)						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	---
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---
Tin	7440-31-5	E440	2	mg/kg	<2.0	---



Sub-Matrix: **Soil/Solid**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Metals (QCLot: 1511696) - continued						
Titanium	7440-32-6	E440	1	mg/kg	<1.0	----
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	----
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
TCLP Metals (QCLot: 1510675)						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----
TCLP Metals (QCLot: 1510676)						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1511697)									
pH (1:2 soil:water)	---	E108	---	pH units	6 pH units	99.2	95.0	105	---
Physical Tests (QCLot: 1511700)									
Moisture	---	E144	0.25	%	50 %	101	90.0	110	---
Metals (QCLot: 1511695)									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	102	80.0	120	---
Metals (QCLot: 1511696)									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	106	80.0	120	---
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	101	80.0	120	---
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	110	80.0	120	---
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	104	80.0	120	---
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	105	80.0	120	---
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	97.5	80.0	120	---
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	91.9	80.0	120	---
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	103	80.0	120	---
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	98.8	80.0	120	---
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	104	80.0	120	---
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	102	80.0	120	---
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	102	80.0	120	---
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	105	80.0	120	---
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	103	80.0	120	---
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	104	80.0	120	---
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	111	80.0	120	---
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	104	80.0	120	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	105	80.0	120	---
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	101	80.0	120	---
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	105	80.0	120	---
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	107	80.0	120	---
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	104	80.0	120	---
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	92.4	80.0	120	---
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	104	80.0	120	---
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	103	80.0	120	---
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	104	80.0	120	---



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Metals (QCLot: 1511696) - continued									
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	102	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	104	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	102	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	105	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	107	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	106	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	105	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	106	80.0	120	----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Soil/Solid

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
TCLP Metals (QCLot: 1510675)										
VA24B4462-001	BA2424-A-1	Mercury, TCLP	7439-97-6	E512	0.0009 mg/L	0.001 mg/L	92.8	50.0	140	----
TCLP Metals (QCLot: 1510676)										
VA24B4462-001	BA2424-A-1	Antimony, TCLP	7440-36-0	E444	4.88 mg/L	5 mg/L	97.6	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	5.2 mg/L	5 mg/L	104	50.0	140	----
		Barium, TCLP	7440-39-3	E444	13.2 mg/L	12.5 mg/L	106	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.248 mg/L	0.25 mg/L	99.3	50.0	140	----
		Boron, TCLP	7440-42-8	E444	9.18 mg/L	10 mg/L	91.8	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.247 mg/L	0.25 mg/L	98.8	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	----	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.27 mg/L	1.25 mg/L	101	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	0.252 mg/L	0.25 mg/L	101	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.36 mg/L	2.5 mg/L	94.2	50.0	140	----
		Iron, TCLP	7439-89-6	E444	249 mg/L	250 mg/L	99.6	50.0	140	----
		Lead, TCLP	7439-92-1	E444	9.67 mg/L	10 mg/L	96.7	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	255 mg/L	250 mg/L	102	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.49 mg/L	2.5 mg/L	99.5	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	5.06 mg/L	5 mg/L	101	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.063 mg/L	0.1 mg/L	63.4	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	4.9 mg/L	5 mg/L	98.2	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	5.01 mg/L	5 mg/L	100	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.78 mg/L	0.75 mg/L	104	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	9.59 mg/L	10 mg/L	95.9	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.9 mg/L	1 mg/L	87.1	50.0	150	----



Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1511695)									
QC-1511695-003	MRCA-21	Mercury	7439-97-6	E510	0.068 mg/kg	104	70.0	130	----
Metals (QCLot: 1511696)									
QC-1511696-003	MRCA-21	Aluminum	7429-90-5	E440	22500 mg/kg	110	70.0	130	----
QC-1511696-003	MRCA-21	Antimony	7440-36-0	E440	24.8 mg/kg	103	70.0	130	----
QC-1511696-003	MRCA-21	Arsenic	7440-38-2	E440	21.2 mg/kg	104	70.0	130	----
QC-1511696-003	MRCA-21	Barium	7440-39-3	E440	788 mg/kg	103	70.0	130	----
QC-1511696-003	MRCA-21	Beryllium	7440-41-7	E440	1.82 mg/kg	112	70.0	130	----
QC-1511696-003	MRCA-21	Bismuth	7440-69-9	E440	1.78 mg/kg	115	70.0	130	----
QC-1511696-003	MRCA-21	Cadmium	7440-43-9	E440	2.15 mg/kg	107	70.0	130	----
QC-1511696-003	MRCA-21	Calcium	7440-70-2	E440	4900 mg/kg	105	70.0	130	----
QC-1511696-003	MRCA-21	Chromium	7440-47-3	E440	56.9 mg/kg	104	70.0	130	----
QC-1511696-003	MRCA-21	Cobalt	7440-48-4	E440	32 mg/kg	103	70.0	130	----
QC-1511696-003	MRCA-21	Copper	7440-50-8	E440	969 mg/kg	102	70.0	130	----
QC-1511696-003	MRCA-21	Iron	7439-89-6	E440	32700 mg/kg	106	70.0	130	----
QC-1511696-003	MRCA-21	Lead	7439-92-1	E440	919 mg/kg	102	70.0	130	----
QC-1511696-003	MRCA-21	Lithium	7439-93-2	E440	47.3 mg/kg	112	70.0	130	----
QC-1511696-003	MRCA-21	Magnesium	7439-95-4	E440	7780 mg/kg	107	70.0	130	----
QC-1511696-003	MRCA-21	Manganese	7439-96-5	E440	8640 mg/kg	105	70.0	130	----
QC-1511696-003	MRCA-21	Molybdenum	7439-98-7	E440	25.1 mg/kg	102	70.0	130	----
QC-1511696-003	MRCA-21	Nickel	7440-02-0	E440	1000 mg/kg	101	70.0	130	----
QC-1511696-003	MRCA-21	Phosphorus	7723-14-0	E440	660 mg/kg	98.2	70.0	130	----
QC-1511696-003	MRCA-21	Potassium	7440-09-7	E440	10800 mg/kg	108	70.0	130	----
QC-1511696-003	MRCA-21	Selenium	7782-49-2	E440	1.04 mg/kg	108	60.0	140	----
QC-1511696-003	MRCA-21	Silver	7440-22-4	E440	8.98 mg/kg	100	70.0	130	----
QC-1511696-003	MRCA-21	Sodium	7440-23-5	E440	1770 mg/kg	112	70.0	130	----
QC-1511696-003	MRCA-21	Strontium	7440-24-6	E440	41 mg/kg	104	70.0	130	----
QC-1511696-003	MRCA-21	Sulfur	7704-34-9	E440	3940 mg/kg	99.6	50.0	150	----
QC-1511696-003	MRCA-21	Thallium	7440-28-0	E440	0.907 mg/kg	108	70.0	130	----
QC-1511696-003	MRCA-21	Tin	7440-31-5	E440	3.79 mg/kg	101	40.0	160	----
QC-1511696-003	MRCA-21	Titanium	7440-32-6	E440	2790 mg/kg	107	70.0	130	----
QC-1511696-003	MRCA-21	Tungsten	7440-33-7	E440	6.99 mg/kg	126	70.0	130	----
QC-1511696-003	MRCA-21	Uranium	7440-61-1	E440	3.97 mg/kg	# 134	70.0	130	MES
QC-1511696-003	MRCA-21	Vanadium	7440-62-2	E440	66.2 mg/kg	104	70.0	130	----



Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1511696) - continued									
QC-1511696-003	MRCA-21	Zinc	7440-66-6	E440	828 mg/kg	105	70.0	130	----
QC-1511696-003	MRCA-21	Zirconium	7440-67-7	E440	6.91 mg/kg	118	70.0	130	----


Qualifiers

Qualifier	Description
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).



Report To		Report Format / Distribution		Service Requested (Rush for routine analysis subject to availability)	
Company:	Covanta Energy	<input type="checkbox"/> Standard	<input type="checkbox"/> Other	<input checked="" type="radio"/> Regular (Standard Turnaround Times - Business Days)	
Contact:	Nicole Victor / Dan Skrypnik	<input checked="" type="checkbox"/> PDF	<input type="checkbox"/> Excel	<input type="checkbox"/> Digital	<input type="checkbox"/> Fax
Address:	5150 Riverbend Drive Burnaby BC	Email 1:	nvictor@covanta.com		<input type="radio"/> Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT
Phone:	604-521-1025	Email 2:	ofetherstonhaugh@covanta.com		<input type="radio"/> Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT
	<input type="checkbox"/> Yes <input type="checkbox"/> No	Email 3:	dskrypnik@covanta.com		<input type="radio"/> Same Day or Weekend Emergency - Contact ALS to Confirm TAT
			brent.kirkpatrick@metrovancover.org		
			Sarah.Wellman@metrovancover.org		

Invoice To		Client / Project Information		Analysis Request	
Same as Report?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Job #:			Please indicate below Filtered, Preserved or both (F, P, F/P)
Hardcopy of Invoice with Report?	<input type="checkbox"/> Yes <input type="checkbox"/> No	PO / AFE:	PO# 46693 Weekly Bottom Ash - Suite		
Company:		LSD:	(includes 2:1 pH)		
Contact:		Quote #:			
Address:					
Phone:					
Lab Work Order #		ALS Contact:		Sampler:	
(lab use only)					

Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR+FULL-VA (all metals)	Number of Containers
BA2424-A-1	Environmental Division Vancouver Work Order Reference VA24B4462  Telephone : +1 604 253 4188	12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-2		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-3		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-4		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-5		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-6		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-7		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-8		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-9		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-10		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-11		12-Jun-24	9:00	Soil	X	X	X	1	
BA2424-A-12		12-Jun-24	9:00	Soil	X	X	X	1	

Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.
 By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.
 Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

SHIPMENT RELEASE (client use)			SHIPMENT RECEPTION (lab use only)			SHIPMENT VERIFICATION (lab use only)				
Released by:	Date (dd-mmm-yy)	Time (hh-mm)	Received by:	Date:	Time:	Temperature:	Verified by:	Date:	Time:	Observations:
<i>[Signature]</i>	19-June-24	09:00				°C	<i>[Signature]</i>	6/19/24		Yes / No ? If Yes add SIF

6/19/24 12:00 PM