

Bottom Ash Data

2024 Week 26

The following analytical report represents bottom ash composite results for week 26 of 2024 (June 23, 2024 to June 29, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



CERTIFICATE OF ANALYSIS

<p>Work Order : VA24B5668</p> <p>Client : Reworld Renewable Burnaby, ULC</p> <p>Contact : Nicole Victor</p> <p>Address : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p>Telephone : ----</p> <p>Project : PO#46693 Weekly Bottom Ash-Suite</p> <p>PO : PO#46693 Weekly Bottom Ash-Suite</p> <p>C-O-C number : ----</p> <p>Sampler : ----</p> <p>Site : ----</p> <p>Quote number : Covanta Burnaby Standing Offer 2024</p> <p>No. of samples received : 12</p> <p>No. of samples analysed : 12</p>	<p>Page : 1 of 11</p> <p>Laboratory : ALS Environmental - Vancouver</p> <p>Account Manager : Ian Chen</p> <p>Address : 8081 Lougheed Highway Burnaby BC Canada V5A 1W9</p> <p>Telephone : +1 604 253 4188</p> <p>Date Samples Received : 02-Jul-2024 10:30</p> <p>Date Analysis Commenced : 04-Jul-2024</p> <p>Issue Date : 10-Jul-2024 23:01</p>
---	---

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Ghazaleh Khanmirzaei	Analyst	Metals, Burnaby, British Columbia
Janice Leung	Supervisor - Organics Instrumentation	Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Metals, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
%	percent
mg/kg	milligrams per kilogram
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.



Analytical Results

Sub-Matrix: Soil/Solid					Client sample ID				
(Matrix: Soil/Solid)					BA2426-A-1	BA2426-A-2	BA2426-A-3	BA2426-A-4	BA2426-A-5
Client sampling date / time					26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B5668-001	VA24B5668-002	VA24B5668-003	VA24B5668-004	VA24B5668-005
					Result	Result	Result	Result	Result
Physical Tests									
Moisture	----	E144/VA	0.25	%	23.0	23.5	22.5	22.4	22.1
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	12.3	12.3	12.3	12.3	12.2
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	35900	36200	33200	34100	32800
Antimony	7440-36-0	E440/VA	0.10	mg/kg	140	163	178	150	142
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	34.6	38.1	39.6	37.9	31.3
Barium	7440-39-3	E440/VA	0.50	mg/kg	705	748	591	496	544
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.41	0.42	0.41	0.48	0.39
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	8.32	10.1	11.8	20.3	8.92
Boron	7440-42-8	E440/VA	5.0	mg/kg	238	206	183	200	184
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	9.61	11.1	16.7	11.5	9.87
Calcium	7440-70-2	E440/VA	50	mg/kg	149000	164000	169000	162000	145000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	170	165	179	206	146
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	181	67.2	73.6	56.2	41.4
Copper	7440-50-8	E440/VA	0.50	mg/kg	2090	1440	2800	1610	1570
Iron	7439-89-6	E440/VA	50	mg/kg	57800	41500	52000	42300	42200
Lead	7439-92-1	E440/VA	0.50	mg/kg	396	798	466	448	366
Lithium	7439-93-2	E440/VA	2.0	mg/kg	37.5	31.5	27.5	41.2	25.3
Magnesium	7439-95-4	E440/VA	20	mg/kg	12800	12200	13500	11800	11300
Manganese	7439-96-5	E440/VA	1.0	mg/kg	869	722	759	734	728
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	0.0769	0.0901	0.0598	0.102
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	17.8	24.9	23.2	20.9	19.9
Nickel	7440-02-0	E440/VA	0.50	mg/kg	146	116	190	179	180
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9030	9880	9840	10200	8950
Potassium	7440-09-7	E440/VA	100	mg/kg	5700	6580	5420	5330	5790
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.42	0.56	0.64	0.51	0.45
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.24	4.42	5.55	4.63	5.69
Sodium	7440-23-5	E440/VA	50	mg/kg	15300	17400	14200	14500	14700
Strontium	7440-24-6	E440/VA	0.50	mg/kg	298	337	334	309	284



Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2426-A-1	BA2426-A-2	BA2426-A-3	BA2426-A-4	BA2426-A-5
Client sampling date / time					26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B5668-001	VA24B5668-002	VA24B5668-003	VA24B5668-004	VA24B5668-005
					Result	Result	Result	Result	Result
Metals									
Sulfur	7704-34-9	E440/VA	1000	mg/kg	10800	10900	12900	11300	10600
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050
Tin	7440-31-5	E440/VA	2.0	mg/kg	150	140	166	151	235
Titanium	7440-32-6	E440/VA	1.0	mg/kg	296	422	327	239	376
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	10.9	8.81	9.74	7.74	6.70
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.68	1.93	1.93	1.78	1.92
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	34.9	36.0	46.3	33.3	32.8
Zinc	7440-66-6	E440/VA	2.0	mg/kg	4490	5270	4980	4590	3940
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	1.6	1.3	1.4	2.3	1.6
TCLP Metals									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.2	12.2	12.2	12.2	12.2
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	9.96	9.60	9.29	9.24	9.23
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.89	2.89	2.89	2.89	2.89
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.92	8.21	8.23	8.87	7.92
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.96	2.02	1.93	1.76	2.08
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1740	1740	1720	1590	1730
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.153	<0.050	<0.050	<0.050	<0.050
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.780	0.877	0.876	0.798	0.826
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	80.8	75.7	77.0	57.6	79.6
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: Soil/Solid

(Matrix: Soil/Solid)

					Client sample ID	BA2426-A-1	BA2426-A-2	BA2426-A-3	BA2426-A-4	BA2426-A-5
					Client sampling date / time	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B5668-001	VA24B5668-002	VA24B5668-003	VA24B5668-004	VA24B5668-005	
					Result	Result	Result	Result	Result	
TCLP Metals										
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	0.53	0.58	0.56	0.53	0.53
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2426-A-6	BA2426-A-7	BA2426-A-8	BA2426-A-9	BA2426-A-10
Client sampling date / time					26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B5668-006	VA24B5668-007	VA24B5668-008	VA24B5668-009	VA24B5668-010
					Result	Result	Result	Result	Result
Physical Tests									
Moisture	---	E144/VA	0.25	%	22.1	21.7	22.2	22.9	22.5
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	12.0	12.4	12.4	12.2	12.3
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	33900	49300	46700	30000	42000
Antimony	7440-36-0	E440/VA	0.10	mg/kg	130	120	138	184	159
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	32.5	26.9	31.2	66.2	39.2
Barium	7440-39-3	E440/VA	0.50	mg/kg	491	676	783	590	651
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.36	0.36	0.40	0.35	0.35
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	8.54	7.50	10.4	9.85	9.91
Boron	7440-42-8	E440/VA	5.0	mg/kg	203	244	324	208	248
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	26.0	8.55	10.1	14.0	13.0
Calcium	7440-70-2	E440/VA	50	mg/kg	141000	139000	150000	153000	161000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	178	142	152	182	158
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	184	81.4	69.7	88.3	33.0
Copper	7440-50-8	E440/VA	0.50	mg/kg	1550	2100	1330	2290	2760
Iron	7439-89-6	E440/VA	50	mg/kg	62800	59200	40900	58300	41700
Lead	7439-92-1	E440/VA	0.50	mg/kg	343	334	916	414	551
Lithium	7439-93-2	E440/VA	2.0	mg/kg	33.0	28.3	33.0	24.0	26.8
Magnesium	7439-95-4	E440/VA	20	mg/kg	10900	12500	11800	12200	13300
Manganese	7439-96-5	E440/VA	1.0	mg/kg	785	820	905	1190	1040
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	0.0718	<0.0500	0.0518	0.0888	0.0670
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	21.9	16.7	19.4	24.9	27.8
Nickel	7440-02-0	E440/VA	0.50	mg/kg	213	192	191	173	146
Phosphorus	7723-14-0	E440/VA	50	mg/kg	8790	7860	8170	10100	9950
Potassium	7440-09-7	E440/VA	100	mg/kg	4800	5090	6090	5230	5600
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.45	0.47	0.48	0.60	0.52
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.95	4.04	12.5	5.19	5.25
Sodium	7440-23-5	E440/VA	50	mg/kg	14100	13800	16900	14000	15800
Strontium	7440-24-6	E440/VA	0.50	mg/kg	316	287	307	330	332
Sulfur	7704-34-9	E440/VA	1000	mg/kg	11900	8700	10000	11800	10900



Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2426-A-6	BA2426-A-7	BA2426-A-8	BA2426-A-9	BA2426-A-10
Client sampling date / time					26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B5668-006	VA24B5668-007	VA24B5668-008	VA24B5668-009	VA24B5668-010
					Result	Result	Result	Result	Result
Metals									
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050
Tin	7440-31-5	E440/VA	2.0	mg/kg	135	213	695	178	187
Titanium	7440-32-6	E440/VA	1.0	mg/kg	372	375	406	246	311
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	6.43	4.40	15.9	7.58	6.15
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.59	1.55	1.84	1.77	1.91
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	32.3	33.8	36.3	38.2	36.2
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3740	3740	4410	5310	4960
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	1.5	2.3	1.6	1.3	2.1
TCLP Metals									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.2	12.2	12.2	12.2	12.2
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	9.46	9.68	9.78	9.46	9.76
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.89	2.89	2.89	2.89	2.89
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.91	9.54	9.65	7.92	9.70
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.00	1.49	1.53	2.15	1.55
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1700	1320	1420	1760	1340
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.053	<0.050	<0.050	0.108	<0.050
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.896	0.774	0.832	0.784	0.806
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	81.0	25.3	20.2	80.3	16.7
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050



Analytical Results

Sub-Matrix: Soil/Solid
 (Matrix: Soil/Solid)

					Client sample ID	BA2426-A-6	BA2426-A-7	BA2426-A-8	BA2426-A-9	BA2426-A-10
					Client sampling date / time	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00	26-Jun-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B5668-006	VA24B5668-007	VA24B5668-008	VA24B5668-009	VA24B5668-010	
					Result	Result	Result	Result	Result	
TCLP Metals										
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	0.53	0.53	0.58	0.57	0.60	0.60
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2426-A-11	BA2426-A-12	----	----	----
Client sampling date / time					26-Jun-2024 09:00	26-Jun-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B5668-011	VA24B5668-012	-----	-----	-----
					Result	Result	----	----	----
Physical Tests									
Moisture	---	E144/VA	0.25	%	21.9	22.2	----	----	----
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	12.3	12.2	----	----	----
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	34800	32500	----	----	----
Antimony	7440-36-0	E440/VA	0.10	mg/kg	155	118	----	----	----
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	34.4	28.1	----	----	----
Barium	7440-39-3	E440/VA	0.50	mg/kg	663	560	----	----	----
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.36	0.33	----	----	----
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	8.77	6.68	----	----	----
Boron	7440-42-8	E440/VA	5.0	mg/kg	207	154	----	----	----
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	10.8	9.33	----	----	----
Calcium	7440-70-2	E440/VA	50	mg/kg	155000	136000	----	----	----
Chromium	7440-47-3	E440/VA	0.50	mg/kg	199	177	----	----	----
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	86.6	84.1	----	----	----
Copper	7440-50-8	E440/VA	0.50	mg/kg	2560	8210	----	----	----
Iron	7439-89-6	E440/VA	50	mg/kg	62100	48300	----	----	----
Lead	7439-92-1	E440/VA	0.50	mg/kg	367	295	----	----	----
Lithium	7439-93-2	E440/VA	2.0	mg/kg	23.9	25.8	----	----	----
Magnesium	7439-95-4	E440/VA	20	mg/kg	12700	10000	----	----	----
Manganese	7439-96-5	E440/VA	1.0	mg/kg	744	1460	----	----	----
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	0.0604	0.0967	----	----	----
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	19.2	15.8	----	----	----
Nickel	7440-02-0	E440/VA	0.50	mg/kg	159	284	----	----	----
Phosphorus	7723-14-0	E440/VA	50	mg/kg	11400	7840	----	----	----
Potassium	7440-09-7	E440/VA	100	mg/kg	5420	5380	----	----	----
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.60	0.38	----	----	----
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.67	3.72	----	----	----
Sodium	7440-23-5	E440/VA	50	mg/kg	14300	14400	----	----	----
Strontium	7440-24-6	E440/VA	0.50	mg/kg	330	270	----	----	----
Sulfur	7704-34-9	E440/VA	1000	mg/kg	10200	9100	----	----	----



Analytical Results

Sub-Matrix: Soil/Solid					Client sample ID				
(Matrix: Soil/Solid)					BA2426-A-11	BA2426-A-12	----	----	----
Client sampling date / time					26-Jun-2024 09:00	26-Jun-2024 09:00	---	---	---
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B5668-011	VA24B5668-012	-----	-----	-----
					Result	Result	---	---	---
Metals									
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	---	---	---
Tin	7440-31-5	E440/VA	2.0	mg/kg	145	110	---	---	---
Titanium	7440-32-6	E440/VA	1.0	mg/kg	402	307	---	---	---
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	10.2	6.00	---	---	---
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.79	1.46	---	---	---
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	36.1	37.7	---	---	---
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3770	6110	---	---	---
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	1.3	1.3	---	---	---
TCLP Metals									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	12.2	12.2	---	---	---
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	10.0	9.90	---	---	---
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.89	2.89	---	---	---
pH, TCLP final	----	EPP444/VA	0.010	pH units	9.68	9.60	---	---	---
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	---	---	---
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	---	---	---
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	---	---	---
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	---	---	---
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.50	1.48	---	---	---
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	---	---	---
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1340	1320	---	---	---
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	---	---	---
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	<0.050	<0.050	---	---	---
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.768	0.805	---	---	---
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	---	---	---
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	---	---	---
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	20.3	19.8	---	---	---
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	---	---	---
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	---	---	---
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	---	---	---
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	---	---	---



Analytical Results

Sub-Matrix: Soil/Solid					Client sample ID		BA2426-A-11	BA2426-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		26-Jun-2024 09:00	26-Jun-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24B5668-011	VA24B5668-012	-----	-----	-----	-----	-----
TCLP Metals					Result	Result	---	---	---	---	---
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	---	---	---	---	---
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	---	---	---	---	---
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	---	---	---	---	---
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	0.53	0.55	---	---	---	---	---
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	---	---	---	---	---

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

<p>Work Order : VA24B5668</p> <p>Client : Reworld Renewable Burnaby, ULC</p> <p>Contact : Nicole Victor</p> <p>Address : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p>Telephone : ----</p> <p>Project : PO#46693 Weekly Bottom Ash-Suite</p> <p>PO : PO#46693 Weekly Bottom Ash-Suite</p> <p>C-O-C number : ----</p> <p>Sampler : ----</p> <p>Site : ----</p> <p>Quote number : Covanta Burnaby Standing Offer 2024</p> <p>No. of samples received : 12</p> <p>No. of samples analysed : 12</p>	<p>Page : 1 of 16</p> <p>Laboratory : ALS Environmental - Vancouver</p> <p>Account Manager : Ian Chen</p> <p>Address : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p>Telephone : +1 604 253 4188</p> <p>Date Samples Received : 02-Jul-2024 10:30</p> <p>Issue Date : 10-Jul-2024 23:01</p>
---	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Duplicate outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **Soil/Solid**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Duplicate (DUP) RPDs								
Metals	VA24B5668-001	BA2426-A-1	Cobalt	7440-48-4	E440	122 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B5668-001	BA2426-A-1	Copper	7440-50-8	E440	83.0 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B5668-001	BA2426-A-1	Iron	7439-89-6	E440	30.0 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B5668-001	BA2426-A-1	Lithium	7439-93-2	E440	51.1 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24B5668-001	BA2426-A-1	Tungsten	7440-33-7	E440	67.9 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.

Result Qualifiers

Qualifier	Description
DUP-H	Duplicate results outside ALS DQO, due to sample heterogeneity.



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-1	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✔	10-Jul-2024	28 days	14 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-10	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✔	10-Jul-2024	28 days	14 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-11	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✔	10-Jul-2024	28 days	14 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-12	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✔	10-Jul-2024	28 days	14 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-2	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✔	10-Jul-2024	28 days	14 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-3	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✔	10-Jul-2024	28 days	14 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-4	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✔	10-Jul-2024	28 days	14 days	✔	



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-5	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✓	10-Jul-2024	28 days	14 days	✓	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-6	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✓	10-Jul-2024	28 days	14 days	✓	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-7	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✓	10-Jul-2024	28 days	14 days	✓	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-8	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✓	10-Jul-2024	28 days	14 days	✓	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2426-A-9	E510	26-Jun-2024	10-Jul-2024	28 days	14 days	✓	10-Jul-2024	28 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-1	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-10	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-11	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-12	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	



Matrix: Soil/Solid

Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-2	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-3	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-4	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-5	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-6	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-7	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-8	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2426-A-9	E440	26-Jun-2024	10-Jul-2024	180 days	14 days	✓	10-Jul-2024	180 days	14 days	✓	
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2426-A-1	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days		



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2426-A-10	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2426-A-11	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2426-A-12	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2426-A-2	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2426-A-3	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2426-A-4	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2426-A-5	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2426-A-6	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2426-A-7	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2426-A-8	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days		
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2426-A-9	E144	26-Jun-2024	----	----	----		08-Jul-2024	----	12 days		
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2426-A-1	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2426-A-10	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2426-A-11	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2426-A-12	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2426-A-2	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2426-A-3	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2426-A-4	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2426-A-5	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2426-A-6	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2426-A-7	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2426-A-8	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2426-A-9	E108	26-Jun-2024	10-Jul-2024	30 days	14 days	✔	10-Jul-2024	30 days	14 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-1	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-10	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-11	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-12	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-2	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-3	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-4	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-5	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-6	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-7	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-8	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2426-A-9	E512	04-Jul-2024	06-Jul-2024	36 days	10 days	✔	06-Jul-2024	36 days	10 days	✔
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2426-A-1	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-10	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-11	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-12	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-2	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-3	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-4	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-5	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-6	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-7	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-8	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2426-A-9	E444	04-Jul-2024	06-Jul-2024	188 days	10 days	✔	07-Jul-2024	188 days	11 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-1	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-10	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-11	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-12	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-2	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-3	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-4	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-5	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-6	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-7	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-8	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2426-A-9	EPP444	26-Jun-2024	04-Jul-2024	----	----		----	28 days	8 days	✔

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
			QC	Regular	Actual	Expected	Evaluation
Analytical Methods							
Laboratory Duplicates (DUP)							
Mercury by CVAAS (TCLP)	E512	1531164	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1534179	1	20	5.0	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1531165	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1534180	1	20	5.0	5.0	✔
Moisture Content by Gravimetry	E144	1534184	1	20	5.0	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1534181	1	20	5.0	5.0	✔
Laboratory Control Samples (LCS)							
Mercury in Soil/Solid by CVAAS	E510	1534179	2	20	10.0	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1534180	2	20	10.0	10.0	✔
Moisture Content by Gravimetry	E144	1534184	1	20	5.0	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1534181	1	20	5.0	5.0	✔
Method Blanks (MB)							
Mercury by CVAAS (TCLP)	E512	1531164	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1534179	1	20	5.0	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1531165	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1534180	1	20	5.0	5.0	✔
Moisture Content by Gravimetry	E144	1534184	1	20	5.0	5.0	✔
Matrix Spikes (MS)							
Mercury by CVAAS (TCLP)	E512	1531164	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1531165	1	12	8.3	5.0	✔



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally $20 \pm 5^{\circ}\text{C}$), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at 105°C . Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl . Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines. Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl , followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Digestion for Metals and Mercury	EP440 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO ₃ and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.

QUALITY CONTROL REPORT

Work Order	: VA24B5668	Page	: 1 of 12
Client	: Reworld Renewable Burnaby, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Ian Chen
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: PO#46693 Weekly Bottom Ash-Suite	Date Samples Received	: 02-Jul-2024 10:30
PO	: PO#46693 Weekly Bottom Ash-Suite	Date Analysis Commenced	: 04-Jul-2024
C-O-C number	: ----	Issue Date	: 10-Jul-2024 23:01
Sampler	: ----		
Site	: ----		
Quote number	: Covanta Burnaby Standing Offer 2024		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Ghazaleh Khanmirzaei	Analyst	Vancouver Metals, Burnaby, British Columbia
Janice Leung	Supervisor - Organics Instrumentation	Vancouver Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Vancouver Metals, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia

Page : 2 of 12
Work Order : VA24B5668
Client : Reworld Renewable Burnaby, ULC
Project : PO#46693 Weekly Bottom Ash-Suite



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Soil/Solid

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1534181)											
VA24B5668-001	BA2426-A-1	pH (1:2 soil:water)	----	E108	0.10	pH units	12.3	12.3	0.1%	5%	----
Physical Tests (QC Lot: 1534184)											
VA24B5668-001	BA2426-A-1	Moisture	----	E144	0.25	%	23.0	21.6	6.13%	20%	----
Metals (QC Lot: 1534179)											
VA24B5668-001	BA2426-A-1	Mercury	7439-97-6	E510	0.0500	mg/kg	<0.0500	0.0924	0.0424	Diff <2x LOR	----
Metals (QC Lot: 1534180)											
VA24B5668-001	BA2426-A-1	Aluminum	7429-90-5	E440	50	mg/kg	35900	38600	7.16%	40%	----
		Antimony	7440-36-0	E440	0.10	mg/kg	140	150	6.96%	30%	----
		Arsenic	7440-38-2	E440	0.10	mg/kg	34.6	33.1	4.44%	30%	----
		Barium	7440-39-3	E440	0.50	mg/kg	705	694	1.56%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	0.41	0.37	0.04	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	8.32	9.40	12.2%	30%	----
		Boron	7440-42-8	E440	5.0	mg/kg	238	216	9.80%	30%	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	9.61	10.6	9.98%	30%	----
		Calcium	7440-70-2	E440	50	mg/kg	149000	153000	2.78%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	170	169	0.631%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	181	43.5	122%	30%	DUP-H
		Copper	7440-50-8	E440	0.50	mg/kg	2090	5050	83.0%	30%	DUP-H
		Iron	7439-89-6	E440	50	mg/kg	57800	42700	30.0%	30%	DUP-H
		Lead	7439-92-1	E440	0.50	mg/kg	396	383	3.14%	40%	----
		Lithium	7439-93-2	E440	2.0	mg/kg	37.5	22.2	51.1%	30%	DUP-H
		Magnesium	7439-95-4	E440	20	mg/kg	12800	12600	1.78%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	869	688	23.2%	30%	----
		Molybdenum	7439-98-7	E440	0.10	mg/kg	17.8	20.7	14.7%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	146	150	2.08%	30%	----
		Phosphorus	7723-14-0	E440	50	mg/kg	9030	9040	0.163%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	5700	5410	5.27%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	0.42	0.53	0.11	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	4.24	4.44	4.53%	40%	----
		Sodium	7440-23-5	E440	50	mg/kg	15300	15600	2.25%	40%	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Metals (QC Lot: 1534180) - continued											
VA24B5668-001	BA2426-A-1	Strontium	7440-24-6	E440	0.50	mg/kg	298	302	1.36%	40%	----
		Sulfur	7704-34-9	E440	1000	mg/kg	10800	10800	0.283%	30%	----
		Thallium	7440-28-0	E440	0.050	mg/kg	<0.050	<0.050	0	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	150	208	32.6%	40%	----
		Titanium	7440-32-6	E440	1.0	mg/kg	296	364	20.6%	40%	----
		Tungsten	7440-33-7	E440	0.50	mg/kg	10.9	22.1	67.9%	30%	DUP-H
		Uranium	7440-61-1	E440	0.050	mg/kg	1.68	1.63	2.88%	30%	----
		Vanadium	7440-62-2	E440	0.20	mg/kg	34.9	46.6	28.6%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	4490	4430	1.46%	30%	----
		Zirconium	7440-67-7	E440	1.0	mg/kg	1.6	1.5	0.2	Diff <2x LOR	----
TCLP Metals (QC Lot: 1531164)											
VA24B5668-001	BA2426-A-1	Mercury, TCLP	7439-97-6	E512	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
TCLP Metals (QC Lot: 1531165)											
VA24B5668-001	BA2426-A-1	Antimony, TCLP	7440-36-0	E444	1.00	mg/L	<1.00	<1.00	0	Diff <2x LOR	----
		Arsenic, TCLP	7440-38-2	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	<2.5	0	Diff <2x LOR	----
		Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	<0.025	0	Diff <2x LOR	----
		Boron, TCLP	7440-42-8	E444	0.50	mg/L	1.96	2.04	0.08	Diff <2x LOR	----
		Cadmium, TCLP	7440-43-9	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Calcium, TCLP	7440-70-2	E444	10	mg/L	1740	1760	0.961%	30%	----
		Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Cobalt, TCLP	7440-48-4	E444	0.050	mg/L	0.153	0.155	0.002	Diff <2x LOR	----
		Copper, TCLP	7440-50-8	E444	0.050	mg/L	0.780	0.793	1.74%	30%	----
		Iron, TCLP	7439-89-6	E444	5.0	mg/L	<5.0	<5.0	0	Diff <2x LOR	----
		Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	80.8	82.9	2.54%	30%	----
		Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Selenium, TCLP	7782-49-2	E444	0.10	mg/L	<0.10	<0.10	0	Diff <2x LOR	----
		Silver, TCLP	7440-22-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Thallium, TCLP	7440-28-0	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Uranium, TCLP	7440-61-1	E444	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	----
		Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	<0.15	0	Diff <2x LOR	----
		Zinc, TCLP	7440-66-6	E444	0.50	mg/L	<0.50	0.55	0.05	Diff <2x LOR	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	<10	0	Diff <2x LOR	----		

Page : 5 of 12
Work Order : VA24B5668
Client : Reworld Renewable Burnaby, ULC
Project : PO#46693 Weekly Bottom Ash-Suite



Qualifiers

<i>Qualifier</i>	<i>Description</i>
DUP-H	<i>Duplicate results outside ALS DQO, due to sample heterogeneity.</i>



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1534184)						
Moisture	---	E144	0.25	%	<0.25	---
Metals (QCLot: 1534179)						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	---
Metals (QCLot: 1534180)						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	---
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---
Tin	7440-31-5	E440	2	mg/kg	<2.0	---



Sub-Matrix: **Soil/Solid**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Metals (QCLot: 1534180) - continued						
Titanium	7440-32-6	E440	1	mg/kg	<1.0	----
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	----
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
TCLP Metals (QCLot: 1531164)						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----
TCLP Metals (QCLot: 1531165)						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1534181)									
pH (1:2 soil:water)	---	E108	---	pH units	6 pH units	99.7	95.0	105	---
Physical Tests (QCLot: 1534184)									
Moisture	---	E144	0.25	%	50 %	101	90.0	110	---
Metals (QCLot: 1534179)									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	99.8	80.0	120	---
Metals (QCLot: 1534180)									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	104	80.0	120	---
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	106	80.0	120	---
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	111	80.0	120	---
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	102	80.0	120	---
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	102	80.0	120	---
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	97.8	80.0	120	---
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	104	80.0	120	---
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	106	80.0	120	---
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	102	80.0	120	---
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	103	80.0	120	---
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	104	80.0	120	---
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	102	80.0	120	---
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	99.1	80.0	120	---
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	100	80.0	120	---
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	105	80.0	120	---
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	110	80.0	120	---
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	104	80.0	120	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	108	80.0	120	---
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	102	80.0	120	---
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	112	80.0	120	---
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	109	80.0	120	---
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	106	80.0	120	---
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	96.2	80.0	120	---
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	107	80.0	120	---
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	107	80.0	120	---
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	106	80.0	120	---



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Metals (QCLot: 1534180) - continued									
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	98.1	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	108	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	105	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	102	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	105	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	105	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	107	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	98.1	80.0	120	----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: **Soil/Solid**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
TCLP Metals (QCLot: 1531164)										
VA24B5668-001	BA2426-A-1	Mercury, TCLP	7439-97-6	E512	0.0009 mg/L	0.001 mg/L	86.2	50.0	140	----
TCLP Metals (QCLot: 1531165)										
VA24B5668-001	BA2426-A-1	Antimony, TCLP	7440-36-0	E444	4.55 mg/L	5 mg/L	91.1	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	4.8 mg/L	5 mg/L	96.8	50.0	140	----
		Barium, TCLP	7440-39-3	E444	11.5 mg/L	12.5 mg/L	92.0	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.229 mg/L	0.25 mg/L	91.5	50.0	140	----
		Boron, TCLP	7440-42-8	E444	8.94 mg/L	10 mg/L	89.4	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.227 mg/L	0.25 mg/L	90.6	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	----	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.16 mg/L	1.25 mg/L	92.6	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	0.222 mg/L	0.25 mg/L	89.0	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.17 mg/L	2.5 mg/L	86.6	50.0	140	----
		Iron, TCLP	7439-89-6	E444	222 mg/L	250 mg/L	88.9	50.0	140	----
		Lead, TCLP	7439-92-1	E444	8.67 mg/L	10 mg/L	86.7	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	232 mg/L	250 mg/L	92.8	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.22 mg/L	2.5 mg/L	88.9	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	4.69 mg/L	5 mg/L	93.9	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.084 mg/L	0.1 mg/L	84.1	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	4.5 mg/L	5 mg/L	90.4	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	4.53 mg/L	5 mg/L	90.6	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.71 mg/L	0.75 mg/L	94.3	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	8.68 mg/L	10 mg/L	86.8	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.8 mg/L	1 mg/L	78.8	50.0	150	----



Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1534179)									
QC-1534179-003	MRCA-21	Mercury	7439-97-6	E510	0.068 mg/kg	100	70.0	130	----
Metals (QCLot: 1534180)									
QC-1534180-003	MRCA-21	Aluminum	7429-90-5	E440	22500 mg/kg	111	70.0	130	----
QC-1534180-003	MRCA-21	Antimony	7440-36-0	E440	24.8 mg/kg	112	70.0	130	----
QC-1534180-003	MRCA-21	Arsenic	7440-38-2	E440	21.2 mg/kg	103	70.0	130	----
QC-1534180-003	MRCA-21	Barium	7440-39-3	E440	788 mg/kg	102	70.0	130	----
QC-1534180-003	MRCA-21	Beryllium	7440-41-7	E440	1.82 mg/kg	112	70.0	130	----
QC-1534180-003	MRCA-21	Bismuth	7440-69-9	E440	1.78 mg/kg	96.2	70.0	130	----
QC-1534180-003	MRCA-21	Cadmium	7440-43-9	E440	2.15 mg/kg	106	70.0	130	----
QC-1534180-003	MRCA-21	Calcium	7440-70-2	E440	4900 mg/kg	106	70.0	130	----
QC-1534180-003	MRCA-21	Chromium	7440-47-3	E440	56.9 mg/kg	102	70.0	130	----
QC-1534180-003	MRCA-21	Cobalt	7440-48-4	E440	32 mg/kg	103	70.0	130	----
QC-1534180-003	MRCA-21	Copper	7440-50-8	E440	969 mg/kg	102	70.0	130	----
QC-1534180-003	MRCA-21	Iron	7439-89-6	E440	32700 mg/kg	102	70.0	130	----
QC-1534180-003	MRCA-21	Lead	7439-92-1	E440	919 mg/kg	96.4	70.0	130	----
QC-1534180-003	MRCA-21	Lithium	7439-93-2	E440	47.3 mg/kg	118	70.0	130	----
QC-1534180-003	MRCA-21	Magnesium	7439-95-4	E440	7780 mg/kg	107	70.0	130	----
QC-1534180-003	MRCA-21	Manganese	7439-96-5	E440	8640 mg/kg	104	70.0	130	----
QC-1534180-003	MRCA-21	Molybdenum	7439-98-7	E440	25.1 mg/kg	107	70.0	130	----
QC-1534180-003	MRCA-21	Nickel	7440-02-0	E440	1000 mg/kg	102	70.0	130	----
QC-1534180-003	MRCA-21	Phosphorus	7723-14-0	E440	660 mg/kg	110	70.0	130	----
QC-1534180-003	MRCA-21	Potassium	7440-09-7	E440	10800 mg/kg	101	70.0	130	----
QC-1534180-003	MRCA-21	Selenium	7782-49-2	E440	1.04 mg/kg	115	60.0	140	----
QC-1534180-003	MRCA-21	Silver	7440-22-4	E440	8.98 mg/kg	107	70.0	130	----
QC-1534180-003	MRCA-21	Sodium	7440-23-5	E440	1770 mg/kg	116	70.0	130	----
QC-1534180-003	MRCA-21	Strontium	7440-24-6	E440	41 mg/kg	110	70.0	130	----
QC-1534180-003	MRCA-21	Sulfur	7704-34-9	E440	3940 mg/kg	101	50.0	150	----
QC-1534180-003	MRCA-21	Thallium	7440-28-0	E440	0.907 mg/kg	98.9	70.0	130	----
QC-1534180-003	MRCA-21	Tin	7440-31-5	E440	3.79 mg/kg	106	40.0	160	----
QC-1534180-003	MRCA-21	Titanium	7440-32-6	E440	2790 mg/kg	109	70.0	130	----
QC-1534180-003	MRCA-21	Tungsten	7440-33-7	E440	6.99 mg/kg	114	70.0	130	----
QC-1534180-003	MRCA-21	Uranium	7440-61-1	E440	3.97 mg/kg	101	70.0	130	----
QC-1534180-003	MRCA-21	Vanadium	7440-62-2	E440	66.2 mg/kg	102	70.0	130	----

Page : 12 of 12
 Work Order : VA24B5668
 Client : Reworld Renewable Burnaby, ULC
 Project : PO#46693 Weekly Bottom Ash-Suite



Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1534180) - continued									
QC-1534180-003	MRCA-21	Zinc	7440-66-6	E440	828 mg/kg	107	70.0	130	----
QC-1534180-003	MRCA-21	Zirconium	7440-67-7	E440	6.91 mg/kg	112	70.0	130	----



Report To		Report Format / Distribution		Service Requested (Rush for routine analysis subject to availability)	
Company:	Covanta Energy	<input type="checkbox"/> Standard	<input type="checkbox"/> Other	<input checked="" type="radio"/> Regular (Standard Turnaround Times - Business Days)	
Contact:	Nicole Victor / Dan Skrypnik	<input checked="" type="checkbox"/> PDF	<input type="checkbox"/> Excel	<input type="checkbox"/> Digital	<input type="checkbox"/> Fax
Address:	5150 Riverbend Drive Burnaby BC	Email 1:	nvictor@covanta.com		<input type="radio"/> Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT
Phone:	604-521-1025	Email 2:	efotheret@covanta.com		<input type="radio"/> Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT
	<input type="checkbox"/> Yes <input type="checkbox"/> No	Email 3:	dskrypnik@covanta.com		<input type="radio"/> Same Day or Weekend Emergency - Contact ALS to Confirm TAT
			brent.kirkpatrick@metrovancover.org		
			Sarah.Wellman@metrovancover.org		

Invoice To		Client / Project Information		Analysis Request							
Same as Report ?		Job #:		Please indicate below Filtered, Preserved or both (F, P, F/P)							
Hardcopy of Invoice with Report? <input type="checkbox"/> Yes <input type="checkbox"/> No		PO / AFE: PO# 46693 Weekly Bottom Ash - Suite		MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR-FULL-VA (all metals)				Number of Containers
Company:		LSD: (includes 2:1 pH)									
Contact:		Quote #:									
Address:											
Phone:											

Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR-FULL-VA (all metals)					Number of Containers
1	BA2426-A-1	26-Jun-24	9:00	Soil	X	X		X					1
2	BA2426-A-2	26-Jun-24	9:00	Soil	X	X		X					1
3	BA2426-A-3	26-Jun-24	9:00	Soil	X	X		X					1
4	BA2426-A-4	26-Jun-24	9:00	Soil	X	X		X					1
5	BA2426-A-5	26-Jun-24	9:00	Soil	X	X		X					1
6	BA2426-A-6	26-Jun-24	9:00	Soil	X	X		X					1
7	BA2426-A-7	26-Jun-24	9:00	Soil	X	X		X					1
8	BA2426-A-8	26-Jun-24	9:00	Soil	X	X		X					1
9	BA2426-A-9	26-Jun-24	9:00	Soil	X	X		X					1
10	BA2426-A-10	26-Jun-24	9:00	Soil	X	X		X					1
11	BA2426-A-11	26-Jun-24	9:00	Soil	X	X		X					1
12	BA2426-A-12	26-Jun-24	9:00	Soil	X	X		X					1

Environmental Division
 Vancouver
 Work Order Reference
VA24B5668

Telephone : +1 604 263 4188

Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.

By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.

Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

SHIPMENT RELEASE (client use)			SHIPMENT RECEPTION (lab use only)				SHIPMENT VERIFICATION (lab use only)			
Released by:	Date (cc-mmm-yy)	Time (hh-mm)	Received by:	Date:	Time:	Temperature:	Verified by:	Date:	Time:	Observations:
KINGUIS	JULY 24	9:00	RK	7/2/24	10:30	22°C				Yes / No ? If Yes add SIF