

## Bottom Ash Data

2024 Week 34

---

The following analytical report represents bottom ash composite results for week 34 of 2024 (August 18, 2024 to August 24, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



## CERTIFICATE OF ANALYSIS

**Work Order** : **VA24C2276**  
**Client** : **Reworld Renewable Burnaby, ULC**  
**Contact** : Nicole Victor  
**Address** : 5150 Riverbend Drive  
                   Burnaby BC Canada V3N 4V3  
**Telephone** : ----  
**Project** : Weekly Bottom Ash - Suite  
**PO** : VANCO0000052919  
**C-O-C number** : ----  
**Sampler** : ----  
**Site** : (includes 2:1PH)  
**Quote number** : Covanta Burnaby Standing Offer 2024  
**No. of samples received** : 12  
**No. of samples analysed** : 12

**Page** : 1 of 11  
**Laboratory** : ALS Environmental - Vancouver  
**Account Manager** : Ian Chen  
**Address** : 8081 Lougheed Highway  
                   Burnaby BC Canada V5A 1W9  
**Telephone** : +1 604 253 4188  
**Date Samples Received** : 28-Aug-2024 13:45  
**Date Analysis Commenced** : 30-Aug-2024  
**Issue Date** : 10-Sep-2024 08:55

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Janice Leung	Supervisor - Organics Instrumentation	Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Metals, Burnaby, British Columbia



## General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances  
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
%	percent
mg/kg	milligrams per kilogram
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

## Qualifiers

<i>Qualifier</i>	<i>Description</i>
DLA	Detection Limit adjusted for required dilution.



## Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2434-A-1	BA2434-A-2	BA2434-A-3	BA2434-A-4	BA2434-A-5
Client sampling date / time					21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24C2276-001	VA24C2276-002	VA24C2276-003	VA24C2276-004	VA24C2276-005
					Result	Result	Result	Result	Result
<b>Physical Tests</b>									
Moisture	----	E144/VA	0.25	%	26.2	27.0	26.4	25.6	25.3
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	10.6	10.6	10.6	10.4	10.3
<b>Metals</b>									
Aluminum	7429-90-5	E440/VA	50	mg/kg	40700	53100	41200	30800	31600
Antimony	7440-36-0	E440/VA	0.10	mg/kg	120	113	124	130	130
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	21.0	20.0	26.2	26.5	21.1
Barium	7440-39-3	E440/VA	0.50	mg/kg	540	514	515	424	389
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	<0.36 <sup>DLA</sup>	0.34	0.35	0.34	0.30
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	16.5	7.72	7.91	9.22	9.58
Boron	7440-42-8	E440/VA	5.0	mg/kg	197	218	200	220	223
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	63.0	7.56	8.34	10.9	8.87
Calcium	7440-70-2	E440/VA	50	mg/kg	130000	136000	141000	140000	134000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	139	134	116	4080	232
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	283	63.3	113	581	40.6
Copper	7440-50-8	E440/VA	0.50	mg/kg	3770	1320	1700	2860	2980
Iron	7439-89-6	E440/VA	50	mg/kg	55200	41900	42000	59000	48800
Lead	7439-92-1	E440/VA	0.50	mg/kg	394	335	284	314	322
Lithium	7439-93-2	E440/VA	2.0	mg/kg	38.7	27.0	35.5	41.9	29.8
Magnesium	7439-95-4	E440/VA	20	mg/kg	11000	10100	10400	11900	10700
Manganese	7439-96-5	E440/VA	1.0	mg/kg	695	1070	632	1020	711
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	22.1	18.8	16.9	513	24.9
Nickel	7440-02-0	E440/VA	0.50	mg/kg	148	148	155	2560	258
Phosphorus	7723-14-0	E440/VA	50	mg/kg	8430	9420	11900	9750	10400
Potassium	7440-09-7	E440/VA	100	mg/kg	5760	5940	6510	6870	6510
Selenium	7782-49-2	E440/VA	0.20	mg/kg	<0.73 <sup>DLA</sup>	0.40	0.33	0.36	0.34
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.56	3.78	16.3	4.21	6.91
Sodium	7440-23-5	E440/VA	50	mg/kg	16200	16300	17300	17800	17200
Strontium	7440-24-6	E440/VA	0.50	mg/kg	285	269	316	290	300



## Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2434-A-1	BA2434-A-2	BA2434-A-3	BA2434-A-4	BA2434-A-5
Client sampling date / time					21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24C2276-001	VA24C2276-002	VA24C2276-003	VA24C2276-004	VA24C2276-005
					Result	Result	Result	Result	Result
<b>Metals</b>									
Sulfur	7704-34-9	E440/VA	1000	mg/kg	10300	12900	12800	13700	13200
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.183 <sup>DLA</sup>	<0.050	<0.050	<0.050	<0.050
Tin	7440-31-5	E440/VA	2.0	mg/kg	19400	104	129	111	328
Titanium	7440-32-6	E440/VA	1.0	mg/kg	405	760	365	327	273
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	9.20	5.50	4.63	7.92	5.70
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.46	1.48	1.37	1.45	1.29
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	41.0	31.1	29.0	61.5	31.6
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3210	3600	3450	3380	9920
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	<3.6 <sup>DLA</sup>	3.3	3.6	2.5	2.2
<b>TCLP Metals</b>									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.3	11.4	11.5	11.5	11.5
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.86	5.31	6.05	5.54	5.74
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.90	2.90	2.90	2.90	2.90
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.00	6.77	6.52	6.54	6.24
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.16	2.06	2.18	2.31	1.92
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	0.100	0.176	0.093	0.244
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	2020	2010	2010	2050	1980
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.620	0.817	0.721	1.92	0.972
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.14	1.34	1.07	1.37	1.17
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	0.38	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	119	124	123	126	119
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	0.29	0.38	0.39	0.42
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2434-A-1	BA2434-A-2	BA2434-A-3	BA2434-A-4	BA2434-A-5
Client sampling date / time					21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24C2276-001	VA24C2276-002	VA24C2276-003	VA24C2276-004	VA24C2276-005	
					Result	Result	Result	Result	Result	
<b>TCLP Metals</b>										
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	3.75	14.0	15.0	16.3	21.9	
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



## Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2434-A-6	BA2434-A-7	BA2434-A-8	BA2434-A-9	BA2434-A-10
Client sampling date / time					21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24C2276-006	VA24C2276-007	VA24C2276-008	VA24C2276-009	VA24C2276-010	
					Result	Result	Result	Result	Result	
<b>Physical Tests</b>										
Moisture	---	E144/VA	0.25	%	24.6	24.7	26.6	27.5	26.3	
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	10.3	10.5	10.6	10.4	10.6	
<b>Metals</b>										
Aluminum	7429-90-5	E440/VA	50	mg/kg	37100	41200	37900	35800	29200	
Antimony	7440-36-0	E440/VA	0.10	mg/kg	116	102	137	110	130	
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	20.5	23.2	25.4	23.3	20.6	
Barium	7440-39-3	E440/VA	0.50	mg/kg	534	500	568	511	553	
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.32	0.36	0.31	0.35	0.32	
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	8.14	7.73	11.6	7.90	9.95	
Boron	7440-42-8	E440/VA	5.0	mg/kg	178	190	209	195	171	
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	8.10	7.84	10.7	7.54	6.96	
Calcium	7440-70-2	E440/VA	50	mg/kg	135000	127000	137000	128000	131000	
Chromium	7440-47-3	E440/VA	0.50	mg/kg	143	117	133	128	222	
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	43.3	76.8	471	41.2	47.6	
Copper	7440-50-8	E440/VA	0.50	mg/kg	1310	1020	1380	1400	1810	
Iron	7439-89-6	E440/VA	50	mg/kg	45100	54000	32700	54800	47700	
Lead	7439-92-1	E440/VA	0.50	mg/kg	760	856	579	263	275	
Lithium	7439-93-2	E440/VA	2.0	mg/kg	46.5	28.2	35.9	27.2	21.5	
Magnesium	7439-95-4	E440/VA	20	mg/kg	10900	11400	11200	10500	10500	
Manganese	7439-96-5	E440/VA	1.0	mg/kg	822	934	673	822	829	
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	20.0	18.3	23.4	25.3	22.8	
Nickel	7440-02-0	E440/VA	0.50	mg/kg	136	112	114	96.7	297	
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9790	7840	10200	9190	7820	
Potassium	7440-09-7	E440/VA	100	mg/kg	6490	6250	6380	6800	5980	
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.30	0.33	0.33	0.36	0.28	
Silver	7440-22-4	E440/VA	0.10	mg/kg	5.63	3.88	3.85	3.93	10.9	
Sodium	7440-23-5	E440/VA	50	mg/kg	17000	16500	17000	18100	16300	
Strontium	7440-24-6	E440/VA	0.50	mg/kg	306	287	307	296	275	
Sulfur	7704-34-9	E440/VA	1000	mg/kg	13400	12300	13100	12700	12000	



## Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2434-A-6	BA2434-A-7	BA2434-A-8	BA2434-A-9	BA2434-A-10
Client sampling date / time					21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24C2276-006	VA24C2276-007	VA24C2276-008	VA24C2276-009	VA24C2276-010	
					Result	Result	Result	Result	Result	
<b>Metals</b>										
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050	
Tin	7440-31-5	E440/VA	2.0	mg/kg	368	152	121	172	2450	
Titanium	7440-32-6	E440/VA	1.0	mg/kg	385	372	363	267	450	
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	6.22	4.86	5.28	5.41	5.40	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.41	1.41	1.35	1.38	1.28	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	31.5	33.3	32.2	38.9	28.4	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3240	3110	2910	2990	10200	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.2	2.6	2.2	3.0	1.3	
<b>TCLP Metals</b>										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.5	11.5	11.5	11.6	11.6	
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	5.29	6.63	6.46	6.59	6.70	
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.90	2.90	2.90	2.90	2.90	
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.34	6.66	6.80	6.26	6.79	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.89	1.94	2.08	2.13	2.19	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.184	0.167	0.072	0.510	0.073	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1980	1920	1960	2000	2060	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.903	1.97	1.01	1.14	1.42	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.47	0.987	1.30	1.21	1.08	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	128	119	120	122	123	
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.39	0.41	0.27	0.31	0.30	
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10	
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	





## Analytical Results

Sub-Matrix: Soil					Client sample ID	BA2434-A-6	BA2434-A-7	BA2434-A-8	BA2434-A-9	BA2434-A-10
(Matrix: Soil/Solid)					Client sampling date / time	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00	21-Aug-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24C2276-006	VA24C2276-007	VA24C2276-008	VA24C2276-009	VA24C2276-010	
TCLP Metals					Result	Result	Result	Result	Result	
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	20.7	9.86	9.36	17.1	9.42	
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



## Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2434-A-11	BA2434-A-12	----	----	----
Client sampling date / time					21-Aug-2024 09:00	21-Aug-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24C2276-011	VA24C2276-012	-----	-----	-----
					Result	Result	----	----	----
<b>Physical Tests</b>									
Moisture	---	E144/VA	0.25	%	26.8	26.8	----	----	----
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	10.5	10.6	----	----	----
<b>Metals</b>									
Aluminum	7429-90-5	E440/VA	50	mg/kg	32800	30700	----	----	----
Antimony	7440-36-0	E440/VA	0.10	mg/kg	111	137	----	----	----
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	21.9	28.2	----	----	----
Barium	7440-39-3	E440/VA	0.50	mg/kg	486	419	----	----	----
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.31	0.59	----	----	----
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	8.87	10.3	----	----	----
Boron	7440-42-8	E440/VA	5.0	mg/kg	269	222	----	----	----
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	9.61	10.6	----	----	----
Calcium	7440-70-2	E440/VA	50	mg/kg	134000	161000	----	----	----
Chromium	7440-47-3	E440/VA	0.50	mg/kg	227	157	----	----	----
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	48.4	112	----	----	----
Copper	7440-50-8	E440/VA	0.50	mg/kg	1890	1550	----	----	----
Iron	7439-89-6	E440/VA	50	mg/kg	34100	41400	----	----	----
Lead	7439-92-1	E440/VA	0.50	mg/kg	282	394	----	----	----
Lithium	7439-93-2	E440/VA	2.0	mg/kg	26.0	29.2	----	----	----
Magnesium	7439-95-4	E440/VA	20	mg/kg	10500	12500	----	----	----
Manganese	7439-96-5	E440/VA	1.0	mg/kg	624	734	----	----	----
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	----	----	----
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	19.3	22.3	----	----	----
Nickel	7440-02-0	E440/VA	0.50	mg/kg	182	155	----	----	----
Phosphorus	7723-14-0	E440/VA	50	mg/kg	8910	11000	----	----	----
Potassium	7440-09-7	E440/VA	100	mg/kg	6020	7160	----	----	----
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.33	0.42	----	----	----
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.31	4.67	----	----	----
Sodium	7440-23-5	E440/VA	50	mg/kg	16500	19000	----	----	----
Strontium	7440-24-6	E440/VA	0.50	mg/kg	309	335	----	----	----
Sulfur	7704-34-9	E440/VA	1000	mg/kg	12800	15600	----	----	----



## Analytical Results

Sub-Matrix: Soil					Client sample ID				
(Matrix: Soil/Solid)					BA2434-A-11	BA2434-A-12	----	----	----
Client sampling date / time					21-Aug-2024 09:00	21-Aug-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24C2276-011	VA24C2276-012	-----	-----	-----
					Result	Result	---	---	---
<b>Metals</b>									
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	---	---	---
Tin	7440-31-5	E440/VA	2.0	mg/kg	111	128	---	---	---
Titanium	7440-32-6	E440/VA	1.0	mg/kg	414	243	---	---	---
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	5.21	9.23	---	---	---
Uranium	7440-61-1	E440/VA	0.050	mg/kg	1.42	1.61	---	---	---
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	30.5	35.2	---	---	---
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3440	4070	---	---	---
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.2	2.9	---	---	---
<b>TCLP Metals</b>									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.5	11.5	---	---	---
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	6.89	6.74	---	---	---
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.90	2.90	---	---	---
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.21	6.05	---	---	---
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	---	---	---
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	---	---	---
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	---	---	---
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	---	---	---
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.04	2.08	---	---	---
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.116	0.180	---	---	---
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1940	1820	---	---	---
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	---	---	---
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.800	1.56	---	---	---
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.727	1.26	---	---	---
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	---	---	---
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	1.09	---	---	---
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	114	117	---	---	---
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	---	---	---
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.51	0.32	---	---	---
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	---	---	---
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	---	---	---



### Analytical Results

Sub-Matrix: Soil					Client sample ID		BA2434-A-11	BA2434-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		21-Aug-2024 09:00	21-Aug-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA24C2276-011	VA24C2276-012	-----	-----	-----	-----	-----
TCLP Metals					Result	Result	---	---	---	---	---
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----	----	----
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	----	----	----	----	----
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	----	----	----	----	----
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	23.2	25.9	----	----	----	----	----
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	----	----	----	----	----

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



## QUALITY CONTROL INTERPRETIVE REPORT

<p><b>Work Order</b> : <b>VA24C2276</b></p> <p><b>Client</b> : <b>Reworld Renewable Burnaby, ULC</b></p> <p><b>Contact</b> : Nicole Victor</p> <p><b>Address</b> : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p><b>Telephone</b> : ----</p> <p><b>Project</b> : Weekly Bottom Ash - Suite</p> <p><b>PO</b> : VANCO0000052919</p> <p><b>C-O-C number</b> : ----</p> <p><b>Sampler</b> : ----</p> <p><b>Site</b> : (includes 2:1PH)</p> <p><b>Quote number</b> : Covanta Burnaby Standing Offer 2024</p> <p><b>No. of samples received</b> : 12</p> <p><b>No. of samples analysed</b> : 12</p>	<p><b>Page</b> : 1 of 16</p> <p><b>Laboratory</b> : ALS Environmental - Vancouver</p> <p><b>Account Manager</b> : Ian Chen</p> <p><b>Address</b> : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p><b>Telephone</b> : +1 604 253 4188</p> <p><b>Date Samples Received</b> : 28-Aug-2024 13:45</p> <p><b>Issue Date</b> : 10-Sep-2024 08:55</p>
---	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

**Key**

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

### ***Workorder Comments***

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

### ***Summary of Outliers***

#### ***Outliers : Quality Control Samples***

- No Method Blank value outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Duplicate outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

#### ***Outliers: Reference Material (RM) Samples***

- No Reference Material (RM) Sample outliers occur.

***Outliers : Analysis Holding Time Compliance (Breaches)***

- No Analysis Holding Time Outliers exist.

***Outliers : Frequency of Quality Control Samples***

- No Quality Control Sample Frequency Outliers occur.



**Outliers : Quality Control Samples**

*Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes*

Matrix: **Soil/Solid**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
<b>Duplicate (DUP) RPDs</b>								
Metals	VA24C2276-001	BA2434-A-1	Bismuth	7440-69-9	E440	64.9 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24C2276-001	BA2434-A-1	Cadmium	7440-43-9	E440	153 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24C2276-001	BA2434-A-1	Cobalt	7440-48-4	E440	121 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24C2276-001	BA2434-A-1	Copper	7440-50-8	E440	66.1 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24C2276-001	BA2434-A-1	Lithium	7439-93-2	E440	30.8 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24C2276-001	BA2434-A-1	Manganese	7439-96-5	E440	46.7 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24C2276-001	BA2434-A-1	Tin	7440-31-5	E440	197 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24C2276-001	BA2434-A-1	Titanium	7440-32-6	E440	44.2 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24C2276-001	BA2434-A-1	Tungsten	7440-33-7	E440	4.58 % DUP-H	Diff <2x LOR	Low Level DUP DQO exceeded (difference > 2 LOR).

**Result Qualifiers**

Qualifier	Description
DUP-H	Duplicate results outside ALS DQO, due to sample heterogeneity.



## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
<b>LDPE bag</b> BA2434-A-1	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✔	09-Sep-2024	28 days	19 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
<b>LDPE bag</b> BA2434-A-10	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✔	09-Sep-2024	28 days	19 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
<b>LDPE bag</b> BA2434-A-11	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✔	09-Sep-2024	28 days	19 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
<b>LDPE bag</b> BA2434-A-12	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✔	09-Sep-2024	28 days	19 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
<b>LDPE bag</b> BA2434-A-2	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✔	09-Sep-2024	28 days	19 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
<b>LDPE bag</b> BA2434-A-3	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✔	09-Sep-2024	28 days	19 days	✔
<b>Metals : Mercury in Soil/Solid by CVAAS</b>										
<b>LDPE bag</b> BA2434-A-4	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✔	09-Sep-2024	28 days	19 days	✔





Matrix: Soil/Solid

Evaluation: \* = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2434-A-5	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✓	09-Sep-2024	28 days	19 days	✓	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2434-A-6	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✓	09-Sep-2024	28 days	19 days	✓	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2434-A-7	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✓	09-Sep-2024	28 days	19 days	✓	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2434-A-8	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✓	09-Sep-2024	28 days	19 days	✓	
<b>Metals : Mercury in Soil/Solid by CVAAS</b>											
LDPE bag BA2434-A-9	E510	21-Aug-2024	01-Sep-2024	28 days	11 days	✓	09-Sep-2024	28 days	19 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-1	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-10	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-11	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-12	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	



Matrix: Soil/Solid

Evaluation: \* = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-2	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-3	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-4	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-5	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-6	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-7	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-8	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Metals : Metals in Soil/Solid by CRC ICPMS</b>											
LDPE bag BA2434-A-9	E440	21-Aug-2024	01-Sep-2024	180 days	11 days	✓	10-Sep-2024	180 days	20 days	✓	
<b>Physical Tests : Moisture Content by Gravimetry</b>											
LDPE bag BA2434-A-1	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days		



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2434-A-10	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2434-A-11	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2434-A-12	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2434-A-2	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2434-A-3	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2434-A-4	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2434-A-5	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2434-A-6	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days	
<b>Physical Tests : Moisture Content by Gravimetry</b>										
LDPE bag BA2434-A-7	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Physical Tests : Moisture Content by Gravimetry</b>											
LDPE bag BA2434-A-8	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days		
<b>Physical Tests : Moisture Content by Gravimetry</b>											
LDPE bag BA2434-A-9	E144	21-Aug-2024	----	----	----		30-Aug-2024	----	9 days		
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-1	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-10	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-11	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-12	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-2	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-3	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-4	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-5	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-6	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-7	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-8	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>Physical Tests : pH by Meter (1:2 Soil:Water Extraction)</b>											
LDPE bag BA2434-A-9	E108	21-Aug-2024	01-Sep-2024	30 days	11 days	✔	02-Sep-2024	30 days	12 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2434-A-1	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2434-A-10	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2434-A-11	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>											
Glass vial - total (lab preserved) BA2434-A-12	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2434-A-2	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2434-A-3	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2434-A-4	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2434-A-5	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2434-A-6	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2434-A-7	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2434-A-8	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔
<b>TCLP Metals : Mercury by CVAAS (TCLP)</b>										
Glass vial - total (lab preserved) BA2434-A-9	E512	06-Sep-2024	09-Sep-2024	44 days	19 days	✔	09-Sep-2024	44 days	19 days	✔
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>										
HDPE - total (lab preserved) BA2434-A-1	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-10	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-11	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-12	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-2	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-3	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-4	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-5	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-6	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-7	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✔	09-Sep-2024	196 days	19 days	✔	



Matrix: Soil/Solid

Evaluation: \* = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-8	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✓	09-Sep-2024	196 days	19 days	✓	
<b>TCLP Metals : Metals by CRC ICPMS (TCLP)</b>											
HDPE - total (lab preserved) BA2434-A-9	E444	06-Sep-2024	09-Sep-2024	196 days	19 days	✓	09-Sep-2024	196 days	19 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-1	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-10	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-11	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-12	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-2	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-3	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✓	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-4	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✓	





Matrix: **Soil/Solid**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-5	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-6	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-7	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-8	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✔
<b>TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)</b>										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2434-A-9	EPP444	21-Aug-2024	06-Sep-2024	----	----		----	28 days	16 days	✔

**Legend & Qualifier Definitions**

Rec. HT: ALS recommended hold time (see units).



## Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
			QC	Regular	Actual	Expected	Evaluation
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Mercury by CVAAS (TCLP)	E512	1640387	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1626355	1	20	5.0	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1640388	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1626356	1	20	5.0	5.0	✔
Moisture Content by Gravimetry	E144	1626359	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1626358	1	20	5.0	5.0	✔
<b>Laboratory Control Samples (LCS)</b>							
Mercury in Soil/Solid by CVAAS	E510	1626355	2	20	10.0	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1626356	2	20	10.0	10.0	✔
Moisture Content by Gravimetry	E144	1626359	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1626358	1	20	5.0	5.0	✔
<b>Method Blanks (MB)</b>							
Mercury by CVAAS (TCLP)	E512	1640387	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1626355	1	20	5.0	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1640388	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1626356	1	20	5.0	5.0	✔
Moisture Content by Gravimetry	E144	1626359	1	12	8.3	5.0	✔
<b>Matrix Spikes (MS)</b>							
Mercury by CVAAS (TCLP)	E512	1640387	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1640388	1	12	8.3	5.0	✔



## Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally $20 \pm 5^{\circ}\text{C}$ ), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at $<60^{\circ}\text{C}$ ) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at $105^{\circ}\text{C}$ . Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with $\text{HNO}_3$ and $\text{HCl}$ .  Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines.  Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with $\text{HNO}_3$ and $\text{HCl}$ , followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at $<60^{\circ}\text{C}$ ) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Digestion for Metals and Mercury	EP440  ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO <sub>3</sub> and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444  ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>VA24C2276</b>	<b>Page</b>	: 1 of 12
<b>Client</b>	: Reworld Renewable Burnaby, ULC	<b>Laboratory</b>	: ALS Environmental - Vancouver
<b>Contact</b>	: Nicole Victor	<b>Account Manager</b>	: Ian Chen
<b>Address</b>	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	<b>Address</b>	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
<b>Telephone</b>	: ----	<b>Telephone</b>	: +1 604 253 4188
<b>Project</b>	: Weekly Bottom Ash - Suite	<b>Date Samples Received</b>	: 28-Aug-2024 13:45
<b>PO</b>	: VANCO0000052919	<b>Date Analysis Commenced</b>	: 30-Aug-2024
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 10-Sep-2024 08:55
<b>Sampler</b>	: ----		
<b>Site</b>	: (includes 2:1PH)		
<b>Quote number</b>	: Covanta Burnaby Standing Offer 2024		
<b>No. of samples received</b>	: 12		
<b>No. of samples analysed</b>	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Janice Leung	Supervisor - Organics Instrumentation	Vancouver Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Vancouver Metals, Burnaby, British Columbia

Page : 2 of 12  
Work Order : VA24C2276  
Client : Reworld Renewable Burnaby, ULC  
Project : Weekly Bottom Ash - Suite

---



## General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

### Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

# = Indicates a QC result that did not meet the ALS DQO.

## Workorder Comments

---

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

---



### Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Soil/Solid

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<b>Physical Tests (QC Lot: 1626358)</b>											
VA24C2276-001	BA2434-A-1	pH (1:2 soil:water)	----	E108	0.10	pH units	10.6	10.6	0.7%	5%	----
<b>Physical Tests (QC Lot: 1626359)</b>											
VA24C2276-001	BA2434-A-1	Moisture	----	E144	0.25	%	26.2	27.4	4.79%	20%	----
<b>Metals (QC Lot: 1626355)</b>											
VA24C2276-001	BA2434-A-1	Mercury	7439-97-6	E510	0.0500	mg/kg	<0.0500	<0.0500	0	Diff <2x LOR	----
<b>Metals (QC Lot: 1626356)</b>											
VA24C2276-001	BA2434-A-1	Aluminum	7429-90-5	E440	50	mg/kg	40700	40100	1.44%	40%	----
		Antimony	7440-36-0	E440	0.10	mg/kg	120	116	3.75%	30%	----
		Arsenic	7440-38-2	E440	0.10	mg/kg	21.0	21.4	1.81%	30%	----
		Barium	7440-39-3	E440	0.50	mg/kg	540	470	13.7%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	<0.36	0.34	0.03	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	16.5	8.43	64.9%	30%	DUP-H
		Boron	7440-42-8	E440	5.0	mg/kg	197	192	2.37%	30%	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	63.0	8.44	153%	30%	DUP-H
		Calcium	7440-70-2	E440	50	mg/kg	130000	141000	8.32%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	139	168	19.0%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	283	69.2	121%	30%	DUP-H
		Copper	7440-50-8	E440	0.50	mg/kg	3770	1900	66.1%	30%	DUP-H
		Iron	7439-89-6	E440	50	mg/kg	55200	42600	25.7%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	394	375	4.95%	40%	----
		Lithium	7439-93-2	E440	2.0	mg/kg	38.7	28.4	30.8%	30%	DUP-H
		Magnesium	7439-95-4	E440	20	mg/kg	11000	11000	0.120%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	695	1120	46.7%	30%	DUP-H
		Molybdenum	7439-98-7	E440	0.10	mg/kg	22.1	20.0	9.87%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	148	135	8.91%	30%	----
		Phosphorus	7723-14-0	E440	50	mg/kg	8430	9580	12.8%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	5760	6830	17.0%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	<0.73	0.36	0.37	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	4.56	4.15	9.41%	40%	----
		Sodium	7440-23-5	E440	50	mg/kg	16200	17900	9.94%	40%	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<b>Metals (QC Lot: 1626356) - continued</b>											
VA24C2276-001	BA2434-A-1	Strontium	7440-24-6	E440	0.50	mg/kg	285	303	6.04%	40%	----
		Sulfur	7704-34-9	E440	1000	mg/kg	10300	13800	3400	Diff <2x LOR	----
		Thallium	7440-28-0	E440	0.050	mg/kg	<0.183	<0.050	0.050	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	19400	130	197%	40%	DUP-H
		Titanium	7440-32-6	E440	1.0	mg/kg	405	258	44.2%	40%	DUP-H
		Tungsten	7440-33-7	E440	0.50	mg/kg	9.20	# 4.63	4.58	Diff <2x LOR	DUP-H
		Uranium	7440-61-1	E440	0.050	mg/kg	1.46	1.40	3.85%	30%	----
		Vanadium	7440-62-2	E440	0.20	mg/kg	41.0	33.9	19.1%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	3210	3150	1.96%	30%	----
		Zirconium	7440-67-7	E440	1.0	mg/kg	<3.6	3.5	0.2	Diff <2x LOR	----
<b>TCLP Metals (QC Lot: 1640387)</b>											
VA24C2276-001	BA2434-A-1	Mercury, TCLP	7439-97-6	E512	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
<b>TCLP Metals (QC Lot: 1640388)</b>											
VA24C2276-001	BA2434-A-1	Antimony, TCLP	7440-36-0	E444	1.00	mg/L	<1.00	<1.00	0	Diff <2x LOR	----
		Arsenic, TCLP	7440-38-2	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	<2.5	0	Diff <2x LOR	----
		Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	<0.025	0	Diff <2x LOR	----
		Boron, TCLP	7440-42-8	E444	0.50	mg/L	2.16	2.12	0.04	Diff <2x LOR	----
		Cadmium, TCLP	7440-43-9	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Calcium, TCLP	7440-70-2	E444	10	mg/L	2020	1950	3.60%	30%	----
		Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Cobalt, TCLP	7440-48-4	E444	0.050	mg/L	0.620	0.629	1.42%	30%	----
		Copper, TCLP	7440-50-8	E444	0.050	mg/L	1.14	1.13	0.460%	30%	----
		Iron, TCLP	7439-89-6	E444	5.0	mg/L	<5.0	<5.0	0	Diff <2x LOR	----
		Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	119	113	4.50%	30%	----
		Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Selenium, TCLP	7782-49-2	E444	0.10	mg/L	<0.10	<0.10	0	Diff <2x LOR	----
		Silver, TCLP	7440-22-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Thallium, TCLP	7440-28-0	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Uranium, TCLP	7440-61-1	E444	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	----
		Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	<0.15	0	Diff <2x LOR	----
		Zinc, TCLP	7440-66-6	E444	0.50	mg/L	3.75	3.77	0.514%	30%	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	<10	0	Diff <2x LOR	----		



Page : 5 of 12  
Work Order : VA24C2276  
Client : Reworld Renewable Burnaby, ULC  
Project : Weekly Bottom Ash - Suite



---

## Qualifiers

<i>Qualifier</i>	<i>Description</i>
DUP-H	<i>Duplicate results outside ALS DQO, due to sample heterogeneity.</i>

---



## Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Physical Tests (QCLot: 1626359)</b>						
Moisture	---	E144	0.25	%	<0.25	---
<b>Metals (QCLot: 1626355)</b>						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	---
<b>Metals (QCLot: 1626356)</b>						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	---
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---
Tin	7440-31-5	E440	2	mg/kg	<2.0	---



Sub-Matrix: **Soil/Solid**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
<b>Metals (QCLot: 1626356) - continued</b>						
Titanium	7440-32-6	E440	1	mg/kg	<1.0	----
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	----
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
<b>TCLP Metals (QCLot: 1640387)</b>						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----
<b>TCLP Metals (QCLot: 1640388)</b>						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----



## Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
<b>Physical Tests (QCLot: 1626358)</b>									
pH (1:2 soil:water)	---	E108	---	pH units	6 pH units	100	95.0	105	---
<b>Physical Tests (QCLot: 1626359)</b>									
Moisture	---	E144	0.25	%	50 %	100	90.0	110	---
<b>Metals (QCLot: 1626355)</b>									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	97.4	80.0	120	---
<b>Metals (QCLot: 1626356)</b>									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	98.3	80.0	120	---
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	112	80.0	120	---
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	106	80.0	120	---
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	108	80.0	120	---
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	102	80.0	120	---
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	99.6	80.0	120	---
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	103	80.0	120	---
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	105	80.0	120	---
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	105	80.0	120	---
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	104	80.0	120	---
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	102	80.0	120	---
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	99.5	80.0	120	---
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	107	80.0	120	---
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	104	80.0	120	---
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	104	80.0	120	---
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	104	80.0	120	---
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	102	80.0	120	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	111	80.0	120	---
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	100	80.0	120	---
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	99.5	80.0	120	---
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	103	80.0	120	---
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	105	80.0	120	---
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	99.2	80.0	120	---
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	102	80.0	120	---
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	107	80.0	120	---
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	97.1	80.0	120	---



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
<b>Metals (QCLot: 1626356) - continued</b>									
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	102	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	105	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	101	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	105	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	104	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	106	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	106	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	114	80.0	120	----



### Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Soil/Solid

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
<b>TCLP Metals (QCLot: 1640387)</b>										
VA24C2276-001	BA2434-A-1	Mercury, TCLP	7439-97-6	E512	0.0010 mg/L	0.001 mg/L	99.8	50.0	140	----
<b>TCLP Metals (QCLot: 1640388)</b>										
VA24C2276-001	BA2434-A-1	Antimony, TCLP	7440-36-0	E444	5.26 mg/L	5 mg/L	105	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	5.3 mg/L	5 mg/L	106	50.0	140	----
		Barium, TCLP	7440-39-3	E444	13.1 mg/L	12.5 mg/L	105	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.254 mg/L	0.25 mg/L	102	50.0	140	----
		Boron, TCLP	7440-42-8	E444	8.79 mg/L	10 mg/L	87.9	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.256 mg/L	0.25 mg/L	103	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	----	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.30 mg/L	1.25 mg/L	104	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	ND mg/L	----	ND	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.42 mg/L	2.5 mg/L	96.9	50.0	140	----
		Iron, TCLP	7439-89-6	E444	245 mg/L	250 mg/L	97.9	50.0	140	----
		Lead, TCLP	7439-92-1	E444	9.93 mg/L	10 mg/L	99.3	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	260 mg/L	250 mg/L	104	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.49 mg/L	2.5 mg/L	99.6	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	5.05 mg/L	5 mg/L	101	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.075 mg/L	0.1 mg/L	75.5	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	5.0 mg/L	5 mg/L	99.3	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	5.06 mg/L	5 mg/L	101	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.77 mg/L	0.75 mg/L	102	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	9.80 mg/L	10 mg/L	98.0	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.9 mg/L	1 mg/L	90.2	50.0	150	----



## Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
<b>Metals (QCLot: 1626355)</b>									
QC-1626355-003	MRCA-21	Mercury	7439-97-6	E510	0.068 mg/kg	101	70.0	130	----
<b>Metals (QCLot: 1626356)</b>									
QC-1626356-003	MRCA-21	Aluminum	7429-90-5	E440	22500 mg/kg	100	70.0	130	----
QC-1626356-003	MRCA-21	Antimony	7440-36-0	E440	24.8 mg/kg	104	70.0	130	----
QC-1626356-003	MRCA-21	Arsenic	7440-38-2	E440	21.2 mg/kg	98.0	70.0	130	----
QC-1626356-003	MRCA-21	Barium	7440-39-3	E440	788 mg/kg	101	70.0	130	----
QC-1626356-003	MRCA-21	Beryllium	7440-41-7	E440	1.82 mg/kg	107	70.0	130	----
QC-1626356-003	MRCA-21	Bismuth	7440-69-9	E440	1.78 mg/kg	112	70.0	130	----
QC-1626356-003	MRCA-21	Cadmium	7440-43-9	E440	2.15 mg/kg	101	70.0	130	----
QC-1626356-003	MRCA-21	Calcium	7440-70-2	E440	4900 mg/kg	108	70.0	130	----
QC-1626356-003	MRCA-21	Chromium	7440-47-3	E440	56.9 mg/kg	102	70.0	130	----
QC-1626356-003	MRCA-21	Cobalt	7440-48-4	E440	32 mg/kg	99.3	70.0	130	----
QC-1626356-003	MRCA-21	Copper	7440-50-8	E440	969 mg/kg	101	70.0	130	----
QC-1626356-003	MRCA-21	Iron	7439-89-6	E440	32700 mg/kg	105	70.0	130	----
QC-1626356-003	MRCA-21	Lead	7439-92-1	E440	919 mg/kg	95.9	70.0	130	----
QC-1626356-003	MRCA-21	Lithium	7439-93-2	E440	47.3 mg/kg	108	70.0	130	----
QC-1626356-003	MRCA-21	Magnesium	7439-95-4	E440	7780 mg/kg	100	70.0	130	----
QC-1626356-003	MRCA-21	Manganese	7439-96-5	E440	8640 mg/kg	100	70.0	130	----
QC-1626356-003	MRCA-21	Molybdenum	7439-98-7	E440	25.1 mg/kg	109	70.0	130	----
QC-1626356-003	MRCA-21	Nickel	7440-02-0	E440	1000 mg/kg	99.6	70.0	130	----
QC-1626356-003	MRCA-21	Phosphorus	7723-14-0	E440	660 mg/kg	94.7	70.0	130	----
QC-1626356-003	MRCA-21	Potassium	7440-09-7	E440	10800 mg/kg	100	70.0	130	----
QC-1626356-003	MRCA-21	Selenium	7782-49-2	E440	1.04 mg/kg	106	60.0	140	----
QC-1626356-003	MRCA-21	Silver	7440-22-4	E440	8.98 mg/kg	105	70.0	130	----
QC-1626356-003	MRCA-21	Sodium	7440-23-5	E440	1770 mg/kg	114	70.0	130	----
QC-1626356-003	MRCA-21	Strontium	7440-24-6	E440	41 mg/kg	110	70.0	130	----
QC-1626356-003	MRCA-21	Sulfur	7704-34-9	E440	3940 mg/kg	80.0	50.0	150	----
QC-1626356-003	MRCA-21	Thallium	7440-28-0	E440	0.907 mg/kg	96.6	70.0	130	----
QC-1626356-003	MRCA-21	Tin	7440-31-5	E440	3.79 mg/kg	107	40.0	160	----
QC-1626356-003	MRCA-21	Titanium	7440-32-6	E440	2790 mg/kg	102	70.0	130	----
QC-1626356-003	MRCA-21	Tungsten	7440-33-7	E440	6.99 mg/kg	113	70.0	130	----
QC-1626356-003	MRCA-21	Uranium	7440-61-1	E440	3.97 mg/kg	90.5	70.0	130	----
QC-1626356-003	MRCA-21	Vanadium	7440-62-2	E440	66.2 mg/kg	101	70.0	130	----

Page : 12 of 12  
 Work Order : VA24C2276  
 Client : Reworld Renewable Burnaby, ULC  
 Project : Weekly Bottom Ash - Suite



Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
<b>Metals (QCLot: 1626356) - continued</b>									
QC-1626356-003	MRCA-21	Zinc	7440-66-6	E440	828 mg/kg	105	70.0	130	----
QC-1626356-003	MRCA-21	Zirconium	7440-67-7	E440	6.91 mg/kg	125	70.0	130	----





<b>Report To</b>		<b>Report Format / Distribution</b>		<b>Service Requested</b> (Rush for routine analysis subject to availability)		
Company:	Covanta Energy	<input type="checkbox"/> Standard	<input type="checkbox"/> Other	<input checked="" type="radio"/> Regular (Standard Turnaround Times - Business Days)		
Contact:	Nicole Victor / Dan Skrypnik	<input checked="" type="checkbox"/> PDF	<input type="checkbox"/> Excel	<input type="checkbox"/> Digital	<input type="checkbox"/> Fax	
Address:	5150 Riverbend Drive Burnaby BC	Email 1:	nvictor@covanta.com		<input type="radio"/> Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT	
Phone:	604-521-1025	Email 2:	rminchin@covanta.com		<input type="radio"/> Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT	
	<input type="checkbox"/> Yes <input type="checkbox"/> No	Email 3:	dskrypnik@covanta.com		<input type="radio"/> Same Day or Weekend Emergency - Contact ALS to Confirm TAT	
			brent.kirkpatrick@metrovancover.org		<b>Analysis Request</b>	
			Sarah.Wellman@metrovancover.org			

<b>Invoice To</b> Same as Report ?		<b>Client / Project Information</b>		Please indicate below Filtered, Preserved or both (F, P, F/P)							
Hardcopy of Invoice with Report?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Job #:									
Company:		PO / AFE:	PO# 4623 Weekly Bottom Ash - Suite								
Contact:		LSD:	(includes 2:1 pH)								
Address:		Quote #:									
Phone:											

Lab Work Order # (lab use only)		C2276		ALS Contact:	Sampler:							Number of Containers
Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR-FULL-VA (all metals)				
	BA2434-A-1	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-2	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-3	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-4	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-5	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-6	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-7	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-8	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-9	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-10	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-11	21-Aug-24	9:00	Soil	X	X		X				1
	BA2434-A-12	21-Aug-24	9:00	Soil	X	X		X				1

Environmental Division  
 Vancouver  
 Work Order Reference  
**VA24C2276**

Telephone : + 1 604 253 4188

Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.  
 By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.  
 Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

SHIPMENT RELEASE (client use)			SHIPMENT RECEPTION (lab use only)				SHIPMENT VERIFICATION (lab use only)			
Released by:	Date (dd-mmm-yy)	Time (hh-mm)	Received by:	Date:	Time:	Temperature:	Verified by:	Date:	Time:	Observations:
<i>[Signature]</i>	27-Aug-24	0820	no 14976	AUG 28 2024	1345	21 °C				Yes / No ? If Yes add SIF