

Bottom Ash Data

2023 Week 36

The following analytical report represents bottom ash composite results for week 36 of 2023 (September 3, 2023 to September 9, 2023).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



CERTIFICATE OF ANALYSIS

<p>Work Order : VA23C1587</p> <p>Client : Covanta Burnaby Renewable Energy, ULC</p> <p>Contact : Nicole Victor</p> <p>Address : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p>Telephone : ----</p> <p>Project : Weekly Bottom Ash - Suite</p> <p>PO : VANCO0000051998</p> <p>C-O-C number : ----</p> <p>Sampler : ----</p> <p>Site : ----</p> <p>Quote number : Standing Offer (BC work)</p> <p>No. of samples received : 12</p> <p>No. of samples analysed : 12</p>	<p>Page : 1 of 11</p> <p>Laboratory : ALS Environmental - Vancouver</p> <p>Account Manager : Ian Chen</p> <p>Address : 8081 Lougheed Highway Burnaby BC Canada V5A 1W9</p> <p>Telephone : +1 604 253 4188</p> <p>Date Samples Received : 12-Sep-2023 12:15</p> <p>Date Analysis Commenced : 14-Sep-2023</p> <p>Issue Date : 19-Sep-2023 08:36</p>
---	---

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Janice Leung	Supervisor - Organics Instrumentation	Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Sam Silveira	Lab Assistant	Metals, Burnaby, British Columbia
Tony Nguyen	Analyst	Metals, Burnaby, British Columbia



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
%	percent
mg/kg	milligrams per kilogram
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.



Analytical Results

Sub-Matrix: Soil/Solid					Client sample ID				
(Matrix: Soil/Solid)					BA2336-A-1	BA2336-A-2	BA2336-A-3	BA2336-A-4	BA2336-A-5
Client sampling date / time					06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23C1587-001	VA23C1587-002	VA23C1587-003	VA23C1587-004	VA23C1587-005
					Result	Result	Result	Result	Result
Physical Tests									
Moisture	----	E144/VA	0.25	%	23.9	25.2	24.2	24.1	24.0
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	11.3	11.3	11.2	11.2	11.3
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	36200	30000	31900	31000	26500
Antimony	7440-36-0	E440/VA	0.10	mg/kg	111	120	123	123	113
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	19.3	21.1	21.9	24.9	23.6
Barium	7440-39-3	E440/VA	0.50	mg/kg	656	465	422	403	437
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.30	0.32	0.40	0.35	0.30
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	6.32	9.17	6.70	7.10	7.91
Boron	7440-42-8	E440/VA	5.0	mg/kg	230	184	148	324	166
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	9.32	13.0	11.4	10.4	13.6
Calcium	7440-70-2	E440/VA	50	mg/kg	128000	122000	130000	145000	137000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	148	133	184	182	201
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	44.4	147	41.7	501	66.5
Copper	7440-50-8	E440/VA	0.50	mg/kg	2780	2550	9900	5380	1710
Iron	7439-89-6	E440/VA	50	mg/kg	76600	56900	40200	56700	62200
Lead	7439-92-1	E440/VA	0.50	mg/kg	577	332	392	791	1050
Lithium	7439-93-2	E440/VA	2.0	mg/kg	22.6	25.6	22.6	48.8	25.5
Magnesium	7439-95-4	E440/VA	20	mg/kg	10600	11200	10900	12300	10500
Manganese	7439-96-5	E440/VA	1.0	mg/kg	803	892	2420	3780	768
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	17.6	17.2	19.6	21.4	21.6
Nickel	7440-02-0	E440/VA	0.50	mg/kg	133	109	125	135	276
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9210	8720	11300	11600	12600
Potassium	7440-09-7	E440/VA	100	mg/kg	5220	5220	5930	5920	5210
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.42	0.32	0.32	0.35	0.24
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.07	3.47	4.37	4.48	7.66
Sodium	7440-23-5	E440/VA	50	mg/kg	14700	16000	15800	16800	16100
Strontium	7440-24-6	E440/VA	0.50	mg/kg	293	301	304	344	304



Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2336-A-1	BA2336-A-2	BA2336-A-3	BA2336-A-4	BA2336-A-5
Client sampling date / time					06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23C1587-001	VA23C1587-002	VA23C1587-003	VA23C1587-004	VA23C1587-005
					Result	Result	Result	Result	Result
Metals									
Sulfur	7704-34-9	E440/VA	1000	mg/kg	11200	11000	13200	13100	12100
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	0.100	<0.050	<0.050	<0.050
Tin	7440-31-5	E440/VA	2.0	mg/kg	440	558	91.4	196	137
Titanium	7440-32-6	E440/VA	1.0	mg/kg	278	232	199	242	152
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	5.00	5.88	5.82	7.27	5.14
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.82	3.00	3.28	3.20	3.17
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	43.1	39.2	39.3	42.5	39.8
Zinc	7440-66-6	E440/VA	2.0	mg/kg	4940	8200	5280	5380	3930
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	2.3	2.3	4.4	2.9	4.1
TCLP Metals									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.8	11.8	11.9	11.8	11.8
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.12	8.20	8.36	8.32	8.16
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.93	2.93	2.93	2.93	2.93
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.42	6.56	6.29	6.35	7.00
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.17	2.04	2.07	2.02	1.82
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.136	0.206	0.200	0.173	0.109
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	2130	2010	2100	2000	1780
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.823	1.35	1.79	1.08	0.372
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.25	1.14	1.17	1.49	0.955
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	0.44	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	111	118	116	116	92.9
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.35	0.36	0.39	0.44	<0.25
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: Soil/Solid

(Matrix: Soil/Solid)

					Client sample ID	BA2336-A-1	BA2336-A-2	BA2336-A-3	BA2336-A-4	BA2336-A-5
					Client sampling date / time	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23C1587-001	VA23C1587-002	VA23C1587-003	VA23C1587-004	VA23C1587-005	
					Result	Result	Result	Result	Result	
TCLP Metals										
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	23.8	16.2	35.8	24.3	7.02	
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2336-A-6	BA2336-A-7	BA2336-A-8	BA2336-A-9	BA2336-A-10
Client sampling date / time					06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23C1587-006	VA23C1587-007	VA23C1587-008	VA23C1587-009	VA23C1587-010
					Result	Result	Result	Result	Result
Physical Tests									
Moisture	---	E144/VA	0.25	%	21.8	22.9	25.1	25.7	24.2
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	11.3	11.3	11.3	11.1	11.4
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	39100	33400	28800	37800	30300
Antimony	7440-36-0	E440/VA	0.10	mg/kg	118	120	130	97.6	100
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	22.7	23.7	23.0	21.1	21.6
Barium	7440-39-3	E440/VA	0.50	mg/kg	456	496	426	688	447
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.36	0.42	0.34	0.36	0.40
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	6.52	7.03	7.02	5.17	5.77
Boron	7440-42-8	E440/VA	5.0	mg/kg	191	163	165	209	179
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	11.2	10.8	11.8	10.6	14.7
Calcium	7440-70-2	E440/VA	50	mg/kg	148000	150000	140000	136000	138000
Chromium	7440-47-3	E440/VA	0.50	mg/kg	162	147	148	233	203
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	191	62.9	110	54.0	51.2
Copper	7440-50-8	E440/VA	0.50	mg/kg	3260	1990	3860	3810	2260
Iron	7439-89-6	E440/VA	50	mg/kg	41800	45300	46100	46600	50300
Lead	7439-92-1	E440/VA	0.50	mg/kg	390	394	356	1040	341
Lithium	7439-93-2	E440/VA	2.0	mg/kg	34.0	29.2	27.6	25.7	24.0
Magnesium	7439-95-4	E440/VA	20	mg/kg	11400	11600	11100	9880	11100
Manganese	7439-96-5	E440/VA	1.0	mg/kg	725	918	710	1010	733
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	21.4	18.5	19.4	14.7	15.7
Nickel	7440-02-0	E440/VA	0.50	mg/kg	114	169	242	134	307
Phosphorus	7723-14-0	E440/VA	50	mg/kg	11000	10400	9840	9860	10100
Potassium	7440-09-7	E440/VA	100	mg/kg	5610	5520	5490	5220	5400
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.32	0.40	0.41	0.27	0.27
Silver	7440-22-4	E440/VA	0.10	mg/kg	4.55	6.47	3.82	5.97	3.32
Sodium	7440-23-5	E440/VA	50	mg/kg	17100	16300	16600	14600	16000
Strontium	7440-24-6	E440/VA	0.50	mg/kg	311	332	330	282	314
Sulfur	7704-34-9	E440/VA	1000	mg/kg	13300	13100	15500	10700	11900



Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2336-A-6	BA2336-A-7	BA2336-A-8	BA2336-A-9	BA2336-A-10
Client sampling date / time					06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23C1587-006	VA23C1587-007	VA23C1587-008	VA23C1587-009	VA23C1587-010
					Result	Result	Result	Result	Result
Metals									
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050
Tin	7440-31-5	E440/VA	2.0	mg/kg	99.0	101	128	129	101
Titanium	7440-32-6	E440/VA	1.0	mg/kg	292	246	278	360	211
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	6.68	6.17	5.78	11.6	8.17
Uranium	7440-61-1	E440/VA	0.050	mg/kg	3.18	2.99	3.09	2.76	3.01
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	39.4	38.2	69.8	38.4	39.1
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3170	3330	3730	4930	5220
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	4.4	2.9	2.1	2.7	3.2
TCLP Metals									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.8	11.9	11.8	11.8	11.9
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.30	8.47	8.22	8.02	8.32
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.93	2.93	2.93	2.93	2.93
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.55	6.49	7.37	7.19	6.62
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	2.10	2.11	1.78	1.94	2.09
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.967	0.136	<0.050	0.177	0.297
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1980	2040	1780	1760	1970
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.923	1.17	0.398	0.670	0.795
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.09	1.24	0.980	1.03	1.28
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	107	114	91.9	94.1	112
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.40	0.38	<0.25	0.29	0.33
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050



Analytical Results

Sub-Matrix: Soil/Solid

(Matrix: Soil/Solid)

					Client sample ID	BA2336-A-6	BA2336-A-7	BA2336-A-8	BA2336-A-9	BA2336-A-10
					Client sampling date / time	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00	06-Sep-2023 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23C1587-006	VA23C1587-007	VA23C1587-008	VA23C1587-009	VA23C1587-010	
					Result	Result	Result	Result	Result	
TCLP Metals										
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	15.9	28.1	<0.50	3.45	13.7	13.7
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



Analytical Results

Sub-Matrix: Soil/Solid

Client sample ID

(Matrix: Soil/Solid)

					BA2336-A-11	BA2336-A-12	----	----	----
					06-Sep-2023 09:00	06-Sep-2023 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23C1587-011	VA23C1587-012	-----	-----	-----
					Result	Result	----	----	----
Physical Tests									
Moisture	---	E144/VA	0.25	%	25.2	25.5	----	----	----
pH (1:2 soil:water)	---	E108/VA	0.10	pH units	11.3	11.3	----	----	----
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	29900	34400	----	----	----
Antimony	7440-36-0	E440/VA	0.10	mg/kg	103	119	----	----	----
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	19.8	20.7	----	----	----
Barium	7440-39-3	E440/VA	0.50	mg/kg	447	475	----	----	----
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.42	0.30	----	----	----
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	5.85	8.32	----	----	----
Boron	7440-42-8	E440/VA	5.0	mg/kg	149	179	----	----	----
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	9.83	11.4	----	----	----
Calcium	7440-70-2	E440/VA	50	mg/kg	131000	134000	----	----	----
Chromium	7440-47-3	E440/VA	0.50	mg/kg	190	159	----	----	----
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	40.6	54.7	----	----	----
Copper	7440-50-8	E440/VA	0.50	mg/kg	4230	3000	----	----	----
Iron	7439-89-6	E440/VA	50	mg/kg	66700	63300	----	----	----
Lead	7439-92-1	E440/VA	0.50	mg/kg	312	1910	----	----	----
Lithium	7439-93-2	E440/VA	2.0	mg/kg	22.0	23.4	----	----	----
Magnesium	7439-95-4	E440/VA	20	mg/kg	11700	9620	----	----	----
Manganese	7439-96-5	E440/VA	1.0	mg/kg	821	979	----	----	----
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	----	----	----
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	28.8	18.7	----	----	----
Nickel	7440-02-0	E440/VA	0.50	mg/kg	203	371	----	----	----
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9640	11600	----	----	----
Potassium	7440-09-7	E440/VA	100	mg/kg	5130	5280	----	----	----
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.30	0.32	----	----	----
Silver	7440-22-4	E440/VA	0.10	mg/kg	5.07	3.90	----	----	----
Sodium	7440-23-5	E440/VA	50	mg/kg	15500	15400	----	----	----
Strontium	7440-24-6	E440/VA	0.50	mg/kg	292	292	----	----	----
Sulfur	7704-34-9	E440/VA	1000	mg/kg	11200	11000	----	----	----



Analytical Results

Sub-Matrix: Soil/Solid					Client sample ID				
(Matrix: Soil/Solid)					BA2336-A-11	BA2336-A-12	----	----	----
Client sampling date / time					06-Sep-2023 09:00	06-Sep-2023 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23C1587-011	VA23C1587-012	-----	-----	-----
					Result	Result	---	---	---
Metals									
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	---	---	---
Tin	7440-31-5	E440/VA	2.0	mg/kg	94.8	184	---	---	---
Titanium	7440-32-6	E440/VA	1.0	mg/kg	238	248	---	---	---
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	10.5	5.21	---	---	---
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.91	2.72	---	---	---
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	39.6	40.9	---	---	---
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3090	2750	---	---	---
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	3.4	3.4	---	---	---
TCLP Metals									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.8	11.8	---	---	---
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.18	8.44	---	---	---
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.93	2.93	---	---	---
pH, TCLP final	----	EPP444/VA	0.010	pH units	7.69	7.44	---	---	---
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	---	---	---
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	---	---	---
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	---	---	---
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	---	---	---
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.74	1.77	---	---	---
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	<0.050	<0.050	---	---	---
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1760	1750	---	---	---
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	---	---	---
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.220	0.372	---	---	---
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	0.954	0.980	---	---	---
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	---	---	---
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	---	---	---
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	91.7	91.1	---	---	---
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	---	---	---
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	---	---	---
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	---	---	---
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	---	---	---



Analytical Results

Sub-Matrix: Soil/Solid					Client sample ID		BA2336-A-11	BA2336-A-12	----	----	----
(Matrix: Soil/Solid)					Client sampling date / time		06-Sep-2023 09:00	06-Sep-2023 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23C1587-011	VA23C1587-012	-----	-----	-----	-----	-----
TCLP Metals					Result	Result	---	---	---	---	---
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	---	---	---	---	---
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	---	---	---	---	---
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	---	---	---	---	---
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	<0.50	0.56	---	---	---	---	---
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	---	---	---	---	---

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

<p>Work Order : VA23C1587</p> <p>Client : Covanta Burnaby Renewable Energy, ULC</p> <p>Contact : Nicole Victor</p> <p>Address : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p>Telephone : ----</p> <p>Project : Weekly Bottom Ash - Suite</p> <p>PO : VANCO0000051998</p> <p>C-O-C number : ----</p> <p>Sampler : ----</p> <p>Site : ----</p> <p>Quote number : Standing Offer (BC work)</p> <p>No. of samples received : 12</p> <p>No. of samples analysed : 12</p>	<p>Page : 1 of 15</p> <p>Laboratory : ALS Environmental - Vancouver</p> <p>Account Manager : Ian Chen</p> <p>Address : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p>Telephone : +1 604 253 4188</p> <p>Date Samples Received : 12-Sep-2023 12:15</p> <p>Issue Date : 19-Sep-2023 08:36</p>
---	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: **Soil/Solid**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-1	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-10	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-11	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-12	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-2	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-3	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-4	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-5	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-6	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-7	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-8	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Mercury in Soil/Solid by CVAAS											
LDPE bag BA2336-A-9	E510	06-Sep-2023	16-Sep-2023	28 days	10 days	✔	18-Sep-2023	28 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-1	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-10	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-11	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-12	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-2	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-3	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-4	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-5	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-6	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-7	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-8	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2336-A-9	E440	06-Sep-2023	16-Sep-2023	180 days	10 days	✔	19-Sep-2023	180 days	13 days	✔	
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2336-A-1	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days		



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2336-A-10	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2336-A-11	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2336-A-12	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2336-A-2	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2336-A-3	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2336-A-4	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2336-A-5	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2336-A-6	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2336-A-7	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2336-A-8	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days		
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2336-A-9	E144	06-Sep-2023	----	----	----		15-Sep-2023	----	9 days		
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-1	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-10	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-11	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-12	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-2	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-3	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-4	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-5	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-6	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-7	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-8	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2336-A-9	E108	06-Sep-2023	16-Sep-2023	30 days	10 days	✔	18-Sep-2023	30 days	12 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-1	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-10	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-11	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-12	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-2	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-3	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-4	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-5	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-6	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-7	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-8	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Mercury by CVAAS (TCLP)											
Glass vial - total (lab preserved) BA2336-A-9	E512	14-Sep-2023	16-Sep-2023	37 days	10 days	✔	16-Sep-2023	37 days	10 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-1	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-10	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-11	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-12	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-2	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-3	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-4	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-5	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-6	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-7	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-8	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2336-A-9	E444	14-Sep-2023	16-Sep-2023	189 days	10 days	✔	17-Sep-2023	189 days	11 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-1	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-10	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-11	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-12	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-2	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-3	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-4	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔	



Matrix: **Soil/Solid**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-5	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-6	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-7	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-8	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2336-A-9	EPP444	06-Sep-2023	14-Sep-2023	----	----		----	28 days	9 days	✔

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
			QC	Regular	Actual	Expected	Evaluation
Analytical Methods							
Laboratory Duplicates (DUP)							
Mercury in Soil/Solid by CVAAS	E510	1137158	1	13	7.6	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1137157	1	13	7.6	5.0	✔
Moisture Content by Gravimetry	E144	1137160	1	13	7.6	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1137159	1	13	7.6	5.0	✔
Laboratory Control Samples (LCS)							
Mercury in Soil/Solid by CVAAS	E510	1137158	2	13	15.3	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1137157	2	13	15.3	10.0	✔
Moisture Content by Gravimetry	E144	1137160	1	13	7.6	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1137159	1	13	7.6	5.0	✔
Method Blanks (MB)							
Mercury by CVAAS (TCLP)	E512	1137314	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1137158	1	13	7.6	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1137315	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1137157	1	13	7.6	5.0	✔
Moisture Content by Gravimetry	E144	1137160	1	13	7.6	5.0	✔
Matrix Spikes (MS)							
Mercury by CVAAS (TCLP)	E512	1137314	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1137315	1	12	8.3	5.0	✔



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally $20 \pm 5^{\circ}\text{C}$), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at 105°C . Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl . Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines. Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl , followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Digestion for Metals and Mercury	EP440 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO ₃ and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.

QUALITY CONTROL REPORT

Work Order	: VA23C1587	Page	: 1 of 11
Client	: Covanta Burnaby Renewable Energy, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Ian Chen
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	:	Telephone	: +1 604 253 4188
Project	: Weekly Bottom Ash - Suite	Date Samples Received	: 12-Sep-2023 12:15
PO	: VANCO0000051998	Date Analysis Commenced	: 14-Sep-2023
C-O-C number	: ----	Issue Date	: 19-Sep-2023 08:36
Sampler	: ----		
Site	: ----		
Quote number	: Standing Offer (BC work)		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Janice Leung	Supervisor - Organics Instrumentation	Vancouver Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Sam Silveira	Lab Assistant	Vancouver Metals, Burnaby, British Columbia
Tony Nguyen	Analyst	Vancouver Metals, Burnaby, British Columbia



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Soil/Solid

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1137159)											
VA23C1475-015	Anonymous	pH (1:2 soil:water)	----	E108	0.10	pH units	6.00	5.95	0.8%	5%	----
Physical Tests (QC Lot: 1137160)											
VA23C1475-015	Anonymous	Moisture	----	E144	0.25	%	17.5	17.3	1.08%	20%	----
Metals (QC Lot: 1137157)											
VA23C1475-015	Anonymous	Aluminum	7429-90-5	E440	50	mg/kg	24400	24800	1.45%	40%	----
		Antimony	7440-36-0	E440	0.10	mg/kg	0.72	0.77	5.94%	30%	----
		Arsenic	7440-38-2	E440	0.10	mg/kg	10.4	10.7	3.11%	30%	----
		Barium	7440-39-3	E440	0.50	mg/kg	72.5	79.4	9.10%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	0.54	0.56	0.02	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	<0.20	<0.20	0	Diff <2x LOR	----
		Boron	7440-42-8	E440	5.0	mg/kg	<5.0	5.0	0.04	Diff <2x LOR	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	0.197	0.208	5.34%	30%	----
		Calcium	7440-70-2	E440	50	mg/kg	5810	5740	1.17%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	50.0	51.2	2.23%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	15.1	15.3	1.51%	30%	----
		Copper	7440-50-8	E440	0.50	mg/kg	49.0	48.6	0.949%	30%	----
		Iron	7439-89-6	E440	50	mg/kg	35200	35600	0.910%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	11.9	12.3	3.16%	40%	----
		Lithium	7439-93-2	E440	2.0	mg/kg	28.1	28.3	0.509%	30%	----
		Magnesium	7439-95-4	E440	20	mg/kg	10400	10400	0.214%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	434	463	6.38%	30%	----
		Molybdenum	7439-98-7	E440	0.10	mg/kg	5.06	5.25	3.55%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	43.7	44.3	1.36%	30%	----
		Phosphorus	7723-14-0	E440	50	mg/kg	867	831	4.16%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	2500	2540	1.66%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	0.51	0.49	0.03	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	<0.10	<0.10	0	Diff <2x LOR	----
		Sodium	7440-23-5	E440	50	mg/kg	546	562	2.84%	40%	----
		Strontium	7440-24-6	E440	0.50	mg/kg	51.8	52.8	1.90%	40%	----
		Sulfur	7704-34-9	E440	1000	mg/kg	<1000	<1000	0	Diff <2x LOR	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Metals (QC Lot: 1137157) - continued											
VA23C1475-015	Anonymous	Thallium	7440-28-0	E440	0.050	mg/kg	0.123	0.122	0.001	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	<2.0	<2.0	0	Diff <2x LOR	----
		Titanium	7440-32-6	E440	1.0	mg/kg	1100	1100	0.667%	40%	----
		Tungsten	7440-33-7	E440	0.50	mg/kg	<0.50	<0.50	0	Diff <2x LOR	----
		Uranium	7440-61-1	E440	0.050	mg/kg	5.63	5.61	0.456%	30%	----
		Vanadium	7440-62-2	E440	0.20	mg/kg	72.2	73.3	1.51%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	84.3	88.0	4.30%	30%	----
		Zirconium	7440-67-7	E440	1.0	mg/kg	2.8	2.7	0.04	Diff <2x LOR	----
Metals (QC Lot: 1137158)											
VA23C1475-015	Anonymous	Mercury	7439-97-6	E510	0.0050	mg/kg	0.0532	0.0562	5.49%	40%	----



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1137160)						
Moisture	---	E144	0.25	%	<0.25	---
Metals (QCLot: 1137157)						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	---
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---
Tin	7440-31-5	E440	2	mg/kg	<2.0	---
Titanium	7440-32-6	E440	1	mg/kg	<1.0	---
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	---



Sub-Matrix: **Soil/Solid**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Metals (QCLot: 1137157) - continued						
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
Metals (QCLot: 1137158)						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	----
TCLP Metals (QCLot: 1137314)						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----
TCLP Metals (QCLot: 1137315)						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1137159)									
pH (1:2 soil:water)	----	E108	----	pH units	6 pH units	100	95.0	105	----
Physical Tests (QCLot: 1137160)									
Moisture	----	E144	0.25	%	50 %	100	90.0	110	----
Metals (QCLot: 1137157)									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	97.4	80.0	120	----
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	101	80.0	120	----
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	97.8	80.0	120	----
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	106	80.0	120	----
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	96.9	80.0	120	----
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	94.5	80.0	120	----
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	88.8	80.0	120	----
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	101	80.0	120	----
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	95.0	80.0	120	----
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	96.8	80.0	120	----
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	94.5	80.0	120	----
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	92.3	80.0	120	----
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	108	80.0	120	----
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	97.7	80.0	120	----
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	92.1	80.0	120	----
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	103	80.0	120	----
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	97.3	80.0	120	----
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	98.0	80.0	120	----
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	95.3	80.0	120	----
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	104	80.0	120	----
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	97.7	80.0	120	----
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	94.8	80.0	120	----
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	90.7	80.0	120	----
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	98.1	80.0	120	----
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	100	80.0	120	----
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	99.5	80.0	120	----
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	96.4	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	99.0	80.0	120	----



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Metals (QCLot: 1137157) - continued									
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	91.8	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	89.5	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	92.3	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	99.6	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	91.4	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	102	80.0	120	----
Metals (QCLot: 1137158)									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	107	80.0	120	----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Soil/Solid

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
TCLP Metals (QCLot: 1137314)										
VA23C1587-001	BA2336-A-1	Mercury, TCLP	7439-97-6	E512	0.0009 mg/L	0.001 mg/L	94.8	50.0	140	----
TCLP Metals (QCLot: 1137315)										
VA23C1587-001	BA2336-A-1	Antimony, TCLP	7440-36-0	E444	4.18 mg/L	5 mg/L	83.7	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	4.4 mg/L	5 mg/L	89.0	50.0	140	----
		Barium, TCLP	7440-39-3	E444	11.5 mg/L	12.5 mg/L	92.1	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.212 mg/L	0.25 mg/L	84.8	50.0	140	----
		Boron, TCLP	7440-42-8	E444	8.72 mg/L	10 mg/L	87.2	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.204 mg/L	0.25 mg/L	81.7	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	250 mg/L	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.06 mg/L	1.25 mg/L	85.2	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	ND mg/L	0.25 mg/L	ND	50.0	140	----
		Copper, TCLP	7440-50-8	E444	1.96 mg/L	2.5 mg/L	78.6	50.0	140	----
		Iron, TCLP	7439-89-6	E444	205 mg/L	250 mg/L	81.9	50.0	140	----
		Lead, TCLP	7439-92-1	E444	7.72 mg/L	10 mg/L	77.2	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	241 mg/L	250 mg/L	96.2	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.05 mg/L	2.5 mg/L	81.9	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	4.19 mg/L	5 mg/L	83.9	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.068 mg/L	0.1 mg/L	67.7	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	3.8 mg/L	5 mg/L	76.0	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	3.68 mg/L	5 mg/L	73.6	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.64 mg/L	0.75 mg/L	85.9	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	ND mg/L	10 mg/L	ND	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.8 mg/L	1 mg/L	76.0	50.0	150	----



Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1137157)									
	SCP SS-2	Aluminum	7429-90-5	E440	9817 mg/kg	109	70.0	130	----
	SCP SS-2	Antimony	7440-36-0	E440	3.99 mg/kg	108	70.0	130	----
	SCP SS-2	Arsenic	7440-38-2	E440	3.73 mg/kg	102	70.0	130	----
	SCP SS-2	Barium	7440-39-3	E440	105 mg/kg	112	70.0	130	----
	SCP SS-2	Beryllium	7440-41-7	E440	0.349 mg/kg	119	70.0	130	----
	SCP SS-2	Boron	7440-42-8	E440	8.5 mg/kg	136	40.0	160	----
	SCP SS-2	Cadmium	7440-43-9	E440	0.91 mg/kg	99.7	70.0	130	----
	SCP SS-2	Calcium	7440-70-2	E440	31082 mg/kg	107	70.0	130	----
	SCP SS-2	Chromium	7440-47-3	E440	101 mg/kg	111	70.0	130	----
	SCP SS-2	Cobalt	7440-48-4	E440	6.9 mg/kg	101	70.0	130	----
	SCP SS-2	Copper	7440-50-8	E440	123 mg/kg	94.3	70.0	130	----
	SCP SS-2	Iron	7439-89-6	E440	23558 mg/kg	102	70.0	130	----
	SCP SS-2	Lead	7439-92-1	E440	267 mg/kg	101	70.0	130	----
	SCP SS-2	Lithium	7439-93-2	E440	9.5 mg/kg	112	70.0	130	----
	SCP SS-2	Magnesium	7439-95-4	E440	5509 mg/kg	106	70.0	130	----
	SCP SS-2	Manganese	7439-96-5	E440	269 mg/kg	107	70.0	130	----
	SCP SS-2	Molybdenum	7439-98-7	E440	1.03 mg/kg	111	70.0	130	----
	SCP SS-2	Nickel	7440-02-0	E440	26.7 mg/kg	101	70.0	130	----
	SCP SS-2	Phosphorus	7723-14-0	E440	752 mg/kg	97.6	70.0	130	----
	SCP SS-2	Potassium	7440-09-7	E440	1587 mg/kg	118	70.0	130	----
	SCP SS-2	Sodium	7440-23-5	E440	797 mg/kg	106	70.0	130	----
	SCP SS-2	Strontium	7440-24-6	E440	86.1 mg/kg	101	70.0	130	----
	SCP SS-2	Thallium	7440-28-0	E440	0.0786 mg/kg	97.6	40.0	160	----
	SCP SS-2	Tin	7440-31-5	E440	10.6 mg/kg	97.3	70.0	130	----
	SCP SS-2	Titanium	7440-32-6	E440	839 mg/kg	123	70.0	130	----
	SCP SS-2	Uranium	7440-61-1	E440	0.52 mg/kg	98.1	70.0	130	----
	SCP SS-2	Vanadium	7440-62-2	E440	32.7 mg/kg	108	70.0	130	----

Page : 11 of 11
 Work Order : VA23C1587
 Client : Covanta Burnaby Renewable Energy, ULC
 Project : Weekly Bottom Ash - Suite



Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1137157) - continued									
	SCP SS-2	Zinc	7440-66-6	E440	297 mg/kg	95.1	70.0	130	----
	SCP SS-2	Zirconium	7440-67-7	E440	5.73 mg/kg	114	70.0	130	----
Metals (QCLot: 1137158)									
	SCP SS-2	Mercury	7439-97-6	E510	0.059 mg/kg	109	70.0	130	----



Report To		Report Format / Distribution			Service Requested (Rush for routine analysis subject to availability)						
Company:	Covanta Energy	<input type="checkbox"/> Standard <input type="checkbox"/> Other <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Digital <input type="checkbox"/> Fax			<input checked="" type="radio"/> Regular (Standard Turnaround Times - Business Days) <input type="radio"/> Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT <input type="radio"/> Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT <input type="radio"/> Same Day or Weekend Emergency - Contact ALS to Confirm TAT						
Contact:	Nicole Victor / Dan Skrypnik	Email 1:	nvictor@covanta.com								
Address:	5150 Riverbend Drive Burnaby BC	Email 2:	ofetherstonhaugh@covanta.com								
Phone:	604-521-1025	Fax:									
					Analysis Request						
					<input type="checkbox"/> Yes <input type="checkbox"/> No Email: brent.kirkpatrick@metrovancover.org Sarah.Wellman@metrovancover.org						

Invoice To Same as Report ?		Client / Project Information			Please indicate below Filtered, Preserved or both (F, P, F/P)					
Hardcopy of Invoice with Report? <input type="checkbox"/> Yes <input type="checkbox"/> No		Job #:								
Company:		PO / AFE: PO# 46693 Weekly Bottom Ash - Suite								
Contact:		LSD: (includes 2:1 pH)								
Address:		Quote #:								
Phone:										

Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR-FULL-VA (all metals)	Number of Containers		
BA2336-A-1		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-2		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-3		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-4		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-5		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-6		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-7		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-8		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-9		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-10		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-11		06-Sep-23	9:00	Soil	X	X		X			1
BA2336-A-12		06-Sep-23	9:00	Soil	X	X		X			1

Environmental Division
 Vancouver
 Work Order Reference
VA23C1587



Telephone : +1 604 253 4188

Special Instructions: _____ water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.
 By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.
 Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

SHIPMENT RELEASE (client use)			SHIPMENT RECEPTION (lab use only)				SHIPMENT VERIFICATION (lab use only)			
Released by:	Date (dd-mmm-yy)	Time (hh-mm)	Received by:	Date:	Time:	Temperature:	Verified by:	Date:	Time:	Observations: Yes / No ? If Yes add SIF
	12-Sep-23	0800	MG	09/12	12:15	18 °C	Ab			