

Bottom Ash Data

2024 Week 39

The following analytical report represents bottom ash composite results for week 39 of 2024 (September 22, 2024 to September 28, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.



CERTIFICATE OF ANALYSIS

Work Order	: VA24C6245		
Client	: Reworld Renewable Burnaby, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Gulraj Dhanaua
Address	: 5150 Riverbend Drive Burnaby British Columbia Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby BC Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: PO#46693 Weekly Bottom Ash-Suite	Date Samples Received	: 02-Oct-2024 13:00
PO	: ----	Date Analysis Commenced	: 10-Oct-2024
C-O-C number	: ----	Issue Date	: 11-Oct-2024 22:30
Sampler	: ----		
Site	: includes 2:1 PH		
Quote number	: Covanta Burnaby Standing Offer 2024		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Lindsay Gung	Supervisor - Water Chemistry	Organics, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Metals, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
mg/kg	milligrams per kilogram
%	percent
pH units	pH units
mg/L	milligrams per litre

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

<i>Qualifier</i>	<i>Description</i>
FR4	As per applicable reference method(s), soil:water ratio for Fixed Ratio Leach was modified to 1:4 due to high soil organic content.

Work Order : VA24C6245
Client : Reworld Renewable Burnaby, ULC
Project : PO#46693 Weekly Bottom Ash-Suite





Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2439 - A-1	BA2439 - A-2	BA2439 - A-3	BA2439 - A-4	BA2439 - A-5
Client sampling date / time					25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-001	VA24C6245-002	VA24C6245-003	VA24C6245-004	VA24C6245-005	
					Result	Result	Result	Result	Result	
Physical Tests										
Moisture	----	E144/VA	0.25	%	27.2	28.3	28.3	29.2	27.5	
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	10.8	10.8	10.8	10.8	10.8	
Metals										
Aluminum	7429-90-5	E440/VA	50	mg/kg	53600	34300	34000	37700	44900	
Antimony	7440-36-0	E440/VA	0.10	mg/kg	86.2	96.9	98.1	96.7	93.0	
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	30.2	40.8	35.6	39.5	41.7	
Barium	7440-39-3	E440/VA	0.50	mg/kg	655	516	452	524	513	
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.32	0.36	0.31	0.38	0.37	
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	15.9	7.63	10.8	6.97	12.9	
Boron	7440-42-8	E440/VA	5.0	mg/kg	170	190	146	147	155	
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	10.6	11.0	41.1	52.6	12.4	
Calcium	7440-70-2	E440/VA	50	mg/kg	126000	140000	127000	140000	140000	
Chromium	7440-47-3	E440/VA	0.50	mg/kg	199	158	161	155	208	
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	67.1	191	43.2	107	149	
Copper	7440-50-8	E440/VA	0.50	mg/kg	2610	2010	3600	2620	4240	
Iron	7439-89-6	E440/VA	50	mg/kg	85700	52700	52500	56600	66100	
Lead	7439-92-1	E440/VA	0.50	mg/kg	470	422	672	5250	435	
Lithium	7439-93-2	E440/VA	2.0	mg/kg	40.1	77.7	25.1	33.8	35.1	
Magnesium	7439-95-4	E440/VA	20	mg/kg	10300	12200	11200	12900	12800	
Manganese	7439-96-5	E440/VA	1.0	mg/kg	1860	1660	849	4500	1180	
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	



Analytical Results

Sub-Matrix: Soil
 (Matrix: Soil/Solid)

					Client sample ID				
					BA2439 - A-1	BA2439 - A-2	BA2439 - A-3	BA2439 - A-4	BA2439 - A-5
					Client sampling date / time				
					25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-001	VA24C6245-002	VA24C6245-003	VA24C6245-004	VA24C6245-005
					Result	Result	Result	Result	Result
Metals									
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	18.4	20.0	92.1	15.8	23.6
Nickel	7440-02-0	E440/VA	0.50	mg/kg	209	539	169	112	210
Phosphorus	7723-14-0	E440/VA	50	mg/kg	7560	9210	10900	10600	10400
Potassium	7440-09-7	E440/VA	100	mg/kg	6240	6640	6300	6910	6520
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.30	0.33	0.36	0.40	0.33
Silver	7440-22-4	E440/VA	0.10	mg/kg	5.68	12.5	4.98	4.32	4.61
Sodium	7440-23-5	E440/VA	50	mg/kg	17000	18000	17900	19400	18700
Strontium	7440-24-6	E440/VA	0.50	mg/kg	282	306	291	296	316
Sulfur	7704-34-9	E440/VA	1000	mg/kg	10300	11400	11200	12600	13100
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	0.074	0.076
Tin	7440-31-5	E440/VA	2.0	mg/kg	99.1	124	123	114	106
Titanium	7440-32-6	E440/VA	1.0	mg/kg	561	228	260	283	268
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	11.8	21.6	13.9	14.0	11.0
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.26	2.65	2.33	2.61	2.66
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	50.5	43.7	47.3	53.7	56.4
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3290	8370	2800	4110	17200
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	3.0	5.2	3.3	3.9	5.5
TCLP Metals									
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.7	11.6	11.7	11.7	11.7
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	7.88	6.57	7.81	7.11	7.61
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.92	2.92	2.92	2.92	2.92



Analytical Results

Sub-Matrix: Soil
 (Matrix: Soil/Solid)

					Client sample ID				
					BA2439 - A-1	BA2439 - A-2	BA2439 - A-3	BA2439 - A-4	BA2439 - A-5
					Client sampling date / time				
					25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-001	VA24C6245-002	VA24C6245-003	VA24C6245-004	VA24C6245-005
					Result	Result	Result	Result	Result
TCLP Metals									
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.97	6.88	6.90	6.94	6.95
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.59	1.70	1.72	1.65	1.69
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.121	0.104	0.083	0.074	0.068
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1720	1860	1830	1810	1780
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.562	1.13	0.686	0.912	0.528
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.08	1.17	1.16	1.13	0.978
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	107	108	106	107	104
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	1.68	<0.15	<0.15



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID				
					BA2439 - A-1	BA2439 - A-2	BA2439 - A-3	BA2439 - A-4	BA2439 - A-5
					Client sampling date / time				
					25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-001	VA24C6245-002	VA24C6245-003	VA24C6245-004	VA24C6245-005
					Result	Result	Result	Result	Result
TCLP Metals									
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	8.36	11.0	7.39	7.15	6.05
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID				
					BA2439 - A-6	BA2439 - A-7	BA2439 - A-8	BA2439 - A-9	BA2439 - A-10
					Client sampling date / time				
					25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-006	VA24C6245-007	VA24C6245-008	VA24C6245-009	VA24C6245-010
					Result	Result	Result	Result	Result
Physical Tests									
Moisture	----	E144/VA	0.25	%	28.2	28.2	29.0	29.1	29.4
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	10.8	10.8	10.8	10.8	10.8
Metals									
Aluminum	7429-90-5	E440/VA	50	mg/kg	41400	55000	38400	41100	42000
Antimony	7440-36-0	E440/VA	0.10	mg/kg	120	92.3	90.7	96.8	108
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	30.9	27.2	30.4	27.6	32.3
Barium	7440-39-3	E440/VA	0.50	mg/kg	530	608	596	613	594
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.40	0.39	0.35	0.30	0.32
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	7.52	7.56	7.76	7.53	9.19
Boron	7440-42-8	E440/VA	5.0	mg/kg	178	145	214	298	170
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	9.89	9.14	12.9	10.1	18.0
Calcium	7440-70-2	E440/VA	50	mg/kg	137000	124000	127000	131000	128000



Analytical Results

Sub-Matrix: Soil
 (Matrix: Soil/Solid)

					Client sample ID				
					BA2439 - A-6	BA2439 - A-7	BA2439 - A-8	BA2439 - A-9	BA2439 - A-10
					Client sampling date / time				
					25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-006	VA24C6245-007	VA24C6245-008	VA24C6245-009	VA24C6245-010
					Result	Result	Result	Result	Result
Metals									
Chromium	7440-47-3	E440/VA	0.50	mg/kg	159	129	310	160	164
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	31.6	37.9	56.0	58.1	75.8
Copper	7440-50-8	E440/VA	0.50	mg/kg	1410	4390	2200	3580	3100
Iron	7439-89-6	E440/VA	50	mg/kg	58900	58900	61300	59300	44800
Lead	7439-92-1	E440/VA	0.50	mg/kg	400	643	394	430	485
Lithium	7439-93-2	E440/VA	2.0	mg/kg	29.3	33.6	25.5	27.7	29.2
Magnesium	7439-95-4	E440/VA	20	mg/kg	12000	11900	11800	11700	10800
Manganese	7439-96-5	E440/VA	1.0	mg/kg	699	837	815	932	2270
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	0.0509	<0.0500	<0.0500	<0.0500	<0.0500
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	16.5	18.1	17.4	25.3	19.4
Nickel	7440-02-0	E440/VA	0.50	mg/kg	118	145	172	118	130
Phosphorus	7723-14-0	E440/VA	50	mg/kg	9610	9630	9540	11400	8850
Potassium	7440-09-7	E440/VA	100	mg/kg	6390	6400	5600	6100	6130
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.42	0.31	0.32	0.35	0.37
Silver	7440-22-4	E440/VA	0.10	mg/kg	3.75	7.94	9.63	5.47	5.49
Sodium	7440-23-5	E440/VA	50	mg/kg	18500	17900	16300	18300	17500
Strontium	7440-24-6	E440/VA	0.50	mg/kg	304	280	282	303	305
Sulfur	7704-34-9	E440/VA	1000	mg/kg	12900	11200	10700	11500	12200
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	<0.050	<0.050	<0.050
Tin	7440-31-5	E440/VA	2.0	mg/kg	106	126	129	122	137
Titanium	7440-32-6	E440/VA	1.0	mg/kg	294	422	259	292	457



Analytical Results

Sub-Matrix: Soil
 (Matrix: Soil/Solid)

					Client sample ID	BA2439 - A-6	BA2439 - A-7	BA2439 - A-8	BA2439 - A-9	BA2439 - A-10
					Client sampling date / time	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-006	VA24C6245-007	VA24C6245-008	VA24C6245-009	VA24C6245-010	
					Result	Result	Result	Result	Result	
Metals										
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	13.4	17.2	21.8	23.6	13.4	
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.51	2.33	2.41	2.44	2.50	
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	51.9	51.6	55.8	50.5	48.0	
Zinc	7440-66-6	E440/VA	2.0	mg/kg	3610	3370	2930	3200	6240	
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	3.0	3.8	3.3	3.1	2.4	
TCLP Metals										
pH, TCLP 1st preliminary	---	EPP444/VA	0.010	pH units	11.7	11.6	11.7	11.7	11.7	
pH, TCLP 2nd preliminary	---	EPP444/VA	0.010	pH units	8.13	8.16	8.18	8.20	8.50	
pH, TCLP extraction fluid initial	---	EPP444/VA	0.010	pH units	2.92	2.92	2.92	2.92	2.92	
pH, TCLP final	---	EPP444/VA	0.010	pH units	6.79	6.84	6.93	6.78	6.75	
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	<1.00	<1.00	<1.00	
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	<2.5	<2.5	<2.5	
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	<0.025	<0.025	<0.025	
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.62	1.69	1.72	1.60	1.61	
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.102	0.097	0.102	0.094	0.122	
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1730	1840	1850	1760	1740	
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25	
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	1.02	0.492	0.901	1.16	1.38	
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.17	1.25	1.10	1.00	1.10	
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	<5.0	<5.0	<5.0	



Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID				
					BA2439 - A-6	BA2439 - A-7	BA2439 - A-8	BA2439 - A-9	BA2439 - A-10
Client sampling date / time					25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00	25-Sep-2024 09:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-006	VA24C6245-007	VA24C6245-008	VA24C6245-009	VA24C6245-010
					Result	Result	Result	Result	Result
TCLP Metals									
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	103	104	109	107	110
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	<0.25	<0.25	<0.25	0.25	0.25
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	12.6	9.71	7.98	12.2	13.5
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID				
					BA2439 - A-11	BA2439 - A-12	----	----	----
Client sampling date / time					25-Sep-2024 09:00	25-Sep-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-011	VA24C6245-012	----	----	----
					Result	Result	----	----	----
Physical Tests									
Moisture	----	E144/VA	0.25	%	28.6	29.2	----	----	----
pH (1:2 soil:water)	----	E108/VA	0.10	pH units	10.9 ^{FR4}	10.9	----	----	----



Analytical Results

Sub-Matrix: Soil
 (Matrix: Soil/Solid)

					Client sample ID		BA2439 - A-11	BA2439 - A-12	----	----	----
					Client sampling date / time		25-Sep-2024 09:00	25-Sep-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-011	VA24C6245-012	----	----	----	----	----
					Result	Result	----	----	----	----	----
Metals											
Aluminum	7429-90-5	E440/VA	50	mg/kg	36500	44200	----	----	----	----	----
Antimony	7440-36-0	E440/VA	0.10	mg/kg	101	97.5	----	----	----	----	----
Arsenic	7440-38-2	E440/VA	0.10	mg/kg	34.4	41.2	----	----	----	----	----
Barium	7440-39-3	E440/VA	0.50	mg/kg	399	483	----	----	----	----	----
Beryllium	7440-41-7	E440/VA	0.10	mg/kg	0.34	0.31	----	----	----	----	----
Bismuth	7440-69-9	E440/VA	0.20	mg/kg	13.6	8.14	----	----	----	----	----
Boron	7440-42-8	E440/VA	5.0	mg/kg	148	139	----	----	----	----	----
Cadmium	7440-43-9	E440/VA	0.020	mg/kg	10.6	19.3	----	----	----	----	----
Calcium	7440-70-2	E440/VA	50	mg/kg	139000	121000	----	----	----	----	----
Chromium	7440-47-3	E440/VA	0.50	mg/kg	400	147	----	----	----	----	----
Cobalt	7440-48-4	E440/VA	0.10	mg/kg	43.6	146	----	----	----	----	----
Copper	7440-50-8	E440/VA	0.50	mg/kg	3420	2220	----	----	----	----	----
Iron	7439-89-6	E440/VA	50	mg/kg	49400	49000	----	----	----	----	----
Lead	7439-92-1	E440/VA	0.50	mg/kg	500	379	----	----	----	----	----
Lithium	7439-93-2	E440/VA	2.0	mg/kg	41.6	28.8	----	----	----	----	----
Magnesium	7439-95-4	E440/VA	20	mg/kg	13100	12300	----	----	----	----	----
Manganese	7439-96-5	E440/VA	1.0	mg/kg	979	669	----	----	----	----	----
Mercury	7439-97-6	E510/VA	0.0500	mg/kg	<0.0500	<0.0500	----	----	----	----	----
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg	20.4	14.6	----	----	----	----	----
Nickel	7440-02-0	E440/VA	0.50	mg/kg	137	128	----	----	----	----	----
Phosphorus	7723-14-0	E440/VA	50	mg/kg	10400	8580	----	----	----	----	----



Analytical Results

Sub-Matrix: Soil
 (Matrix: Soil/Solid)

					Client sample ID		BA2439 - A-11	BA2439 - A-12	----	----	----
					Client sampling date / time		25-Sep-2024 09:00	25-Sep-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-011	VA24C6245-012	----	----	----	----	----
					Result	Result	----	----	----	----	----
Metals											
Potassium	7440-09-7	E440/VA	100	mg/kg	7040	6100	----	----	----	----	----
Selenium	7782-49-2	E440/VA	0.20	mg/kg	0.32	0.30	----	----	----	----	----
Silver	7440-22-4	E440/VA	0.10	mg/kg	11.2	5.38	----	----	----	----	----
Sodium	7440-23-5	E440/VA	50	mg/kg	19200	16200	----	----	----	----	----
Strontium	7440-24-6	E440/VA	0.50	mg/kg	320	253	----	----	----	----	----
Sulfur	7704-34-9	E440/VA	1000	mg/kg	11900	11000	----	----	----	----	----
Thallium	7440-28-0	E440/VA	0.050	mg/kg	<0.050	<0.050	----	----	----	----	----
Tin	7440-31-5	E440/VA	2.0	mg/kg	2920	97.2	----	----	----	----	----
Titanium	7440-32-6	E440/VA	1.0	mg/kg	338	366	----	----	----	----	----
Tungsten	7440-33-7	E440/VA	0.50	mg/kg	13.0	12.2	----	----	----	----	----
Uranium	7440-61-1	E440/VA	0.050	mg/kg	2.66	2.37	----	----	----	----	----
Vanadium	7440-62-2	E440/VA	0.20	mg/kg	54.2	43.5	----	----	----	----	----
Zinc	7440-66-6	E440/VA	2.0	mg/kg	2940	5340	----	----	----	----	----
Zirconium	7440-67-7	E440/VA	1.0	mg/kg	3.0	3.1	----	----	----	----	----
TCLP Metals											
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units	11.6	11.6	----	----	----	----	----
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units	8.03	8.16	----	----	----	----	----
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units	2.92	2.92	----	----	----	----	----
pH, TCLP final	----	EPP444/VA	0.010	pH units	6.62	6.84	----	----	----	----	----
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L	<1.00	<1.00	----	----	----	----	----
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----	----	----



Analytical Results

Sub-Matrix: Soil
 (Matrix: Soil/Solid)

					Client sample ID		BA2439 - A-11	BA2439 - A-12	----	----	----
					Client sampling date / time		25-Sep-2024 09:00	25-Sep-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	VA24C6245-011	VA24C6245-012	----	----	----		
					Result	Result	----	----	----		
TCLP Metals											
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L	<2.5	<2.5	----	----	----		
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L	<0.025	<0.025	----	----	----		
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L	1.48	1.58	----	----	----		
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L	0.097	0.195	----	----	----		
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L	1640	1770	----	----	----		
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----		
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L	0.915	0.605	----	----	----		
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L	1.06	0.970	----	----	----		
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L	<5.0	<5.0	----	----	----		
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L	<0.25	<0.25	----	----	----		
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L	97.4	108	----	----	----		
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L	<0.0010	<0.0010	----	----	----		
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L	0.25	<0.25	----	----	----		
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L	<0.10	<0.10	----	----	----		
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L	<0.050	<0.050	----	----	----		
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L	<1.0	<1.0	----	----	----		
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L	<0.20	<0.20	----	----	----		
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L	<0.15	<0.15	----	----	----		
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L	14.8	7.61	----	----	----		
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L	<10	<10	----	----	----		

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

<p>Work Order : VA24C6245</p> <p>Client : Reworld Renewable Burnaby, ULC</p> <p>Contact : Nicole Victor</p> <p>Address : 5150 Riverbend Drive Burnaby BC Canada V3N 4V3</p> <p>Telephone : ----</p> <p>Project : PO#46693 Weekly Bottom Ash-Suite</p> <p>PO :</p> <p>C-O-C number : ----</p> <p>Sampler : ----</p> <p>Site : includes 2:1 PH</p> <p>Quote number : Covanta Burnaby Standing Offer 2024</p> <p>No. of samples received : 12</p> <p>No. of samples analysed : 12</p>	<p>Page : 1 of 15</p> <p>Laboratory : ALS Environmental - Vancouver</p> <p>Account Manager : Gulraj Dhanaua</p> <p>Address : 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9</p> <p>Telephone : +1 604 253 4188</p> <p>Date Samples Received : 02-Oct-2024 13:00</p> <p>Issue Date : 11-Oct-2024 22:29</p>
---	--

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

- Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO: Data Quality Objective.
- LOR: Limit of Reporting (detection limit).
- RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-1	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-10	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-11	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-12	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-2	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-3	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-4	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-5	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-6	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-7	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-8	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2439 - A-9	E510	25-Sep-2024	10-Oct-2024	28 days	15 days	✔	11-Oct-2024	28 days	16 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2439 - A-1	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2439 - A-10	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2439 - A-11	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2439 - A-12	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2439 - A-2	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2439 - A-3	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2439 - A-4	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2439 - A-5	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2439 - A-6	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2439 - A-7	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2439 - A-8	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔	
Metals : Metals in Soil/Solid by CRC ICPMS											
LDPE bag BA2439 - A-9	E440	25-Sep-2024	10-Oct-2024	180 days	15 days	✔	11-Oct-2024	180 days	17 days	✔	
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2439 - A-1	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days		



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2439 - A-10	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2439 - A-11	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2439 - A-12	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2439 - A-2	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2439 - A-3	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2439 - A-4	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2439 - A-5	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2439 - A-6	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2439 - A-7	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2439 - A-8	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days		
Physical Tests : Moisture Content by Gravimetry											
LDPE bag BA2439 - A-9	E144	25-Sep-2024	----	----	----		09-Oct-2024	----	14 days		
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2439 - A-1	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2439 - A-10	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2439 - A-11	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2439 - A-12	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2439 - A-2	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2439 - A-3	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)											
LDPE bag BA2439 - A-4	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2439 - A-5	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2439 - A-6	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2439 - A-7	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2439 - A-8	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2439 - A-9	E108	25-Sep-2024	10-Oct-2024	30 days	15 days	✔	11-Oct-2024	30 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-1	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-10	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-11	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-12	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-2	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-3	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-4	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-5	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-6	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-7	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-8	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2439 - A-9	E512	10-Oct-2024	11-Oct-2024	43 days	16 days	✔	11-Oct-2024	43 days	16 days	✔
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2439 - A-1	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-10	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-11	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-12	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-2	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-3	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-4	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-5	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-6	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-7	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis				
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval	
				Rec	Actual			Rec	Actual		
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-8	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : Metals by CRC ICPMS (TCLP)											
HDPE - total (lab preserved) BA2439 - A-9	E444	10-Oct-2024	11-Oct-2024	195 days	16 days	✔	11-Oct-2024	195 days	16 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-1	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-10	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-11	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-12	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-2	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-3	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)											
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-4	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔	



Matrix: Soil/Solid

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-5	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-6	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-7	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-8	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2439 - A-9	EPP444	25-Sep-2024	10-Oct-2024	----	----		----	28 days	15 days	✔

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
			QC	Regular	Actual	Expected	Evaluation
Analytical Methods							
Laboratory Duplicates (DUP)							
Mercury by CVAAS (TCLP)	E512	1704741	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1700655	1	13	7.6	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1704740	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1700656	1	19	5.2	5.0	✔
Moisture Content by Gravimetry	E144	1700658	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1700657	1	13	7.6	5.0	✔
Laboratory Control Samples (LCS)							
Mercury in Soil/Solid by CVAAS	E510	1700655	2	13	15.3	10.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1700656	2	19	10.5	10.0	✔
Moisture Content by Gravimetry	E144	1700658	1	12	8.3	5.0	✔
pH by Meter (1:2 Soil:Water Extraction)	E108	1700657	1	13	7.6	5.0	✔
Method Blanks (MB)							
Mercury by CVAAS (TCLP)	E512	1704741	1	12	8.3	5.0	✔
Mercury in Soil/Solid by CVAAS	E510	1700655	1	13	7.6	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1704740	1	12	8.3	5.0	✔
Metals in Soil/Solid by CRC ICPMS	E440	1700656	1	19	5.2	5.0	✔
Moisture Content by Gravimetry	E144	1700658	1	12	8.3	5.0	✔
Matrix Spikes (MS)							
Mercury by CVAAS (TCLP)	E512	1704741	1	12	8.3	5.0	✔
Metals by CRC ICPMS (TCLP)	E444	1704740	1	12	8.3	5.0	✔



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally $20 \pm 5^{\circ}\text{C}$), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at 105°C . Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl . Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines. Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO_3 and HCl , followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at $<60^{\circ}\text{C}$) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Digestion for Metals and Mercury	EP440 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO ₃ and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.



QUALITY CONTROL REPORT

Work Order	: VA24C6245	Page	: 1 of 11
Client	: Reworld Renewable Burnaby, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Gulraj Dhanaua
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: PO#46693 Weekly Bottom Ash-Suite	Date Samples Received	: 02-Oct-2024 13:00
PO	:	Date Analysis Commenced	: 09-Oct-2024
C-O-C number	: ----	Issue Date	: 11-Oct-2024 22:29
Sampler	: ----		
Site	: includes 2:1 PH		
Quote number	: Covanta Burnaby Standing Offer 2024		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Lindsay Gung	Supervisor - Water Chemistry	Vancouver Organics, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Vancouver Metals, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia

Page : 2 of 11
Work Order : VA24C6245
Client : Reworld Renewable Burnaby, ULC
Project : PO#46693 Weekly Bottom Ash-Suite



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Soil/Solid

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1700657)											
VA24C6106-003	Anonymous	pH (1:2 soil:water)	----	E108	0.10	pH units	5.80	5.81	0.2%	5%	----
Physical Tests (QC Lot: 1700658)											
VA24C6245-001	BA2439 - A-1	Moisture	----	E144	0.25	%	27.2	28.7	5.33%	20%	----
Metals (QC Lot: 1700655)											
VA24C6106-003	Anonymous	Mercury	7439-97-6	E510	0.0500	mg/kg	0.256	0.369	36.3%	40%	----
Metals (QC Lot: 1700656)											
VA24C6106-003	Anonymous	Aluminum	7429-90-5	E440	50	mg/kg	994	993	0.0829%	40%	----
		Antimony	7440-36-0	E440	0.10	mg/kg	0.90	0.93	3.54%	30%	----
		Arsenic	7440-38-2	E440	0.10	mg/kg	1.44	1.48	2.72%	30%	----
		Barium	7440-39-3	E440	0.50	mg/kg	60.5	58.7	3.04%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	<0.10	<0.10	0	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	14.5	14.2	2.23%	30%	----
		Boron	7440-42-8	E440	5.0	mg/kg	9.5	9.1	0.3	Diff <2x LOR	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	0.634	0.686	7.81%	30%	----
		Calcium	7440-70-2	E440	50	mg/kg	6170	6180	0.0791%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	8.11	7.92	2.39%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	1.00	1.02	1.94%	30%	----
		Copper	7440-50-8	E440	0.50	mg/kg	129	130	1.18%	30%	----
		Iron	7439-89-6	E440	50	mg/kg	4310	4230	1.90%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	6.94	6.77	2.59%	40%	----
		Lithium	7439-93-2	E440	2.0	mg/kg	<2.0	<2.0	0	Diff <2x LOR	----
		Magnesium	7439-95-4	E440	20	mg/kg	3540	3590	1.24%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	69.0	70.2	1.68%	30%	----
		Molybdenum	7439-98-7	E440	0.10	mg/kg	2.89	3.02	4.52%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	6.10	5.27	14.5%	30%	----
		Phosphorus	7723-14-0	E440	50	mg/kg	14900	15300	2.74%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	4030	4070	0.909%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	2.71	2.76	1.68%	30%	----
		Silver	7440-22-4	E440	0.10	mg/kg	1.29	1.28	1.17%	40%	----
		Sodium	7440-23-5	E440	50	mg/kg	346	363	4.96%	40%	----



Sub-Matrix: Soil/Solid					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Metals (QC Lot: 1700656) - continued											
VA24C6106-003	Anonymous	Strontium	7440-24-6	E440	0.50	mg/kg	38.4	38.8	0.923%	40%	----
		Sulfur	7704-34-9	E440	1000	mg/kg	4700	4800	100	Diff <2x LOR	----
		Thallium	7440-28-0	E440	0.050	mg/kg	<0.050	<0.050	0	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	10.4	10.5	1.03%	40%	----
		Titanium	7440-32-6	E440	1.0	mg/kg	31.9	32.4	1.43%	40%	----
		Tungsten	7440-33-7	E440	0.50	mg/kg	0.53	0.54	0.009	Diff <2x LOR	----
		Uranium	7440-61-1	E440	0.050	mg/kg	0.222	0.218	0.004	Diff <2x LOR	----
		Vanadium	7440-62-2	E440	0.20	mg/kg	26.0	26.2	0.886%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	419	426	1.65%	30%	----
		Zirconium	7440-67-7	E440	1.0	mg/kg	1.9	1.4	0.6	Diff <2x LOR	----
TCLP Metals (QC Lot: 1704740)											
VA24C6245-001	BA2439 - A-1	Antimony, TCLP	7440-36-0	E444	1.00	mg/L	<1.00	<1.00	0	Diff <2x LOR	----
		Arsenic, TCLP	7440-38-2	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	<2.5	0	Diff <2x LOR	----
		Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	<0.025	0	Diff <2x LOR	----
		Boron, TCLP	7440-42-8	E444	0.50	mg/L	1.59	1.61	0.02	Diff <2x LOR	----
		Cadmium, TCLP	7440-43-9	E444	0.050	mg/L	0.121	0.115	0.006	Diff <2x LOR	----
		Calcium, TCLP	7440-70-2	E444	10	mg/L	1720	1790	3.81%	30%	----
		Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Cobalt, TCLP	7440-48-4	E444	0.050	mg/L	0.562	0.534	5.03%	30%	----
		Copper, TCLP	7440-50-8	E444	0.050	mg/L	1.08	1.03	4.99%	30%	----
		Iron, TCLP	7439-89-6	E444	5.0	mg/L	<5.0	<5.0	0	Diff <2x LOR	----
		Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	107	101	5.38%	30%	----
		Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	<0.25	0	Diff <2x LOR	----
		Selenium, TCLP	7782-49-2	E444	0.10	mg/L	<0.10	<0.10	0	Diff <2x LOR	----
		Silver, TCLP	7440-22-4	E444	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Thallium, TCLP	7440-28-0	E444	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	----
		Uranium, TCLP	7440-61-1	E444	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	<0.15	0	Diff <2x LOR	----		
Zinc, TCLP	7440-66-6	E444	0.50	mg/L	8.36	7.96	4.91%	30%	----		
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	<10	0	Diff <2x LOR	----		
TCLP Metals (QC Lot: 1704741)											
VA24C6245-001	BA2439 - A-1	Mercury, TCLP	7439-97-6	E512	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Soil/Solid

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1700658)						
Moisture	---	E144	0.25	%	<0.25	---
Metals (QCLot: 1700655)						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	---
Metals (QCLot: 1700656)						
Aluminum	7429-90-5	E440	50	mg/kg	<50	---
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	---
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	---
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	---
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	---
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	---
Boron	7440-42-8	E440	5	mg/kg	<5.0	---
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	---
Calcium	7440-70-2	E440	50	mg/kg	<50	---
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	---
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	---
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	---
Iron	7439-89-6	E440	50	mg/kg	<50	---
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	---
Lithium	7439-93-2	E440	2	mg/kg	<2.0	---
Magnesium	7439-95-4	E440	20	mg/kg	<20	---
Manganese	7439-96-5	E440	1	mg/kg	<1.0	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	---
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	---
Phosphorus	7723-14-0	E440	50	mg/kg	<50	---
Potassium	7440-09-7	E440	100	mg/kg	<100	---
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	---
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	---
Sodium	7440-23-5	E440	50	mg/kg	<50	---
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	---
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	---
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	---



Sub-Matrix: **Soil/Solid**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Metals (QCLot: 1700656) - continued						
Tin	7440-31-5	E440	2	mg/kg	<2.0	----
Titanium	7440-32-6	E440	1	mg/kg	<1.0	----
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	----
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
TCLP Metals (QCLot: 1704740)						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----
TCLP Metals (QCLot: 1704741)						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1700657)									
pH (1:2 soil:water)	---	E108	---	pH units	6 pH units	100	95.0	105	---
Physical Tests (QCLot: 1700658)									
Moisture	---	E144	0.25	%	50 %	101	90.0	110	---
Metals (QCLot: 1700655)									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	99.5	80.0	120	---
Metals (QCLot: 1700656)									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	107	80.0	120	---
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	97.5	80.0	120	---
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	114	80.0	120	---
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	111	80.0	120	---
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	99.6	80.0	120	---
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	93.8	80.0	120	---
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	96.8	80.0	120	---
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	99.4	80.0	120	---
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	99.5	80.0	120	---
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	108	80.0	120	---
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	106	80.0	120	---
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	105	80.0	120	---
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	101	80.0	120	---
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	101	80.0	120	---
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	102	80.0	120	---
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	110	80.0	120	---
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	105	80.0	120	---
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	104	80.0	120	---
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	102	80.0	120	---
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	114	80.0	120	---
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	111	80.0	120	---
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	103	80.0	120	---
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	91.6	80.0	120	---
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	112	80.0	120	---
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	96.2	80.0	120	---
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	103	80.0	120	---



Sub-Matrix: Soil/Solid

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Metals (QCLot: 1700656) - continued									
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	98.3	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	103	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	104	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	102	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	104	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	108	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	110	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	104	80.0	120	----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Soil/Solid

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
TCLP Metals (QCLot: 1704740)										
VA24C6245-001	BA2439 - A-1	Antimony, TCLP	7440-36-0	E444	4.56 mg/L	5 mg/L	91.2	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	5.0 mg/L	5 mg/L	100	50.0	140	----
		Barium, TCLP	7440-39-3	E444	12.8 mg/L	12.5 mg/L	103	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.214 mg/L	0.25 mg/L	85.7	50.0	140	----
		Boron, TCLP	7440-42-8	E444	7.90 mg/L	10 mg/L	79.0	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.229 mg/L	0.25 mg/L	91.8	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	----	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.20 mg/L	1.25 mg/L	96.2	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	ND mg/L	----	ND	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.26 mg/L	2.5 mg/L	90.3	50.0	140	----
		Iron, TCLP	7439-89-6	E444	231 mg/L	250 mg/L	92.3	50.0	140	----
		Lead, TCLP	7439-92-1	E444	8.99 mg/L	10 mg/L	89.9	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	236 mg/L	250 mg/L	94.4	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.30 mg/L	2.5 mg/L	91.9	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	4.78 mg/L	5 mg/L	95.6	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.051 mg/L	0.1 mg/L	51.4	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	4.5 mg/L	5 mg/L	90.8	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	4.67 mg/L	5 mg/L	93.4	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.71 mg/L	0.75 mg/L	95.0	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	9.83 mg/L	10 mg/L	98.3	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.8 mg/L	1 mg/L	80.9	50.0	150	----
TCLP Metals (QCLot: 1704741)										
VA24C6245-001	BA2439 - A-1	Mercury, TCLP	7439-97-6	E512	0.0010 mg/L	0.001 mg/L	100	50.0	140	----



Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1700655)									
QC-1700655-003	MRCA-21	Mercury	7439-97-6	E510	0.068 mg/kg	100	70.0	130	----
Metals (QCLot: 1700656)									
QC-1700656-003	MRCA-21	Aluminum	7429-90-5	E440	22500 mg/kg	108	70.0	130	----
QC-1700656-003	MRCA-21	Antimony	7440-36-0	E440	24.8 mg/kg	89.8	70.0	130	----
QC-1700656-003	MRCA-21	Arsenic	7440-38-2	E440	21.2 mg/kg	99.4	70.0	130	----
QC-1700656-003	MRCA-21	Barium	7440-39-3	E440	788 mg/kg	102	70.0	130	----
QC-1700656-003	MRCA-21	Beryllium	7440-41-7	E440	1.82 mg/kg	107	70.0	130	----
QC-1700656-003	MRCA-21	Bismuth	7440-69-9	E440	1.78 mg/kg	86.4	70.0	130	----
QC-1700656-003	MRCA-21	Cadmium	7440-43-9	E440	2.15 mg/kg	101	70.0	130	----
QC-1700656-003	MRCA-21	Calcium	7440-70-2	E440	4900 mg/kg	105	70.0	130	----
QC-1700656-003	MRCA-21	Chromium	7440-47-3	E440	56.9 mg/kg	104	70.0	130	----
QC-1700656-003	MRCA-21	Cobalt	7440-48-4	E440	32 mg/kg	101	70.0	130	----
QC-1700656-003	MRCA-21	Copper	7440-50-8	E440	969 mg/kg	99.1	70.0	130	----
QC-1700656-003	MRCA-21	Iron	7439-89-6	E440	32700 mg/kg	101	70.0	130	----
QC-1700656-003	MRCA-21	Lead	7439-92-1	E440	919 mg/kg	94.8	70.0	130	----
QC-1700656-003	MRCA-21	Lithium	7439-93-2	E440	47.3 mg/kg	104	70.0	130	----
QC-1700656-003	MRCA-21	Magnesium	7439-95-4	E440	7780 mg/kg	110	70.0	130	----
QC-1700656-003	MRCA-21	Manganese	7439-96-5	E440	8640 mg/kg	100	70.0	130	----
QC-1700656-003	MRCA-21	Molybdenum	7439-98-7	E440	25.1 mg/kg	97.6	70.0	130	----
QC-1700656-003	MRCA-21	Nickel	7440-02-0	E440	1000 mg/kg	98.5	70.0	130	----
QC-1700656-003	MRCA-21	Phosphorus	7723-14-0	E440	660 mg/kg	100	70.0	130	----
QC-1700656-003	MRCA-21	Potassium	7440-09-7	E440	10800 mg/kg	103	70.0	130	----
QC-1700656-003	MRCA-21	Selenium	7782-49-2	E440	1.04 mg/kg	96.2	60.0	140	----
QC-1700656-003	MRCA-21	Silver	7440-22-4	E440	8.98 mg/kg	96.5	70.0	130	----
QC-1700656-003	MRCA-21	Sodium	7440-23-5	E440	1770 mg/kg	119	70.0	130	----
QC-1700656-003	MRCA-21	Strontium	7440-24-6	E440	41 mg/kg	98.5	70.0	130	----
QC-1700656-003	MRCA-21	Sulfur	7704-34-9	E440	3940 mg/kg	91.9	50.0	150	----
QC-1700656-003	MRCA-21	Thallium	7440-28-0	E440	0.907 mg/kg	95.0	70.0	130	----
QC-1700656-003	MRCA-21	Tin	7440-31-5	E440	3.79 mg/kg	93.8	40.0	160	----
QC-1700656-003	MRCA-21	Titanium	7440-32-6	E440	2790 mg/kg	103	70.0	130	----
QC-1700656-003	MRCA-21	Tungsten	7440-33-7	E440	6.99 mg/kg	108	70.0	130	----
QC-1700656-003	MRCA-21	Uranium	7440-61-1	E440	3.97 mg/kg	97.6	70.0	130	----
QC-1700656-003	MRCA-21	Vanadium	7440-62-2	E440	66.2 mg/kg	101	70.0	130	----

Page : 11 of 11
 Work Order : VA24C6245
 Client : Reworld Renewable Burnaby, ULC
 Project : PO#46693 Weekly Bottom Ash-Suite



Sub-Matrix:

Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Reference Material (RM) Report				
					RM Target Concentration	Recovery (%) RM	Recovery Limits (%)		Qualifier
							Low	High	
Metals (QCLot: 1700656) - continued									
QC-1700656-003	MRCA-21	Zinc	7440-66-6	E440	828 mg/kg	105	70.0	130	----
QC-1700656-003	MRCA-21	Zirconium	7440-67-7	E440	6.91 mg/kg	92.1	70.0	130	----



ALS Environmental

Chain of Custody / Analytical Request Form
Canada Toll Free: 1 800 668 9878
www.alsglobal.com

COC # _____

Page ____ of ____

Report To		Report Format / Distribution		Service Requested (Rush for routine analysis subject to availability)		
Company:	Covanta Energy	<input type="checkbox"/> Standard	<input type="checkbox"/> Other	<input checked="" type="radio"/> Regular (Standard Turnaround Times - Business-Days)		
Contact:	Nicole Victor / Dan Skrypynk	<input checked="" type="checkbox"/> PDF	<input type="checkbox"/> Excel	<input type="checkbox"/> Digital	<input type="checkbox"/> Fax	
Address:	5150 Riverbend Drive	Email 1:	nvictor@covanta.com		<input type="radio"/> Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT	
	Burnaby BC	Email 2:	rminchin@covanta.com		<input type="radio"/> Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT	
Phone:	604-521-1025	Fax:	dskrypynk@covanta.com		<input type="radio"/> Same Day or Weekend Emergency - Contact ALS to Confirm TAT	
	<input type="checkbox"/> Yes <input type="checkbox"/> No		brent.kirkpatrick@metrovancover.org		Analysis Request	
			Sarah.Wellman@metrovancover.org			

Invoice To Same as Report ?		Client / Project Information		Please indicate below Filtered, Preserved or both (F, P, F/P)				
Hardcopy of Invoice with Report?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Job #:						
Company:		PO / AFE:	PO# 46693 Weekly Bottom Ash - Suite					
Contact:		LSD:	(includes 2:1 pH)					
Address:		Quote #:						
Phone:								

Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR+FULL-VA (all metals)	Number of Containers
BA2439-A-1		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-2		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-3		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-4		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-5		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-6		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-7		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-8		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-9		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-10		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-11		25-Sep-24	9:00	Soil	X	X		X	1
BA2439-A-12		25-Sep-24	9:00	Soil	X	X		X	1

Environmental Division
Vancouver
Work Order Reference
VA24C6245

Telephone : +1 604 253 4168

Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.

By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.

Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

SHIPMENT/RELEASE (client use)			SHIPMENT/RECEPTION (lab use only)			SHIPMENT/VERIFICATION (lab use only)				
Released by:	Date (dd-mmm-yy)	Time (hh-mm)	Received by:	Date:	Time:	Temperature:	Verified by:	Date:	Time:	Observations: Yes / No ? If Yes add SIF
	1 Oct 24	0800	NOVA JC	20 Oct 24	1pm	20 °C				