metrovancouver

Bottom Ash Data

2024 Week 8

The following analytical report represents bottom ash composite results for week 8 of 2024 (February 18, 2024 to February 24, 2024).

The bottom ash meets the conditions of Metro Vancouver's 2020 Bottom Ash Management Plan and is suitable for disposal.

CERTIFICATE OF ANALYSIS

Work Order	: **VA24A3903**	Page	: 1 of 11
Client	: **Covanta Burnaby Renewable Energy, ULC**	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Ian Chen
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby BC Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: Weekly Bottom Ash - Suite	Date Samples Received	: 27-Feb-2024 12:55
PO	: VANCO0000052919	Date Analysis Commenced	: 02-Mar-2024
C-O-C number	: ----	Issue Date	: 05-Mar-2024 22:51
Sampler	: ----		
Site	: ----		
Quote number	: Standing Offer (BC work)		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	*Position*	*Laboratory Department*
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Paul Cushing	Team Leader - Organics	Organics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Metals, Burnaby, British Columbia

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

Unit	*Description*
%	percent
mg/kg	milligrams per kilogram
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical Results

Sub-Matrix: **Soil**
(Matrix: **Soil/Solid**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	BA2408-A-1	BA2408-A-2	BA2408-A-3	BA2408-A-4	BA2408-A-5
					Client sampling date / time	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00
						VA24A3903-001	VA24A3903-002	VA24A3903-003	VA24A3903-004	VA24A3903-005
						Result	Result	Result	Result	Result
Physical Tests										
Moisture	----	E144/VA	0.25	%		22.0	21.6	22.4	22.4	21.2
pH (1:2 soil:water)	----	E108/VA	0.10	pH units		11.8	11.6	11.7	11.7	11.6
Metals										
Aluminum	7429-90-5	E440/VA	50	mg/kg		41200	28600	34600	27700	33400
Antimony	7440-36-0	E440/VA	0.10	mg/kg		130	132	146	150	126
Arsenic	7440-38-2	E440/VA	0.10	mg/kg		15.4	18.4	21.1	21.3	18.5
Barium	7440-39-3	E440/VA	0.50	mg/kg		471	461	411	410	469
Beryllium	7440-41-7	E440/VA	0.10	mg/kg		0.33	0.33	0.34	0.36	0.33
Bismuth	7440-69-9	E440/VA	0.20	mg/kg		15.8	12.8	12.6	12.7	10.6
Boron	7440-42-8	E440/VA	5.0	mg/kg		193	177	189	216	190
Cadmium	7440-43-9	E440/VA	0.020	mg/kg		14.4	11.2	11.0	14.1	11.8
Calcium	7440-70-2	E440/VA	50	mg/kg		143000	149000	161000	168000	144000
Chromium	7440-47-3	E440/VA	0.50	mg/kg		147	158	140	174	133
Cobalt	7440-48-4	E440/VA	0.10	mg/kg		56.6	48.4	65.3	126	51.1
Copper	7440-50-8	E440/VA	0.50	mg/kg		4700	10600	6990	3930	3860
Iron	7439-89-6	E440/VA	50	mg/kg		55200	59900	45400	44900	59300
Lead	7439-92-1	E440/VA	0.50	mg/kg		276	312	431	447	594
Lithium	7439-93-2	E440/VA	2.0	mg/kg		53.8	29.1	37.5	41.2	28.8
Magnesium	7439-95-4	E440/VA	20	mg/kg		12200	11500	12100	12600	10600
Manganese	7439-96-5	E440/VA	1.0	mg/kg		867	659	660	718	721
Mercury	7439-97-6	E510/VA	0.0500	mg/kg		<0.0500	0.0681	0.0671	0.0751	0.0658
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg		16.7	17.9	20.6	19.8	18.2
Nickel	7440-02-0	E440/VA	0.50	mg/kg		415	230	229	292	296
Phosphorus	7723-14-0	E440/VA	50	mg/kg		10200	11200	11800	12000	9900
Potassium	7440-09-7	E440/VA	100	mg/kg		5850	5810	6210	6660	5950
Selenium	7782-49-2	E440/VA	0.20	mg/kg		0.49	0.44	0.42	0.44	0.37
Silver	7440-22-4	E440/VA	0.10	mg/kg		5.93	4.95	9.54	7.93	14.9
Sodium	7440-23-5	E440/VA	50	mg/kg		17400	16600	18100	18300	17400
Strontium	7440-24-6	E440/VA	0.50	mg/kg		276	286	346	337	287

Analytical Results

Sub-Matrix: **Soil**
(Matrix: **Soil/Solid**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	BA2408-A-1	BA2408-A-2	BA2408-A-3	BA2408-A-4	BA2408-A-5
					Client sampling date / time	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00
						VA24A3903-001	VA24A3903-002	VA24A3903-003	VA24A3903-004	VA24A3903-005
						Result	Result	Result	Result	Result
Metals										
Sulfur	7704-34-9	E440/VA	1000	mg/kg		11800	12800	12800	13000	11400
Thallium	7440-28-0	E440/VA	0.050	mg/kg		<0.050	<0.050	<0.050	<0.050	<0.050
Tin	7440-31-5	E440/VA	2.0	mg/kg		122	137	186	140	173
Titanium	7440-32-6	E440/VA	1.0	mg/kg		309	256	238	196	221
Tungsten	7440-33-7	E440/VA	0.50	mg/kg		7.41	8.06	8.95	13.1	7.45
Uranium	7440-61-1	E440/VA	0.050	mg/kg		3.54	3.84	4.32	4.45	3.73
Vanadium	7440-62-2	E440/VA	0.20	mg/kg		42.5	41.6	45.6	47.4	41.0
Zinc	7440-66-6	E440/VA	2.0	mg/kg		3600	3920	5670	3900	4190
Zirconium	7440-67-7	E440/VA	1.0	mg/kg		2.0	1.8	3.4	2.0	2.3
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units		12.0	11.8	11.9	11.8	11.9
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units		7.68	6.86	7.48	7.67	7.72
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units		2.93	2.93	2.93	2.93	2.93
pH, TCLP final	----	EPP444/VA	0.010	pH units		6.67	6.72	6.62	6.76	6.61
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L		<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L		<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L		<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L		<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L		2.44	2.62	2.37	2.52	2.47
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L		0.231	0.157	0.179	0.137	0.155
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L		2620	2740	2630	2720	2610
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L		<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L		1.41	2.26	1.14	0.924	1.71
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L		1.09	1.13	0.984	1.16	1.04
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L		<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L		<0.25	<0.25	<0.25	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L		136	142	137	141	144
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L		0.81	0.57	0.83	0.57	0.77
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L		<0.10	<0.10	<0.10	<0.10	<0.10

Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2408-A-1	BA2408-A-2	BA2408-A-3	BA2408-A-4	BA2408-A-5
					Client sampling date / time	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00
Analyte	CAS Number	Method/Lab	LOR	Unit		VA24A3903-001	VA24A3903-002	VA24A3903-003	VA24A3903-004	VA24A3903-005
						Result	Result	Result	Result	Result
TCLP Metals										
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L		<0.050	<0.050	<0.050	<0.050	<0.050
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L		<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L		<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L		<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L		18.6	26.8	27.6	17.8	29.0
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L		<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

Analytical Results

Sub-Matrix: **Soil**
(Matrix: **Soil/Solid**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	BA2408-A-6	BA2408-A-7	BA2408-A-8	BA2408-A-9	BA2408-A-10
					Client sampling date / time	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00
						VA24A3903-006	VA24A3903-007	VA24A3903-008	VA24A3903-009	VA24A3903-010
						Result	Result	Result	Result	Result
Physical Tests										
Moisture	----	E144/VA	0.25	%		23.3	20.0	21.3	21.8	22.7
pH (1:2 soil:water)	----	E108/VA	0.10	pH units		11.9	11.8	11.8	11.9	11.9
Metals										
Aluminum	7429-90-5	E440/VA	50	mg/kg		33600	30700	35200	38400	31400
Antimony	7440-36-0	E440/VA	0.10	mg/kg		139	114	137	102	114
Arsenic	7440-38-2	E440/VA	0.10	mg/kg		16.6	19.1	18.2	19.4	17.2
Barium	7440-39-3	E440/VA	0.50	mg/kg		508	496	446	449	514
Beryllium	7440-41-7	E440/VA	0.10	mg/kg		0.35	0.36	0.34	0.38	0.34
Bismuth	7440-69-9	E440/VA	0.20	mg/kg		10.8	14.1	13.5	8.95	12.8
Boron	7440-42-8	E440/VA	5.0	mg/kg		221	151	197	162	189
Cadmium	7440-43-9	E440/VA	0.020	mg/kg		11.0	12.6	11.4	11.2	11.4
Calcium	7440-70-2	E440/VA	50	mg/kg		167000	152000	147000	155000	145000
Chromium	7440-47-3	E440/VA	0.50	mg/kg		181	138	166	151	166
Cobalt	7440-48-4	E440/VA	0.10	mg/kg		64.4	92.9	81.4	84.1	148
Copper	7440-50-8	E440/VA	0.50	mg/kg		1540	4020	7360	1490	1890
Iron	7439-89-6	E440/VA	50	mg/kg		57700	38400	47300	46400	63200
Lead	7439-92-1	E440/VA	0.50	mg/kg		478	292	334	334	352
Lithium	7439-93-2	E440/VA	2.0	mg/kg		39.8	28.5	34.5	38.8	33.3
Magnesium	7439-95-4	E440/VA	20	mg/kg		12100	11800	11800	12500	11700
Manganese	7439-96-5	E440/VA	1.0	mg/kg		725	610	969	891	716
Mercury	7439-97-6	E510/VA	0.0500	mg/kg		0.0573	0.0646	0.0596	0.0548	<0.0500
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg		17.7	14.5	21.2	24.7	17.8
Nickel	7440-02-0	E440/VA	0.50	mg/kg		304	255	284	237	256
Phosphorus	7723-14-0	E440/VA	50	mg/kg		10300	10500	10800	9680	10300
Potassium	7440-09-7	E440/VA	100	mg/kg		6000	5660	6140	5890	5520
Selenium	7782-49-2	E440/VA	0.20	mg/kg		0.51	0.40	0.45	0.35	0.64
Silver	7440-22-4	E440/VA	0.10	mg/kg		6.91	5.64	8.05	8.80	5.59
Sodium	7440-23-5	E440/VA	50	mg/kg		17000	16000	17100	16900	17400
Strontium	7440-24-6	E440/VA	0.50	mg/kg		303	267	300	278	290
Sulfur	7704-34-9	E440/VA	1000	mg/kg		11800	11100	12700	10900	10700

Analytical Results

Sub-Matrix: **Soil**
(Matrix: **Soil/Solid**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	BA2408-A-6	BA2408-A-7	BA2408-A-8	BA2408-A-9	BA2408-A-10
					Client sampling date / time	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00
						VA24A3903-006	VA24A3903-007	VA24A3903-008	VA24A3903-009	VA24A3903-010
						Result	Result	Result	Result	Result
Metals										
Thallium	7440-28-0	E440/VA	0.050	mg/kg		<0.050	<0.050	<0.050	<0.050	<0.050
Tin	7440-31-5	E440/VA	2.0	mg/kg		127	151	130	102	113
Titanium	7440-32-6	E440/VA	1.0	mg/kg		234	167	262	207	185
Tungsten	7440-33-7	E440/VA	0.50	mg/kg		7.51	6.12	10.1	8.84	6.48
Uranium	7440-61-1	E440/VA	0.050	mg/kg		3.96	3.76	4.28	4.25	3.77
Vanadium	7440-62-2	E440/VA	0.20	mg/kg		43.0	40.2	44.0	45.4	41.5
Zinc	7440-66-6	E440/VA	2.0	mg/kg		3550	3420	3720	3240	3480
Zirconium	7440-67-7	E440/VA	1.0	mg/kg		1.8	1.9	1.6	3.0	2.5
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units		11.8	12.0	11.9	12.0	11.9
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units		7.63	7.80	7.53	8.23	7.97
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units		2.93	2.93	2.93	2.93	2.93
pH, TCLP final	----	EPP444/VA	0.010	pH units		6.72	6.67	6.53	6.63	6.82
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L		<1.00	<1.00	<1.00	<1.00	<1.00
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L		<1.0	<1.0	<1.0	<1.0	<1.0
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L		<2.5	<2.5	<2.5	<2.5	<2.5
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L		<0.025	<0.025	<0.025	<0.025	<0.025
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L		2.55	2.55	2.38	2.42	2.42
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L		0.147	0.388	0.219	0.150	0.141
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L		2720	2710	2580	2670	2580
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L		<0.25	<0.25	<0.25	<0.25	<0.25
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L		1.11	1.26	0.772	0.620	0.823
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L		1.13	0.999	1.60	1.42	0.916
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L		<5.0	<5.0	<5.0	<5.0	<5.0
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L		<0.25	<0.25	0.33	<0.25	<0.25
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L		145	140	143	149	150
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L		0.81	0.72	0.64	0.81	0.66
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L		<0.10	<0.10	<0.10	<0.10	<0.10
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L		<0.050	<0.050	<0.050	<0.050	<0.050

Analytical Results

Sub-Matrix: **Soil**
(Matrix: **Soil/Solid**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	BA2408-A-6	BA2408-A-7	BA2408-A-8	BA2408-A-9	BA2408-A-10
					Client sampling date / time	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00	21-Feb-2024 09:00
						VA24A3903-006	VA24A3903-007	VA24A3903-008	VA24A3903-009	VA24A3903-010
						Result	Result	Result	Result	Result
TCLP Metals										
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L		<1.0	<1.0	<1.0	<1.0	<1.0
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L		<0.20	<0.20	<0.20	<0.20	<0.20
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L		<0.15	<0.15	<0.15	<0.15	<0.15
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L		17.6	44.5	28.3	21.6	18.2
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L		<10	<10	<10	<10	<10

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

Analytical Results

Sub-Matrix: **Soil**
(Matrix: **Soil/Solid**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	BA2408-A-11	BA2408-A-12	----	----	----
					Client sampling date / time	21-Feb-2024 09:00	21-Feb-2024 09:00	----	----	----
						VA24A3903-011	VA24A3903-012	--------	--------	--------
						Result	Result	----	----	----
Physical Tests										
Moisture	----	E144/VA	0.25	%		22.1	21.5	----	----	----
pH (1:2 soil:water)	----	E108/VA	0.10	pH units		11.9	12.0	----	----	----
Metals										
Aluminum	7429-90-5	E440/VA	50	mg/kg		37400	38600	----	----	----
Antimony	7440-36-0	E440/VA	0.10	mg/kg		148	137	----	----	----
Arsenic	7440-38-2	E440/VA	0.10	mg/kg		18.2	17.6	----	----	----
Barium	7440-39-3	E440/VA	0.50	mg/kg		454	461	----	----	----
Beryllium	7440-41-7	E440/VA	0.10	mg/kg		0.34	0.35	----	----	----
Bismuth	7440-69-9	E440/VA	0.20	mg/kg		28.1	12.4	----	----	----
Boron	7440-42-8	E440/VA	5.0	mg/kg		216	250	----	----	----
Cadmium	7440-43-9	E440/VA	0.020	mg/kg		11.1	13.0	----	----	----
Calcium	7440-70-2	E440/VA	50	mg/kg		158000	168000	----	----	----
Chromium	7440-47-3	E440/VA	0.50	mg/kg		144	201	----	----	----
Cobalt	7440-48-4	E440/VA	0.10	mg/kg		71.3	313	----	----	----
Copper	7440-50-8	E440/VA	0.50	mg/kg		2440	2340	----	----	----
Iron	7439-89-6	E440/VA	50	mg/kg		55400	55500	----	----	----
Lead	7439-92-1	E440/VA	0.50	mg/kg		790	410	----	----	----
Lithium	7439-93-2	E440/VA	2.0	mg/kg		51.5	44.6	----	----	----
Magnesium	7439-95-4	E440/VA	20	mg/kg		10700	12400	----	----	----
Manganese	7439-96-5	E440/VA	1.0	mg/kg		877	978	----	----	----
Mercury	7439-97-6	E510/VA	0.0500	mg/kg		0.0572	0.0623	----	----	----
Molybdenum	7439-98-7	E440/VA	0.10	mg/kg		17.9	16.9	----	----	----
Nickel	7440-02-0	E440/VA	0.50	mg/kg		252	295	----	----	----
Phosphorus	7723-14-0	E440/VA	50	mg/kg		10300	9980	----	----	----
Potassium	7440-09-7	E440/VA	100	mg/kg		5680	5740	----	----	----
Selenium	7782-49-2	E440/VA	0.20	mg/kg		0.43	0.41	----	----	----
Silver	7440-22-4	E440/VA	0.10	mg/kg		5.27	7.31	----	----	----
Sodium	7440-23-5	E440/VA	50	mg/kg		16500	16500	----	----	----
Strontium	7440-24-6	E440/VA	0.50	mg/kg		271	296	----	----	----
Sulfur	7704-34-9	E440/VA	1000	mg/kg		12100	12100	----	----	----

Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2408-A-11	BA2408-A-12	----	----	----
					Client sampling date / time	21-Feb-2024 09:00	21-Feb-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit		VA24A3903-011	VA24A3903-012	--------	--------	--------
						Result	Result	----	----	----
Metals										
Thallium	7440-28-0	E440/VA	0.050	mg/kg		<0.050	<0.050	----	----	----
Tin	7440-31-5	E440/VA	2.0	mg/kg		123	146	----	----	----
Titanium	7440-32-6	E440/VA	1.0	mg/kg		357	271	----	----	----
Tungsten	7440-33-7	E440/VA	0.50	mg/kg		10.1	7.58	----	----	----
Uranium	7440-61-1	E440/VA	0.050	mg/kg		3.98	4.13	----	----	----
Vanadium	7440-62-2	E440/VA	0.20	mg/kg		43.3	45.6	----	----	----
Zinc	7440-66-6	E440/VA	2.0	mg/kg		3450	4680	----	----	----
Zirconium	7440-67-7	E440/VA	1.0	mg/kg		2.6	3.1	----	----	----
TCLP Metals										
pH, TCLP 1st preliminary	----	EPP444/VA	0.010	pH units		12.0	11.9	----	----	----
pH, TCLP 2nd preliminary	----	EPP444/VA	0.010	pH units		8.34	7.90	----	----	----
pH, TCLP extraction fluid initial	----	EPP444/VA	0.010	pH units		2.93	2.93	----	----	----
pH, TCLP final	----	EPP444/VA	0.010	pH units		6.64	6.72	----	----	----
Antimony, TCLP	7440-36-0	E444/VA	1.00	mg/L		<1.00	<1.00	----	----	----
Arsenic, TCLP	7440-38-2	E444/VA	1.0	mg/L		<1.0	<1.0	----	----	----
Barium, TCLP	7440-39-3	E444/VA	2.5	mg/L		<2.5	<2.5	----	----	----
Beryllium, TCLP	7440-41-7	E444/VA	0.025	mg/L		<0.025	<0.025	----	----	----
Boron, TCLP	7440-42-8	E444/VA	0.50	mg/L		2.44	2.52	----	----	----
Cadmium, TCLP	7440-43-9	E444/VA	0.050	mg/L		0.263	0.148	----	----	----
Calcium, TCLP	7440-70-2	E444/VA	10	mg/L		2590	2730	----	----	----
Chromium, TCLP	7440-47-3	E444/VA	0.25	mg/L		<0.25	<0.25	----	----	----
Cobalt, TCLP	7440-48-4	E444/VA	0.050	mg/L		1.26	1.23	----	----	----
Copper, TCLP	7440-50-8	E444/VA	0.050	mg/L		1.34	1.31	----	----	----
Iron, TCLP	7439-89-6	E444/VA	5.0	mg/L		<5.0	<5.0	----	----	----
Lead, TCLP	7439-92-1	E444/VA	0.25	mg/L		<0.25	<0.25	----	----	----
Magnesium, TCLP	7439-95-4	E444/VA	2.5	mg/L		141	145	----	----	----
Mercury, TCLP	7439-97-6	E512/VA	0.0010	mg/L		<0.0010	<0.0010	----	----	----
Nickel, TCLP	7440-02-0	E444/VA	0.25	mg/L		0.67	0.65	----	----	----
Selenium, TCLP	7782-49-2	E444/VA	0.10	mg/L		<0.10	<0.10	----	----	----
Silver, TCLP	7440-22-4	E444/VA	0.050	mg/L		<0.050	<0.050	----	----	----

Analytical Results

Sub-Matrix: Soil (Matrix: Soil/Solid)					Client sample ID	BA2408-A-11	BA2408-A-12	----	----	----
					Client sampling date / time	21-Feb-2024 09:00	21-Feb-2024 09:00	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit		VA24A3903-011	VA24A3903-012	--------	--------	--------
						Result	Result	----	----	----
TCLP Metals										
Thallium, TCLP	7440-28-0	E444/VA	1.0	mg/L		<1.0	<1.0	----	----	----
Uranium, TCLP	7440-61-1	E444/VA	0.20	mg/L		<0.20	<0.20	----	----	----
Vanadium, TCLP	7440-62-2	E444/VA	0.15	mg/L		<0.15	<0.15	----	----	----
Zinc, TCLP	7440-66-6	E444/VA	0.50	mg/L		27.1	30.5	----	----	----
Zirconium, TCLP	7440-67-7	E444/VA	10	mg/L		<10	<10	----	----	----

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

ALS Canada Ltd.

right solutions.
right partner.

QUALITY CONTROL INTERPRETIVE REPORT

Work Order	: **VA24A3903**	Page	: 1 of 16
Client	: **Covanta Burnaby Renewable Energy, ULC**	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Ian Chen
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	: ----	Telephone	: +1 604 253 4188
Project	: Weekly Bottom Ash - Suite	Date Samples Received	: 27-Feb-2024 12:55
PO	: VANCO0000052919	Issue Date	: 05-Mar-2024 22:51
C-O-C number	: ----		
Sampler	: ----		
Site	: ----		
Quote number	: Standing Offer (BC work)		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
DQO: Data Quality Objective.
LOR: Limit of Reporting (detection limit).
RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Duplicate outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.

Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **Soil/Solid**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Duplicate (DUP) RPDs								
Metals	VA24A3903-001	BA2408-A-1	Cobalt	7440-48-4	E440	58.3 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24A3903-001	BA2408-A-1	Nickel	7440-02-0	E440	40.4 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24A3903-001	BA2408-A-1	Silver	7440-22-4	E440	112 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24A3903-001	BA2408-A-1	Tin	7440-31-5	E440	43.9 % DUP-H	40%	Duplicate RPD does not meet the DQO for this test.
Metals	VA24A3903-001	BA2408-A-1	Tungsten	7440-33-7	E440	93.0 % DUP-H	30%	Duplicate RPD does not meet the DQO for this test.

Result Qualifiers

Qualifier	*Description*
DUP-H	*Duplicate results outside ALS DQO, due to sample heterogeneity.*

Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-1	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-10	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-11	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-12	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-2	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-3	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-4	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-5	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-6	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-7	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-8	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Mercury in Soil/Solid by CVAAS										
LDPE bag BA2408-A-9	E510	21-Feb-2024	04-Mar-2024	28 days	12 days	✓	04-Mar-2024	28 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-1	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-10	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-11	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-12	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-2	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-3	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-4	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-5	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-6	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-7	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-8	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Metals : Metals in Soil/Solid by CRC ICPMS										
LDPE bag BA2408-A-9	E440	21-Feb-2024	04-Mar-2024	180 days	12 days	✓	05-Mar-2024	180 days	13 days	✓
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-1	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-10	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-11	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-12	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-2	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-3	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-4	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-5	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-6	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-7	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-8	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : Moisture Content by Gravimetry										
LDPE bag BA2408-A-9	E144	21-Feb-2024	----	----	----		02-Mar-2024	----	10 days	
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-1	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-10	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-11	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-12	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-2	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-3	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-4	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-5	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-6	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-7	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-8	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
Physical Tests : pH by Meter (1:2 Soil:Water Extraction)										
LDPE bag BA2408-A-9	E108	21-Feb-2024	04-Mar-2024	30 days	12 days	✓	04-Mar-2024	30 days	12 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-1	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-10	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-11	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-12	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-2	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-3	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-4	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-5	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-6	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-7	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-8	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Mercury by CVAAS (TCLP)										
Glass vial - total (lab preserved) BA2408-A-9	E512	02-Mar-2024	05-Mar-2024	38 days	13 days	✓	05-Mar-2024	38 days	13 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-1	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-10	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-11	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-12	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-2	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-3	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-4	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-5	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-6	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-7	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-8	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : Metals by CRC ICPMS (TCLP)										
HDPE - total (lab preserved) BA2408-A-9	E444	02-Mar-2024	05-Mar-2024	190 days	13 days	✓	05-Mar-2024	190 days	14 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-1	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-10	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-11	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-12	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-2	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-3	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-4	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓

Matrix: **Soil/Solid**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-5	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-6	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-7	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-8	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓
TCLP Metals : TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)										
Lab Split - Non-Volatile Leach: 28 day HT (e.g. Hg, CrVI, PFAS) BA2408-A-9	EPP444	21-Feb-2024	02-Mar-2024	----	----		----	28 days	10 days	✓

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).

Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Soil/Solid**

Evaluation: × = *QC frequency outside specification*; ✓ = *QC frequency within specification.*

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	*Method*	*QC Lot #*	*QC*	*Regular*	*Actual*	*Expected*	*Evaluation*
Laboratory Duplicates (DUP)							
Mercury in Soil/Solid by CVAAS	E510	1352046	1	12	8.3	5.0	✓
Metals in Soil/Solid by CRC ICPMS	E440	1352047	1	12	8.3	5.0	✓
Moisture Content by Gravimetry	E144	1352049	1	12	8.3	5.0	✓
pH by Meter (1:2 Soil:Water Extraction)	E108	1352048	1	12	8.3	5.0	✓
Laboratory Control Samples (LCS)							
Mercury in Soil/Solid by CVAAS	E510	1352046	2	12	16.6	10.0	✓
Metals in Soil/Solid by CRC ICPMS	E440	1352047	2	12	16.6	10.0	✓
Moisture Content by Gravimetry	E144	1352049	1	12	8.3	5.0	✓
pH by Meter (1:2 Soil:Water Extraction)	E108	1352048	1	12	8.3	5.0	✓
Method Blanks (MB)							
Mercury by CVAAS (TCLP)	E512	1354516	1	12	8.3	5.0	✓
Mercury in Soil/Solid by CVAAS	E510	1352046	1	12	8.3	5.0	✓
Metals by CRC ICPMS (TCLP)	E444	1354517	1	12	8.3	5.0	✓
Metals in Soil/Solid by CRC ICPMS	E440	1352047	1	12	8.3	5.0	✓
Moisture Content by Gravimetry	E144	1352049	1	12	8.3	5.0	✓
Matrix Spikes (MS)							
Mercury by CVAAS (TCLP)	E512	1354516	1	12	8.3	5.0	✓
Metals by CRC ICPMS (TCLP)	E444	1354517	1	12	8.3	5.0	✓

Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter (1:2 Soil:Water Extraction)	E108 ALS Environmental - Vancouver	Soil/Solid	BC Lab Manual	pH is determined by potentiometric measurement with a pH electrode at ambient laboratory temperature (normally 20 ± 5°C), and is carried out in accordance with procedures described in the BC Lab Manual (prescriptive method). The procedure involves mixing the dried (at <60 ºC) and sieved (10mesh/2mm) sample with ultra pure water at a 1:2 ratio of sediment to water. The pH is then measured by a standard pH probe.
Moisture Content by Gravimetry	E144 ALS Environmental - Vancouver	Soil/Solid	CCME PHC in Soil - Tier 1	Moisture is measured gravimetrically by drying the sample at 105°C. Moisture content is calculated as the weight loss (due to water) divided by the wet weight of the sample, expressed as a percentage.
Metals in Soil/Solid by CRC ICPMS	E440 ALS Environmental - Vancouver	Soil/Solid	EPA 6020B (mod)	This method is intended to liberate metals that may be environmentally available. Samples are dried, then sieved through a 2 mm sieve, and digested with HNO3 and HCl. Dependent on sample matrix, some metals may be only partially recovered, including Al, Ba, Be, Cr, Sr, Ti, Tl, V, W, and Zr. Silicate minerals are not solubilized. Volatile forms of sulfur (including sulfide) may not be captured, as they may be lost during sampling, storage, or digestion. This method does not adequately recover elemental sulfur, and is unsuitable for assessment of elemental sulfur standards or guidelines. Analysis is by Collision/Reaction Cell ICPMS.
Metals by CRC ICPMS (TCLP)	E444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311/6020B (mod)	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by Collision/Reaction Cell ICPMS.
Mercury in Soil/Solid by CVAAS	E510 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2/1631 Appendix (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO3 and HCl, followed by CVAAS analysis.
Mercury by CVAAS (TCLP)	E512 ALS Environmental - Vancouver	Soil/Solid	SW 846 -1311/245.1 CVAA ON TCLP LEACHATE	An extract produced by the Toxicity Characteristic Leachate Procedure (TCLP) as per EPA 1311 is analyzed by CVAAS.

Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Leach 1:2 Soil:Water for pH/EC	EP108 ALS Environmental - Vancouver	Soil/Solid	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL	The procedure involves mixing the dried (at <60°C) and sieved (No. 10 / 2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water.

Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Digestion for Metals and Mercury	EP440 ALS Environmental - Vancouver	Soil/Solid	EPA 200.2 (mod)	Samples are dried, then sieved through a 2 mm sieve, and digested with HNO3 and HCl. This method is intended to liberate metals that may be environmentally available.
TCLP Leachate Preparation (Metals, Inorganics, and SVOCs)	EPP444 ALS Environmental - Vancouver	Soil/Solid	EPA 1311	Preparation of a Toxicity Characteristic Leaching Procedure (TCLP) solid sample involves particle size reduction, homogenization, then determination of appropriate extraction fluid. A measured portion of fresh subsample is placed in an extraction bottle with the appropriate extraction fluid then tumbled in a rotary extractor for 18+/- 2 hours at 23 +/- 2 C. The liquid leachate is filtered to separate from solids then bottled and prepared for analytical tests.

QUALITY CONTROL REPORT

Work Order	: **VA24A3903**	Page	: 1 of 11
Client	: Covanta Burnaby Renewable Energy, ULC	Laboratory	: ALS Environmental - Vancouver
Contact	: Nicole Victor	Account Manager	: Ian Chen
Address	: 5150 Riverbend Drive Burnaby BC Canada V3N 4V3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	:	Telephone	: +1 604 253 4188
Project	: Weekly Bottom Ash - Suite	Date Samples Received	: 27-Feb-2024 12:55
PO	: VANCO0000052919	Date Analysis Commenced	: 02-Mar-2024
C-O-C number	: ----	Issue Date	: 05-Mar-2024 22:51
Sampler	: ---- ----		
Site	: ----		
Quote number	: Standing Offer (BC work)		
No. of samples received	: 12		
No. of samples analysed	: 12		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Reference Material (RM) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	*Position*	*Laboratory Department*
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Paul Cushing	Team Leader - Organics	Vancouver Organics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Vancouver Metals, Burnaby, British Columbia

General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.
CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
DQO = Data Quality Objective.
LOR = Limit of Reporting (detection limit).
RPD = Relative Percent Difference
# = Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: **Soil/Solid**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1352048)											
VA24A3903-001	BA2408-A-1	pH (1:2 soil:water)	----	E108	0.10	pH units	11.8	11.7	0.6%	5%	----
Physical Tests (QC Lot: 1352049)											
VA24A3903-001	BA2408-A-1	Moisture	----	E144	0.25	%	22.0	22.9	4.29%	20%	----
Metals (QC Lot: 1352046)											
VA24A3903-001	BA2408-A-1	Mercury	7439-97-6	E510	0.0500	mg/kg	<0.0500	0.0706	0.0206	Diff <2x LOR	----
Metals (QC Lot: 1352047)											
VA24A3903-001	BA2408-A-1	Aluminum	7429-90-5	E440	50	mg/kg	41200	32700	22.9%	40%	----
		Antimony	7440-36-0	E440	0.10	mg/kg	130	165	23.7%	30%	----
		Arsenic	7440-38-2	E440	0.10	mg/kg	15.4	17.4	12.4%	30%	----
		Barium	7440-39-3	E440	0.50	mg/kg	471	435	7.90%	40%	----
		Beryllium	7440-41-7	E440	0.10	mg/kg	0.33	0.36	0.03	Diff <2x LOR	----
		Bismuth	7440-69-9	E440	0.20	mg/kg	15.8	18.9	17.6%	30%	----
		Boron	7440-42-8	E440	5.0	mg/kg	193	183	5.10%	30%	----
		Cadmium	7440-43-9	E440	0.020	mg/kg	14.4	11.7	20.9%	30%	----
		Calcium	7440-70-2	E440	50	mg/kg	143000	160000	11.1%	30%	----
		Chromium	7440-47-3	E440	0.50	mg/kg	147	144	1.99%	30%	----
		Cobalt	7440-48-4	E440	0.10	mg/kg	56.6	103	58.3%	30%	DUP-H
		Copper	7440-50-8	E440	0.50	mg/kg	4700	4390	6.86%	30%	----
		Iron	7439-89-6	E440	50	mg/kg	55200	47600	14.8%	30%	----
		Lead	7439-92-1	E440	0.50	mg/kg	276	378	31.1%	40%	----
		Lithium	7439-93-2	E440	2.0	mg/kg	53.8	65.0	19.0%	30%	----
		Magnesium	7439-95-4	E440	20	mg/kg	12200	12400	1.86%	30%	----
		Manganese	7439-96-5	E440	1.0	mg/kg	867	758	13.5%	30%	----
		Molybdenum	7439-98-7	E440	0.10	mg/kg	16.7	16.9	1.05%	40%	----
		Nickel	7440-02-0	E440	0.50	mg/kg	415	275	40.4%	30%	DUP-H
		Phosphorus	7723-14-0	E440	50	mg/kg	10200	11000	7.82%	30%	----
		Potassium	7440-09-7	E440	100	mg/kg	5850	6220	6.13%	40%	----
		Selenium	7782-49-2	E440	0.20	mg/kg	0.49	0.44	0.05	Diff <2x LOR	----
		Silver	7440-22-4	E440	0.10	mg/kg	5.93	21.1	112%	40%	DUP-H
		Sodium	7440-23-5	E440	50	mg/kg	17400	17600	0.880%	40%	----

Sub-Matrix: **Soil/Solid**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	*Client sample ID*	*Analyte*	*CAS Number*	*Method*	*LOR*	*Unit*	*Original Result*	*Duplicate Result*	*RPD(%) or Difference*	*Duplicate Limits*	*Qualifier*
Metals (QC Lot: 1352047) - continued											
VA24A3903-001	BA2408-A-1	Strontium	7440-24-6	E440	0.50	mg/kg	276	293	6.03%	40%	----
		Sulfur	7704-34-9	E440	1000	mg/kg	11800	13300	11.6%	30%	----
		Thallium	7440-28-0	E440	0.050	mg/kg	<0.050	<0.050	0	Diff <2x LOR	----
		Tin	7440-31-5	E440	2.0	mg/kg	122	190	43.9%	40%	DUP-H
		Titanium	7440-32-6	E440	1.0	mg/kg	309	226	31.1%	40%	----
		Tungsten	7440-33-7	E440	0.50	mg/kg	7.41	20.3	93.0%	30%	DUP-H
		Uranium	7440-61-1	E440	0.050	mg/kg	3.54	4.30	19.5%	30%	----
		Vanadium	7440-62-2	E440	0.20	mg/kg	42.5	44.4	4.26%	30%	----
		Zinc	7440-66-6	E440	2.0	mg/kg	3600	3990	10.4%	30%	----
		Zirconium	7440-67-7	E440	1.0	mg/kg	2.0	2.0	0.04	Diff <2x LOR	----

Qualifiers

Qualifier	*Description*
DUP-H	*Duplicate results outside ALS DQO, due to sample heterogeneity.*

Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: **Soil/Solid**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1352049)						
Moisture	----	E144	0.25	%	<0.25	----
Metals (QCLot: 1352046)						
Mercury	7439-97-6	E510	0.005	mg/kg	<0.0050	----
Metals (QCLot: 1352047)						
Aluminum	7429-90-5	E440	50	mg/kg	<50	----
Antimony	7440-36-0	E440	0.1	mg/kg	<0.10	----
Arsenic	7440-38-2	E440	0.1	mg/kg	<0.10	----
Barium	7440-39-3	E440	0.5	mg/kg	<0.50	----
Beryllium	7440-41-7	E440	0.1	mg/kg	<0.10	----
Bismuth	7440-69-9	E440	0.2	mg/kg	<0.20	----
Boron	7440-42-8	E440	5	mg/kg	<5.0	----
Cadmium	7440-43-9	E440	0.02	mg/kg	<0.020	----
Calcium	7440-70-2	E440	50	mg/kg	<50	----
Chromium	7440-47-3	E440	0.5	mg/kg	<0.50	----
Cobalt	7440-48-4	E440	0.1	mg/kg	<0.10	----
Copper	7440-50-8	E440	0.5	mg/kg	<0.50	----
Iron	7439-89-6	E440	50	mg/kg	<50	----
Lead	7439-92-1	E440	0.5	mg/kg	<0.50	----
Lithium	7439-93-2	E440	2	mg/kg	<2.0	----
Magnesium	7439-95-4	E440	20	mg/kg	<20	----
Manganese	7439-96-5	E440	1	mg/kg	<1.0	----
Molybdenum	7439-98-7	E440	0.1	mg/kg	<0.10	----
Nickel	7440-02-0	E440	0.5	mg/kg	<0.50	----
Phosphorus	7723-14-0	E440	50	mg/kg	<50	----
Potassium	7440-09-7	E440	100	mg/kg	<100	----
Selenium	7782-49-2	E440	0.2	mg/kg	<0.20	----
Silver	7440-22-4	E440	0.1	mg/kg	<0.10	----
Sodium	7440-23-5	E440	50	mg/kg	<50	----
Strontium	7440-24-6	E440	0.5	mg/kg	<0.50	----
Sulfur	7704-34-9	E440	1000	mg/kg	<1000	----
Thallium	7440-28-0	E440	0.05	mg/kg	<0.050	----
Tin	7440-31-5	E440	2	mg/kg	<2.0	----

Sub-Matrix: **Soil/Solid**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Metals (QCLot: 1352047) - continued						
Titanium	7440-32-6	E440	1	mg/kg	<1.0	----
Tungsten	7440-33-7	E440	0.5	mg/kg	<0.50	----
Uranium	7440-61-1	E440	0.05	mg/kg	<0.050	----
Vanadium	7440-62-2	E440	0.2	mg/kg	<0.20	----
Zinc	7440-66-6	E440	2	mg/kg	<2.0	----
Zirconium	7440-67-7	E440	1	mg/kg	<1.0	----
TCLP Metals (QCLot: 1354516)						
Mercury, TCLP	7439-97-6	E512	0.001	mg/L	<0.0010	----
TCLP Metals (QCLot: 1354517)						
Antimony, TCLP	7440-36-0	E444	0.1	mg/L	<0.10	----
Arsenic, TCLP	7440-38-2	E444	1	mg/L	<1.0	----
Barium, TCLP	7440-39-3	E444	2.5	mg/L	<2.5	----
Beryllium, TCLP	7440-41-7	E444	0.025	mg/L	<0.025	----
Boron, TCLP	7440-42-8	E444	0.5	mg/L	<0.50	----
Cadmium, TCLP	7440-43-9	E444	0.05	mg/L	<0.050	----
Calcium, TCLP	7440-70-2	E444	10	mg/L	<10	----
Chromium, TCLP	7440-47-3	E444	0.25	mg/L	<0.25	----
Cobalt, TCLP	7440-48-4	E444	0.05	mg/L	<0.050	----
Copper, TCLP	7440-50-8	E444	0.05	mg/L	<0.050	----
Iron, TCLP	7439-89-6	E444	5	mg/L	<5.0	----
Lead, TCLP	7439-92-1	E444	0.25	mg/L	<0.25	----
Magnesium, TCLP	7439-95-4	E444	2.5	mg/L	<2.5	----
Nickel, TCLP	7440-02-0	E444	0.25	mg/L	<0.25	----
Selenium, TCLP	7782-49-2	E444	0.1	mg/L	<0.10	----
Silver, TCLP	7440-22-4	E444	0.05	mg/L	<0.050	----
Thallium, TCLP	7440-28-0	E444	1	mg/L	<1.0	----
Uranium, TCLP	7440-61-1	E444	0.2	mg/L	<0.20	----
Vanadium, TCLP	7440-62-2	E444	0.15	mg/L	<0.15	----
Zinc, TCLP	7440-66-6	E444	0.5	mg/L	<0.50	----
Zirconium, TCLP	7440-67-7	E444	10	mg/L	<10	----

Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: **Soil/Solid**

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1352048)									
pH (1:2 soil:water)	----	E108	----	pH units	6 pH units	100	95.0	105	----
Physical Tests (QCLot: 1352049)									
Moisture	----	E144	0.25	%	50 %	100	90.0	110	----
Metals (QCLot: 1352046)									
Mercury	7439-97-6	E510	0.005	mg/kg	0.1 mg/kg	101	80.0	120	----
Metals (QCLot: 1352047)									
Aluminum	7429-90-5	E440	50	mg/kg	200 mg/kg	93.8	80.0	120	----
Antimony	7440-36-0	E440	0.1	mg/kg	100 mg/kg	92.7	80.0	120	----
Arsenic	7440-38-2	E440	0.1	mg/kg	100 mg/kg	99.5	80.0	120	----
Barium	7440-39-3	E440	0.5	mg/kg	25 mg/kg	97.8	80.0	120	----
Beryllium	7440-41-7	E440	0.1	mg/kg	10 mg/kg	91.9	80.0	120	----
Bismuth	7440-69-9	E440	0.2	mg/kg	100 mg/kg	92.4	80.0	120	----
Boron	7440-42-8	E440	5	mg/kg	100 mg/kg	98.8	80.0	120	----
Cadmium	7440-43-9	E440	0.02	mg/kg	10 mg/kg	91.0	80.0	120	----
Calcium	7440-70-2	E440	50	mg/kg	5000 mg/kg	92.5	80.0	120	----
Chromium	7440-47-3	E440	0.5	mg/kg	25 mg/kg	92.7	80.0	120	----
Cobalt	7440-48-4	E440	0.1	mg/kg	25 mg/kg	94.0	80.0	120	----
Copper	7440-50-8	E440	0.5	mg/kg	25 mg/kg	91.6	80.0	120	----
Iron	7439-89-6	E440	50	mg/kg	100 mg/kg	94.3	80.0	120	----
Lead	7439-92-1	E440	0.5	mg/kg	50 mg/kg	93.2	80.0	120	----
Lithium	7439-93-2	E440	2	mg/kg	25 mg/kg	95.2	80.0	120	----
Magnesium	7439-95-4	E440	20	mg/kg	5000 mg/kg	99.8	80.0	120	----
Manganese	7439-96-5	E440	1	mg/kg	25 mg/kg	91.5	80.0	120	----
Molybdenum	7439-98-7	E440	0.1	mg/kg	25 mg/kg	88.4	80.0	120	----
Nickel	7440-02-0	E440	0.5	mg/kg	50 mg/kg	93.8	80.0	120	----
Phosphorus	7723-14-0	E440	50	mg/kg	1000 mg/kg	102	80.0	120	----
Potassium	7440-09-7	E440	100	mg/kg	5000 mg/kg	96.1	80.0	120	----
Selenium	7782-49-2	E440	0.2	mg/kg	100 mg/kg	89.3	80.0	120	----
Silver	7440-22-4	E440	0.1	mg/kg	10 mg/kg	80.0	80.0	120	----
Sodium	7440-23-5	E440	50	mg/kg	5000 mg/kg	95.0	80.0	120	----
Strontium	7440-24-6	E440	0.5	mg/kg	25 mg/kg	92.4	80.0	120	----
Sulfur	7704-34-9	E440	1000	mg/kg	5000 mg/kg	90.7	80.0	120	----

Sub-Matrix: **Soil/Solid**

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Metals (QCLot: 1352047) - continued									
Thallium	7440-28-0	E440	0.05	mg/kg	100 mg/kg	91.5	80.0	120	----
Tin	7440-31-5	E440	2	mg/kg	50 mg/kg	93.7	80.0	120	----
Titanium	7440-32-6	E440	1	mg/kg	25 mg/kg	97.6	80.0	120	----
Tungsten	7440-33-7	E440	0.5	mg/kg	10 mg/kg	93.3	80.0	120	----
Uranium	7440-61-1	E440	0.05	mg/kg	0.5 mg/kg	95.1	80.0	120	----
Vanadium	7440-62-2	E440	0.2	mg/kg	50 mg/kg	95.9	80.0	120	----
Zinc	7440-66-6	E440	2	mg/kg	50 mg/kg	95.9	80.0	120	----
Zirconium	7440-67-7	E440	1	mg/kg	10 mg/kg	90.7	80.0	120	----

Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: **Soil/Solid**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
TCLP Metals (QCLot: 1354516)										
VA24A3903-001	BA2408-A-1	Mercury, TCLP	7439-97-6	E512	0.0009 mg/L	0.001 mg/L	93.4	50.0	140	----
TCLP Metals (QCLot: 1354517)										
VA24A3903-001	BA2408-A-1	Antimony, TCLP	7440-36-0	E444	5.07 mg/L	5 mg/L	101	50.0	140	----
		Arsenic, TCLP	7440-38-2	E444	5.1 mg/L	5 mg/L	101	50.0	140	----
		Barium, TCLP	7440-39-3	E444	13.4 mg/L	12.5 mg/L	107	50.0	140	----
		Beryllium, TCLP	7440-41-7	E444	0.261 mg/L	0.25 mg/L	104	50.0	140	----
		Boron, TCLP	7440-42-8	E444	10.4 mg/L	10 mg/L	104	50.0	140	----
		Cadmium, TCLP	7440-43-9	E444	0.254 mg/L	0.25 mg/L	102	50.0	140	----
		Calcium, TCLP	7440-70-2	E444	ND mg/L	250 mg/L	ND	50.0	140	----
		Chromium, TCLP	7440-47-3	E444	1.20 mg/L	1.25 mg/L	96.0	50.0	140	----
		Cobalt, TCLP	7440-48-4	E444	ND mg/L	0.25 mg/L	ND	50.0	140	----
		Copper, TCLP	7440-50-8	E444	2.28 mg/L	2.5 mg/L	91.3	50.0	140	----
		Iron, TCLP	7439-89-6	E444	225 mg/L	250 mg/L	90.0	50.0	140	----
		Lead, TCLP	7439-92-1	E444	9.04 mg/L	10 mg/L	90.4	50.0	140	----
		Magnesium, TCLP	7439-95-4	E444	252 mg/L	250 mg/L	101	50.0	140	----
		Nickel, TCLP	7440-02-0	E444	2.37 mg/L	2.5 mg/L	94.8	50.0	140	----
		Selenium, TCLP	7782-49-2	E444	4.79 mg/L	5 mg/L	95.9	50.0	140	----
		Silver, TCLP	7440-22-4	E444	0.084 mg/L	0.1 mg/L	84.1	50.0	140	----
		Thallium, TCLP	7440-28-0	E444	4.6 mg/L	5 mg/L	91.1	50.0	140	----
		Uranium, TCLP	7440-61-1	E444	4.71 mg/L	5 mg/L	94.1	50.0	150	----
		Vanadium, TCLP	7440-62-2	E444	0.71 mg/L	0.75 mg/L	94.6	50.0	140	----
		Zinc, TCLP	7440-66-6	E444	ND mg/L	10 mg/L	ND	50.0	140	----
		Zirconium, TCLP	7440-67-7	E444	0.8 mg/L	1 mg/L	77.5	50.0	150	----

Reference Material (RM) Report

A Reference Material (RM) is a homogenous material with known and well-established analyte concentrations. RMs are processed in an identical manner to test samples, and are used to monitor and control the accuracy and precision of a test method for a typical sample matrix. RM results are expressed as percent recovery of the target analyte concentration. RM targets may be certified target concentrations provided by the RM supplier, or may be ALS long-term mean values (for empirical test methods).

Sub-Matrix:

					Reference Material (RM) Report				
					RM Target	Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Concentration	RM	Low	High	Qualifier
Metals (QCLot: 1352046)									
	SCP SS-2	Mercury	7439-97-6	E510	0.059 mg/kg	106	70.0	130	----
Metals (QCLot: 1352047)									
	SCP SS-2	Aluminum	7429-90-5	E440	9817 mg/kg	103	70.0	130	----
	SCP SS-2	Antimony	7440-36-0	E440	3.99 mg/kg	109	70.0	130	----
	SCP SS-2	Arsenic	7440-38-2	E440	3.73 mg/kg	105	70.0	130	----
	SCP SS-2	Barium	7440-39-3	E440	105 mg/kg	95.4	70.0	130	----
	SCP SS-2	Beryllium	7440-41-7	E440	0.349 mg/kg	105	70.0	130	----
	SCP SS-2	Boron	7440-42-8	E440	8.5 mg/kg	127	40.0	160	----
	SCP SS-2	Cadmium	7440-43-9	E440	0.91 mg/kg	94.2	70.0	130	----
	SCP SS-2	Calcium	7440-70-2	E440	31082 mg/kg	99.9	70.0	130	----
	SCP SS-2	Chromium	7440-47-3	E440	101 mg/kg	110	70.0	130	----
	SCP SS-2	Cobalt	7440-48-4	E440	6.9 mg/kg	99.7	70.0	130	----
	SCP SS-2	Copper	7440-50-8	E440	123 mg/kg	92.6	70.0	130	----
	SCP SS-2	Iron	7439-89-6	E440	23558 mg/kg	99.7	70.0	130	----
	SCP SS-2	Lead	7439-92-1	E440	267 mg/kg	94.1	70.0	130	----
	SCP SS-2	Lithium	7439-93-2	E440	9.5 mg/kg	99.8	70.0	130	----
	SCP SS-2	Magnesium	7439-95-4	E440	5509 mg/kg	106	70.0	130	----
	SCP SS-2	Manganese	7439-96-5	E440	269 mg/kg	101	70.0	130	----
	SCP SS-2	Molybdenum	7439-98-7	E440	1.03 mg/kg	94.8	70.0	130	----
	SCP SS-2	Nickel	7440-02-0	E440	26.7 mg/kg	99.2	70.0	130	----
	SCP SS-2	Phosphorus	7723-14-0	E440	752 mg/kg	92.4	70.0	130	----
	SCP SS-2	Potassium	7440-09-7	E440	1587 mg/kg	116	70.0	130	----
	SCP SS-2	Sodium	7440-23-5	E440	797 mg/kg	104	70.0	130	----
	SCP SS-2	Strontium	7440-24-6	E440	86.1 mg/kg	92.8	70.0	130	----
	SCP SS-2	Thallium	7440-28-0	E440	0.0786 mg/kg	92.3	40.0	160	----
	SCP SS-2	Tin	7440-31-5	E440	10.6 mg/kg	102	70.0	130	----
	SCP SS-2	Titanium	7440-32-6	E440	839 mg/kg	120	70.0	130	----

Sub-Matrix:

					Reference Material (RM) Report				
					RM Target	Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Reference Material ID	Analyte	CAS Number	Method	Concentration	RM	Low	High	Qualifier
Metals (QCLot: 1352047) - continued									
	SCP SS-2	Uranium	7440-61-1	E440	0.52 mg/kg	102	70.0	130	----
	SCP SS-2	Vanadium	7440-62-2	E440	32.7 mg/kg	103	70.0	130	----
	SCP SS-2	Zinc	7440-66-6	E440	297 mg/kg	97.9	70.0	130	----
	SCP SS-2	Zirconium	7440-67-7	E440	5.73 mg/kg	90.4	70.0	130	----

ALS Environmental

Chain of Custody / Analytical Request Form

Canada Toll Free: 1 800 668 9878

www.alsglobal.com

COC # _____

Page ____ of ____

Report To				Report Format / Distribution				Service Requested (Rush for routine analysis subject to availability)
Company:	Covanta Energy			☐ Standard ☐ Other				◉ Regular (Standard Turnaround Times - Business Days)
Contact:	Nicole Victor / Dan Skrypnyk			☑ PDF ☐ Excel ☐ Digital ☐ Fax				○ Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT
Address:	5150 Riverbend Drive			Email 1:	nvictor@covanta.com			○ Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT
	Burnaby BC			Email 2:	ofetherstonhaugh@covanta.com			○ Same Day or Weekend Emergency - Contact ALS to Confirm TAT
Phone:	604-521-1025	Fax:		Email 3:	dskrypnyk@covanta.com			Analysis Request
		☐ Yes	☐ No		brent.kirkpatrick@metrovancouver.org			
					Sarah.Wellman@metrovancouver.org			
Invoice To	Same as Report ?			Client / Project Information				Please indicate below Filtered, Preserved or both (F, P, F/P)
Hardcopy of Invoice with Report?		☐ Yes	☐ No	Job #:				
Company:				PO / AFE:	PO# 46693 Weekly Bottom Ash - Suite			
Contact:				LSD:	(includes 2:1 pH)			
Address:								
Phone:		Fax:		Quote #:				
Lab Work Order # (lab use only)	A3903			ALS Contact:		Sampler:		

Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	MET-TCLP-VA (all metals, Hg)	MOISTURE	Chrome 6	MET-CSR+FULL-VA (all metals)	Number of Containers
	BA2408-A-1	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-2	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-3	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-4	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-5	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-6	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-7	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-8	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-9	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-10	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-11	21-Feb-24	9:00	Soil	X	X		X	1
	BA2408-A-12	21-Feb-24	9:00	Soil	X	X		X	1

Environmental Division
Vancouver
Work Order Reference
VA24A3903

Telephone : +1 604 253 4188

Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.

By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.

Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.

SHIPMENT RELEASE (client use)			SHIPMENT RECEPTION (lab use only)				SHIPMENT VERIFICATION (lab use only)			
Released by:	Date (dd-mmm-yy)	Time (hh-mm)	Received by:	Date:	Time:	Temperature:	Verified by:	Date:	Time:	Observations: Yes / No ? If Yes add SIF
	27-Feb-24		RK	2/27	1255	18.18°C				